

Collierkette

875 / nohl



5tlg.



4tlg.



3tlg.



2tlg.

878 / voll



5tlg.



4tlg.



3tlg.



2tlg.

876 /



5tlg.



4tlg.



3tlg.



2tlg.

1380 /



5tlg.



4tlg.



3tlg.



2tlg.

879 /



3tlg.



2tlg.

638 / a. Ri.



6tlg.



5tlg.



4tlg.



3tlg.

638 / m. Ri.



6tlg.



5tlg.



4tlg.



3tlg.

1697 /



4tlg.



3tlg.



2tlg.

884 /



3tlg.



2tlg.

Lochstege



1360/40



1542/40



1621/25



1567/30



1641/16



1425/22



1425/18



1808 / d. ess.



1899



1894



5274



1729/30



1917/30



1541/30



1617/25



1737



1649/18



1649/22



1934



4440



4439



4553/31




4553/25



1565/20



1566/25



1888/22 gedr.



4896/25



1793/25



1623/25



1567/25



1624/16



1888/22



5275/15



L-065/a

L-065/b

L-065/c

L-068/a

L-067/a

L-066/a

L-066/b

L-063/a

L-063/b

L-063d

L-063e

L-063f

L-063g

L-064/

L-064/b

L-064/c

L-062/b

L-062/d

L-062/e

L-062/f

L-062/g

L-062/h

L-062/i

L-036/7rhg.

L-037/6rhg.

L-038/5rhg.

L-038/2/5rhg.

L-039/4rhg.

L-040/2rhg.

L-040/3rhg.

L-041/2rhg.

L-622/3rhg.

L-875/8rhg.

5419/B

5419/A

5583/19/D5

645/45/3,5

4221/H/8,3 x 0,9

4221/15 dessin

4221/15 flach

4221/37

4221/15

4221/20

4221/25

4221/25 dessin

5552

5552 gelocht

5552 Kurz

8012/1.6 gelocht

4551/A/1.5

8012/1.6 Kurz

4551/A/1.6

8012/1.6 Zache

30120

3051/L

Anhänger

814/H



1604/V



699/0,5



1481



795



4767



5100/25/0,6



5099/25/0,6



5191/0,5

861/H



5495/Z



5098/25/0,6

1507/V



831/H



1472



853

5273/V



5272/V



5271/V



833/V



855/H



832/V



1506 H



1505 H



5181



856/H



859/H



869/H

870/H



883/H



5195/0,4



5175/0,6



858/H



860/H



863/H



862/H



857/H



866/H



865/H



885/H



881/H



2413



2409



2417



2410



V = Vollpressung
H = Hohlpressung

1738



1739



622



1874



1597



4372



1580



1672



1642



1963



1334/gL



1889



1423



1962



192



1402



190



1673



1379



1496



1494



1835



191



1898



sol. Vorrat

4165



4216/6



4216/7



1563



1563/A



5413



620



792



gerade

1534



1334/d



1334/e



1334/f



5116/3



1595



1596



3272



1526



3245



4283/0,3



4283/0,8



30153



237



455



498



497



36



237/K



518/1



491



452



451



444



446



460



437



465



462



479



475



461



395



470



477



469



476



467



641



478



639



430



571



516



447



454



237
des



449/12



449/14





K 832

K 71

13 mm

15 mm

K 62

K 61

K 78

K 77

K 82

K 80

K 83

K 50

K 60
X

K 51

K 69

K 73

K 65

K 58

K 68

K 60

K 57

K 45a

K 48

K 49

K 70

K 56

K 76

K 72

K 63

K 53

K 54

K 84

K 2a



K 1a



K 36



K 19



K 7



K 14



K 8



K 38



K 26



K 27



K 28/2



K 28



K 37



K 39



K 10



K 29



K 16



K 9



K 11



K 25



K 24



K 23



K 1



K 2



K 3



K 4



K 30



K 22



K 6



K 18



K 20 gl



K 20gl



K 43

voll



K 43d



K 44



K 20 fil



K 32



K 33



K 34 R



K 42



K 41a



K 41



K 46a



K 46



K



1640



1622



1623



1624



1625



2015



2037



2036



2038



2010/1



2043



2044



2170



Kugel

2043



Kappe

2119



1516



4191/14/0,6 glatt
0. Loch



4191/14/0,6
1x Loch



4191/14/0,6
Loch mitte
2,7 φ



4191/14/0,6
2x Loch



4191/14/0,6
4x Loch



4608/14/0,5
0. Loch




4608/14/0,5
1x Loch



4608/14/0,5
2x Loch



1936/15/0,6
0. Loch



1936/15/0,6
1x Loch




1936/15/0,6
Loch mitte




4207/3/25/0,6
Innenteil
φ 16mm



4191/17/0,6 glatt
0. Loch



4191/17 glatt
1x Loch



4191/17 glatt
2x Loch



4191/17 glatt
4x Loch



45M/18/0,5
Ms.



1944/20/0,6
0. Loch



1944/20/0,6
1x Loch



1944/20/0,6
Loch mitte




1944/20/0,6
2x Loch



4191/20/0,6
Loch mitte
6mm φ



4206/20/0,6
0. Loch



4206/20/0,6
1x Loch



4206/20/0,6
2x Loch




4206/20/0,6
4x Loch



1944/20/0,6 gewölbt
Loch mitte
2,3mm



4272/22,5/0,6
0. Loch



4272/22,5/0,6
1x Loch




4272/22,5/0,6
2x Loch



4273/22,5/0,6
0. Loch




1945/25/0,6
0. Loch




1945/25/0,6
1x Loch



1945/25/0,6
Loch mitte



4207/25/0,6
0. Loch



4207/25/0,6
1x Loch



4207/25/0,6
2x Loch




4207/25/0,6
4x Loch













1895/29/0,6
0. Loch



4047/...



.. 70/0,8
 .. 63/0,8
 .. 57/0,8
 .. 48/0,8
 .. 45/0,8
 .. 40/0,8
 .. 35/0,8
 .. 30/0,8
 .. 28,5/0,8
 .. 25/0,8
 .. 24/0,8
 .. 23/0,8
 .. 22,5/0,8



4244/0,6 ohne Loch




4245/0,6 ohne Loch




45x45

4252/30/0,6 0.Loch



4253/30/0,6 0.L.



30x30

4244/0,6 1xLoch



4245/0,6 1xLoch



4252/30/0,6 2xL.




4253/30/0,6 1xL.



4254/15/0,7 0.L.



4255/15/0,6 0.L.



15x15

4245/0,6 2xLoch



4250/20/0,6 0.L.



4253/30/0,6 4xL.



4254/15/0,6 1xL.



4255/15/0,6 1xL.



4250/20/0,6 1xL.



4253/30/0,6 6xL.




4254/15/0,6 2xL.



4255/15/0,6 2xL.



4245/0,6 4xLoch



4250/20/0,6 2xL.



4253/30/0,6 8xL.



4254/15/0,6 4xL.




4255/15/0,6 dess. 4xL.



4250/20/0,6 4xL.



4253/30/0,6 dess.




4254/15/0,7 dess.



5188/0,4 Ms.




4251/10/0,6



4255/7/0,6



4245/0,6 8xLoch



4251/20/0,6 0.L.




20x20

4432/0,7




4401/17/0,6




20x15


4513/45/0,6



4514/45/0,8



4514/A/44/0,8



5586/0,8



4515/1140/0,6



4520/A/0,6




4515/A/45/0,6



4709/I/0,8



4885/1/0,8



4519/A/0,9




4885/2/0,8



4885/4/0,8




4518/0,8



4200/A/0,9
Aussenteil





1701/0,6



4200/1/0,9
Innenteil

4520/1/0,6




4519/1/0,9



1680/0,6

4513/30/0,8



4388/A/0,9
Aussenteil

4388/1/0,9
Innenteil



4428/0,6



4597/1/0,6



4597/3/0,6



4597/2/0,6



4597/4/0,6





4830/27/0,6

702/0,6

4228/51/0,9

4803/24/0,7



4830/33/0,6

4228/47,5/0,9


4803/29/0,7



701/0,6



4830/39,5/0,6



4606/1/0,8

4803/36/0,7



4830/46/0,6

700/0,6


4606/7/0,8

4803/41/0,7



4830/52,5/0,6

700/0,8
1xLoch




5565/0,6 0.Loch



5565/0,6 2xLoch

5528/0,5


Ms.



4177/ ohne Loch

4473/20x5/0,6


4705/20/1,2



4177/ 4xLoch

4803/10x4/0,7

4705/23,5/1,2



4177/ 5xLoch

4705/25/1,2



4705/35/1,2



4177/ 6xLoch

4705/51/0,9




4529/25/0,8



4177/ 7xLoch

4529/40/0,7



4529/47/0,7



4529/57/0,7



Pressungen

811 dess



835/1



1521



800 glatt



835/2



1522



800 dess.



836/1



872



801 dess.



837/1/A



873



802 glatt



837/2



812



845



846



810



844



813





1523/4




1523/7




835/3




5466/W/42/0,5



4719/W/40/0,6




5467/38,5/0,5 flach




4102/W/37/0,6



4299/35/0,6 0. Loch




4299/35/0,6 1x Loch




4299/35/0,6 2x Loch




4299/W/35/0,6




1443/0,9 flach



1443/0,9 Schale mit Rand



1344/0,5 flach



1344/0,5 getieft Schale



4756/0,9 Schlitz




1343/0,5



842/25/0,5



847/25



840/20/0,5 0. Loch



840/20/0,5 Loch Mitte



850/20 0. Loch



1537/3 1x Loch



1537/3



1445/4



1307/5



1306/6



1309/7



4623/10/0,6



4623/10/0,6 1x Loch



5468



5470



5471



1503/schwach



1503/stark



1504/stark



1783/4



804/5



805/5



806/6



1520



5368/3/0,4 flach 1xLoch
5368/3/0,3 gewölbt 1xLoch

4653

150/9



138/4/0,5 flach 0.Loch
138/4/0,5 flach 1xLoch
138/4/0,4 gewölbt 1xLoch
138/4/0,4 gewölbt 0.Loch
142/4/0,25 gewölbt 1xLoch
142/4/0,4 flach W-Germany

1842/5/0,6 flach 0.Loch
195/5/0,5 flach Loch 4,0
195/5/0,5 flach Loch 1,5
195/5/0,5 flach dross.
195/5/0,5 gew. Loch 1,0
195/5/0,5 gew. Loch 1,5
4548/5/0,5 Loch 2,2 φ
196/5,5/0,5 flach 0.Loch

1409/6/0,6 flach 0.Loch
1409/6/0,6 1xLoch
1409/6/0,6 Loch Mitte
1409/6/0,5 gew. 1xLoch
1409/6/0,5 gew. Loch 1,5

197/7/0,5 gew. 0.Loch
197/7/0,5 gew. 1xLoch
197/7/0,6 gew. 2xLoch

4533/8/0,6 flach 0.Loch
4533/8/0,6 flach 1xLoch
4533/8/0,6 flach Loch Mitte
1757/8/0,6 flach Loch Mitte 24
4533/8/0,6 flach 2xLoch
4533/8/0,6 gew. 1xLoch
4533/8/2,0 flach 0.Loch


4390/10/0,6 flach 0.Loch
4390/10/0,6 flach 1xLoch
4390/10/0,6 flach Loch Mitte
4483/10/0,5 flach 2xLoch
4482/10/0,5 Ms.

4274/12/0,6 flach 0.Loch
4274/12/0,6 flach 1xLoch
4274/12/0,6 flach Loch Mitte

5526



5527



4762/22/0,8 voll
4762/22/0,8 voll



1677/0,6




1937



4762/13/0,8
4762/13/0,8 voll



1951/0.Loch
1951/1xLoch
1951/3xLoch



5180/0,6 1xLoch



5564/0,8 Kupfer 1xLoch 2xLoch



4133/19x12/0,8 3xLoch



4709/II/0,8



4709/I a./0,8



4710/A/0,8



4710/J/0,8



4549/FL20x38/0,6



4229/0,7 dross. 4xLoch



4229/0,7 glatt 4xLoch



1485



4533/8/0,6 4xZacke




4979/0,6 1xLoch + Füße


139/11




4148/63/0,6
Loch Mitte
2,6mm ϕ



4146/63/0,6
0. Loch



4270/45/0,6 0. Loch




4270/45/0,6 1x Loch




4270/45/0,6 2x Loch



4271/45/0,6 0. Loch



4271/45/0,6 2x Loch



4271/45/0,6 8x Loch



4191/9 dess.
1x Loch



4191/14 dess.
1x Loch



4191/17 dess.
1x Loch



4191/21 dess.
1x Loch



4191/14 gewölbt
dess.
1x Loch



4191/9 dess.
2x Loch



4191/14 dess.
2x Loch



4191/17 dess.
2x Loch



4191/21 dess.
2x Loch



4191/14 gewölbt
dess.
2x Loch



5221/30
2x Loch



5221/22
2x Loch



5221/22
0. Loch



5221/18
0. Loch



5221/10
0. Loch



5221/8
0. Loch



1349

1350

1348

regalmet c.M.



ja. abt. c.M.



R-30 Minalloy



regalmet c.M.

