


Schließen und Toppenhaken



4087



4162/20




4042/40



4162/15



4042/25



2481/20



1837

Neue N<sup>o</sup> = 8146/2 Hg, mont.



2481/10



2481/25



3335



1812 glatt



1812 dess.



4446 glatt

4446 dess.



3339



1856

# Gürtel-Schließen-Teile

 5139/06	 4227 H 2.3/03 M.	 4097/10	 4097/26 Loch 2x6	 4097/25 Loch 2x2
 4221/15 flach		 4097/26	 4097/27 m. Zacke	 4097/27 Loch 2x2
 4221/26 denn		 4097/28	 4097/28 m. Zacke	 5544/22
 4221/28		 4097/28	 5090/25 m. Loch	 5090/25 m. Zacke
 4221/30		 5090/25 glatt	 4209/24/23 Ösen	 4097/23/27 Haken
 4221/25	 4221/24		 4209/24/22	 4209/24/22
 4221/24	 4221/24	 5111/42/m.2	 4209/24/22	
 4221/24	 5111/42/m.2	 5111/42/m.2	 4209/24/22	
 4221/24	 5111/42/m.2	 5111/42/m.2	 4209/24/22	
 4221/24	 4221/24	 4221/24	 4209/24/22	
 4221/24	 5130/24	 5130/24	 4803/44/23	 5215
 4221/24	 7891/30	 7891/40	 6150/40	
	 5645/0.6		 6150/50	

# Stege

Nr. 185 (1.8x0.9) 9	Nr. 4130 (3x0.6) 25	(2.2x1.1) Nr. 4131 25	
16	30	(2.2x1.1) 25	
25	40	(2.5x1.1) 30	
30	50	45	
35	60	(2.5x1.1)	
40	60	(2.5x1.1)	
Nr. 4141 (2.5x1.1) FS 20	Nr. 4286 (3.5x1.5) Lg. Fuß 30	Nr. 4474 (5x1.2) 30	
FS 25	35	30	
FS 30	40	30	
FS 50	45	30	
Nr. 4613 (2.5x1.1) FS 15	45	30	
F 45 25	50	30	
F 45 30	50	45	
F 45 30	60	45	
gebogen Nr. 4615 8/F4	Nr. 4139 10/F 3.5	Nr. 4524 14.5/0.9 d	Nr. 4386 F5
12/F4	FS 17	4524/26 7.2 d	Nr. 4407 F5 30
13/F3 Nr. 4085	FS 24	4524/32/4.2 d	Nr. 4523 F5 35
10/4 d	Schliessenhaken Lappen 4467/A 1/4	4067	FS 45
12.5/4 d	4467/6 1/4	4352	4726/4.2 d
Nr. 4316 4x1.0 d	4429/8 1/4	4348 Lg.F.	Nr. 4674 (2.2x1.1) F4 30
Nr. 4017 3.5x1.5 d	4368/10 1/4	4422/10 1/4	F4 25
			F4 30
			F4 50

# Doppel-Stege Tombak

5282 / 20/A/8mm



5284 / 20/A/12mm



5283 / 30/A/8mm



5285 / 30/A/12mm



5286 / 40/A/8mm



5287 / 40/A/12mm



5288 / 50/A/8mm



5289 / 50/A/12



5290 / 20/12



5291 / 20/12



5292 / 25/12



5293 / 30/12



5294 / 30/12



5295 / 40/12



5296 / 50/12




5297 / 60/12



450A/10



450A/26



5642/20




5643/26



5645 / 0. Lock



450A/20x20  
(90°)



Haarreifen

4977/299/20  
Walzdraht

4977/330/25  
Flachdraht


4977/308/25  
Kordel draht

# Nietstifte 673

von 8-54mm/0.6 DR.

von 10-54mm/0.7

von 10-54mm/0.8



Elox. 1.0

1.2 Dr.

Alum. 1.4 Dr.



3422/54/0.6

30284/40

# Kettelstifte 672

von 10-20mm


v. 7-70mm

Dr. 0.7

v. 15-55mm

Dr. 0.6

Dr. 0.8



Dr. 1.0


Dr. 1.0  
gr. Ri.

1956/21 dess.

1929/25

35


1836/25-33



5554/16/1.2

1.6

4418/17.5/Ri.6



Dr. 1.2

1459

1719/22

3108



1468

10/0.8

tbk.

12/0.9

14/0.9

16/0.9

20/0.9

737

12/1.0

21/1.0

25/1.0

21/10 E.

23/0.5

17/1.2

26/1.4

1549/.../0.6+0.8



GEWINDE - Artikel

1721/25/1,3



1721/30/1,3



1721/35/1,3



1721/40/1,3



1721/45/1,3



1721/55/1,3



1721/60/1,3



1721/70/1,3



1721/90/1,3



5613/70/1,3

100/34x36/1,3



3308/4



3308/5



3308/6



3309



3310



3311



(4x4)

3312



3357



3358



3359



3366



3368



182/35/1,3



182/40/1,3



182/50/1,3



1722/2/51/1,3



1722/2/61/1,3



1722/2/71/1,3



Drehteile (ohne Stift)

*Kragennadel*



Nr. 2410/50



Nr. 2411/50



Nr. 2412/50



Nr. 2417/50



Nr. 2409/50



Nr. 2413/50



Nr. 2413/K

Pz-hette 05



3338

*Krawattenbügel*



Nr. 5120/B



Nr. 5120



Nr. 5120  
unfertig



Nr. 5120/K/05



7908/K



5439/K



5439 Tbk



5543 Ms.

*Schlüsselanhänger*



Nr. 4766

mit Gewinde



Nr. 4766/gepr.

mit Gewinde

*Kragenklemme*



Nr. 1778/A



Nr. 1852/A/55



Nr. 1852/65



# Haarspangen

669/30




669/50



669/65



1528/45



1528/80

1742/35



1742/65



1742/90



1357/glatt



1357/3xLoch



1357/dess.



1357/2xZacke



1371/2xL.



1371/5xL.

58



1416



62



1314



1514



1355



1354



4142/5.4



1559



173/4/18



70/3



1572



1569



70/6



70/9



4339



5146



## Haarspangenleistel



1358 glatt



1358/2xLoch



1358/2xZacke



1556/2xL.



1556/5xL



1556/7xL.

# Haarklemmen

3044/5 glatt

4992/5

3044/7 glatt

4992/7

5076/992/5

5018/5 glatt

5091/9 x Loch

5018/5 + Zacke

5051/11 x L.

5255/10

4359  
glatt

4359  
1 x Loch

4359  
1 x Zacke

4359  
oval



# Haarnadeln

684/50/12 schmal

684/50/12 breit

684/90/13

1288/4.0



Handg.

Handg. ...

NO 117 P 50 26



OHRCREOLEN

Ohrrstecker

30/140/4

5324

3409-10mm

30/141/6

20

3408-11mm

30/141/9

3407-12mm

30/142/5

30

3406-13mm

30/142/10

3404-16mm

30/142/13

3405-14mm

3403-18mm

40

3402-20mm

1809/2,0

5303 / N6  
+ Hau

4596

50

5382/c/4,6

"/c/10,6

5377/6/4,6

5480/35

5382/8/4,6

"/10,6

5381/6/13

5480/19

"/a/0,6

CREOLE

5324/20

= OHRHAKEN

4596/c/10,6

" / 130

= "

" / 10,6

" / 40

= "

" / a / 10,6

" / 50

= "

" / a / 0,6

1982

4559

4406

4836



11



11



15



15



15



15



19



19



20



20




28



28



27



27



32



32



32



32




40



40



42



48



48



60



60



Ohrgehänge Ms.

4424








4738




1984



4739




5311



5310



1985



4835

4740



1983



# Ohrcreolen.

4787/A/15



4787/B/15



4787/C/15



4787/D/19



A/19



B/19



C/19



D/23



A/23



B/25



C/23



D/30



φ 15



φ 16



φ 14



φ 1,6 x 1,0

4595/A/12



4595/B/12



4595/C/12



4595/D/12



4595/F/12



A/16



B/16



C/16



D/16



F/16



A/19



B/19



C/19



D/19



F/19



4,3 x 1,1  
nrd.



4,0 x 0,7  
fl.



4,3 x 1,0



4,0 x 1,0



4,0 x 1,0


Creolen

Nr. 4595



5228/132





Alu



7929  
Komplett



Rahmen



Alu



7974  
Komplett



Rahmen



Alu



7972  
Komplett



7982/1423

8067/16



8066/16



3051/L

8127/CF/16



8126/CF/16



8012/L/16



8012/16  
glatt



8012/16  
zacke



4551/A/16



4551/A/15













































































5552/Loch



5552/zacke



# Krallen aus Tombak

 4773/23	 5014/14	 4763/23,5
 -II-130	 5058/17,5	 -II-127
 -II-134	 4770/20	 -II-128,5
 4239/16	 4097/13	 5345/17
 4279/20	 -II-116,5	 5315/12
 -II-125	 -II-123	 -II-114
 4278/26	 4125/26	 -II-116
 4827/17,5	 4098/18,5	 -II-118
 -II-118,5	 -II-121	 -II-120
 4832/30,5/6,5	 -II-123	 -II-121
 4832/44/6,5	 -II-126	 5316/
 4798/40	 -II-131	 25
 4657/27,5	 4108/26	 25
 -II-138	 4108/20	 27
 -II-142,5	 4135/38	 29
 -II-145	 -II-140	 31
 4829/48	 -II-150	 31
 5004/19,5	 -II-155	 33
 -II-111,2	 4247/16,5	 35
 -II-112,2	 -II-121	 37
 4771/18,5	 4248/23	 39
 4656/15,5	 -II-127	 41
 5194/30	 4249/16	 43
 4703/14,6	 -II-119	 45
	 4062/17/20x0,8	 4935/37
	 -II-17/25x11	 1935/28

# Biegeteile

4338/35



4338/23



788/35/φ (7069/A)



788/24



784 dess.

645/15 D3,5 5573/19 D5



137/16

1448/30



dess.  
1.5  
φ

1448/25



dess.  
1.5  
φ

1448/14



dess. 1.5 φ

1448/25



1.0 φ

1448/25



1.4 φ

4799/3



4799/1



5138/  
3.0 φ



5207/  
25 φ



4946/  
2.8 φ



4970/15  
Alu.



5576/1.5 φ



5460



5235



5182



4581  
1.2 φ



4655/1.0 φ



4984

5155/1.0



5156/1.0



5511/1.0



5259/13.5



5259/12



5259/9.5



135/0 135/0  
10.57 10.77

5346



5399/1



8/12 12/12


5360



4588



1885/170/20



5574/09



5574/07



# Splinten Tbk.

1412/95/55/0.8	1639/15/5	4459/12/11	4552/14/8
1413/18/3.5	1639/11/5	4462/16/11	4552/8/0.8
1413/15/3	1639/11/10	4462/9.5/14	4582/5.5/0.7
1627/2.5/4.5	1640/13/11	4462/16/14	4582/17/7
4329/9.5/5.5	1640/12/14	4462/19/5.5	12x7
1625/9.5	1640/15/3	4512/14/6.6	16/7/12x7
1625/8	1692/6/3	4512/8/6.6/0.8	110/7/12x7
1626/15/45	1712/50/50/0.8	111/35/0.8	110/8.8/12x7
1626/15	1725/9.5	111/6.6/0.8	4683/45/7
1630/12	1725/8	114/4.6/0.8	4810/5/2/12x7
1626/78/50	1814/14/14	4522/14/13/9.3/25x11	4822/23.5/13/0.7
1626/A/5	1634/8/2.5	4526/14/6.6/0.8	4843/9.5/10/12x7
1627/A/10/7	1712/35/8.5	4537/15/22/1.0	4871/10/4/18x9
1627/A/7.7/6.8	1712/32/6.7/6.2	4537/15/19/1.0	19/4.5/12x7
1627/8	1635/10/3	4537/14/12/1.0	15/4/12x7
1627/7.5/H	1700/15/25x9.8	4537/15/12/1.0	4904/14/15/7
1629/13/7	5057/21/8	4913/14/7/1.0	4913/9/7/1.0
1629/13/7	4356/18x9	4914/A/1.1	4956/A/12x12
1630/18	4416/28/12	5217/10x6	
1630/A/15	4698/30/8		
1626/12	4698/50/7		
1632/8/20x8			
1633/10/0.6			
1637/25/12			
1637/10/1.0			
1637/0/1.0			
1637/8/10			
1637/7/1.0			







L-065/a

L-065/b

L-065/c

L-068/a

L-067/a

L-066/a

L-066/b

L-063/a

L-063/b

L-063d

L-063e

L-063f

L-063g

L-064/

L-064/b

L-064/c

L-062/b

L-062/d

L-062/e

L-062/f

L-062/g

L-062/h

L-062/i

L-036/7rhg.

L-037/6rhg.

L-038/5rhg.

L-038/2/5rhg.

L-039/4rhg.

L-040/2rhg.

L-040/3rhg.

L-041/2rhg.

L-622/3rhg.

L-875/8rhg.

5419/B

5419/A

5583/19/D5

645/15/13,5

4221/H/8,3 x 0,9

4221/15 dessin

4221/15 flach

4221/37

4221/15

4221/20

4221/25

4221/25 dessin

5552

5552 gebocht

5552 Kurz

8012/1.6 gelocht

4551/A/1.6

8012/1.6 Kurz

4551/A/1.6

8012/1.6 Zache

30120

3051/L

1734/1



1755



1463



4430




3160



2x Kasten



1656



1807-glatt



1927



3159




1x Feder



1296



5362/0,6 Ms.



1807-dess.



1667



1294




1821/...



1393/0,3 Ms.



5569



1795-glatt




2x Kasten



1393/0,6 Ms.



1312-glatt




1795-dess.




1x Feder



1393/0,4 ALU




1312-dess.



5153-glatt



1393/0,8 ALU



5153-dess.



1305




4258/1,2



5419/B Die



5419/A Haken



5625/10



4214



5213/0,6

4059/dess.



657/stark



4869



1644/glatt



4060/dess.




657




1534



1644/dess.



4060/1,2 rd.



167 gestempelt



1730



5239



762



5040



1449



4056 ALU



1335/1,9



1417



4259



4056/15 offen



1648



727



157




4056/A/13



117




1743




4227



115




5132/0,8




732/7




3207/210/1,7




5132/75/0,6




5132/A/6/0,6



128 Tok.



5197/0,3



3207/140/1,5



8104/145/...



P4



P5



P6



P8



P10

8016/...

♂



15



18



110



114



117



120

7920/...

♂



15



18



110



112



115

8017/10



7932/20



8068/7



8151/10



8153/20



8114/21/23



3124



3125



8124



8076/14



8073/14



div. Farben

div. Farben

Käfer

# Fingerringen



4856/14

1.8 x 0.9  
φ



4855/15,5

1.8 x 0.9  
φ



5089/14,5

1.8 x 0.9  
φ



4933/16,5



4945/16,5



4953/15,5



4953/16,5



4954/16



4954/17,5



4996



5003/18,5

φ 1.2



5003/19,5

φ 1.2



5003/20,5

φ 1.2



5045



5055/15



5056/17



4857



5127/16,5



5205



5258



5205/M

8017/15/0.6



8016/20mm/0.6  
Tbk.



8016/17mm/0.6  
Tbk.



8016/8mm/0.6  
Tbk.



# Fingerringschienen

1918/A  $\phi$  1.4 / 4kt. gerade



1918 /  $\phi$  1.4 / 4kt. gerade



1918 / gedr.  $\phi$  gerade



1918/1.4  $\phi$  gerade



4577  $\phi$  gerade



4463  $\phi$  gerade



4361/1.4  $\phi$   
4kt.



4361/1.4  $\phi$   
rd.



4361/2.0  $\phi$   
gedr.



4463/A  
1.2



4487/ $\phi$   
3.0 x 1.2



4487  
m. Öse



4532/ $\phi$   
1.4  
4kt.



4532



4651/ $\phi$   
3.0 x 1.2



4684/1.7  
3.0 x 1.2  $\phi$



4684/B/1.9  
2.0 x 0.8  
 $\phi$



4684/C/1.6  
2.0 x 0.8  
 $\phi$



4774/1.4.5



4774/1.6.5



4782/1.55  
2.6 x 1.1  
 $\phi$



4782/1.65  
2.5 x 1.1  
 $\phi$



4783/1.4  $\phi$



4784



4815/1.5



4815/  
1.3

3077/140/1.0

7390/150/1.1


7100/150/1.3

7100/140/1.3

7100/125/1.3

4310

4282



Halsreifen

4323/2xLoch

4302/2xLoch

4370

4315/370

4750/43 mit Loch

4750/43 + Zaube

4750/55 mit Loch

geölbt

4750/43/g.


4750/55/g.

Armreifen

4718

4315/165

4848



4166/125/1,3 (A.0)

4178/... 1x Öse

4176/130/1,3 Haken+Ring

4179/... 2x Öse

30113 MS.

4209 / div.  
Ausführungen

2 Haken

4761/125/1,5

4761/140/1,3 2 Haken


4934



*Prismen*

*Spiral-halskette*

*mit Magnet  
30186/12*




*Nr. 7985/65/1.34  
2-fach*



solange Vorrat

Schwarz



*Nr. 7985/65/1.3  
3-fach*



*Nr. 7985/65/1.3  
5-fach*



4629/60

4629/70

1849/ 1816x 18 1.8φ

# Gürtel-Schlaufen

1849/ 24,5x18/ 1.8φ

1849/ 29,5x18/ 1.8φ

1849/ 34,6x18/ 1.8φ

1849/ 39,5x18/ 1.8φ

1849/ 44,6x18/ 1.8φ

1849/1443 B10 1.8φ

1849/13x9 B15 1.8φ

1849/24x9 320 1.8φ

1849/28x8 1.8φ

1849/29x9 325 1.8φ

1849/44x9 x 1.8φ B10

1849/R/ 17x9 1.8φ

1849/R/ 21,4 x 8,7 1.8φ

1849/R/ 24x9 1.8φ

1849/R/ 33,4 x 7,7 1.8φ

1849/R/ 34,5 x 9,3 1.8φ

1669/ 28x7 1.5φ

1669/ 24x8 1.5φ

1669/ 21,5x14 1.6φ

5011 25

5011/14

4707/11,5x 5,3 1.0φ

4707/12,2x 5,3 1.0φ

4601/ 24x3

4601/ 12x3

1849/ 20x11

5233/ 36x18 2.5φ

4687/25x15

4211/56x16,5/3,0φ

1918/a /44 x 14 φ

1780/ 60 x 2,7 x 10 φ

1780/ 45x10/2,5φ

1780/ 31x10/2,5φ

1887/ 35,5x15/2,5φ

1887/ 40x15/2,5φ

188/ 44x14/2,5φ

5144/22

5141/19,5

121 / 20x10

1804/15/23

Qu 10K Ms.

4328/47x20/ 2,5x1,1φ

4225/55x30/ 2,5x2,5φ

4225/45x25/ 2,5x2,5φ

5216/27x27 1,2x1,7φ

5216/32x25 1,7x1,7φ

4312/ 74 2,5x 2,1 φ

4312/ 22/A 2,5x1,1φ

1780/1A.../2,5

24x10,3

4313/15x4 1,8x0,9φ

4313/25,6 1,8x0,9φ

4313/35x8 1,8x0,9 3,5x8

1866/ φ 2,5x1,1 1,5x1,0


1854 1,5x1,5

Drahtbiegeteile



Triangeln Ringangel Rechteckringel


Triangeln



Ringangeln



Nr. 1961/..... Rechteck ringel



# Verbindungsringe



# Ringel rund, aus rd. Draht Tombak und Messing Nr. 176

176/	176/	176/	176/	176/	176/	176/	176/
25/6	28/7	25/8	32/9	36/10	45/12	58/14	55/15
30/6	30/7	29/8	34/9	40/10	50/12	68/14	70/15
33/6	34/7	32/8	38/9	50/10	55/12	80/14	80/15
37/6	39/7	36/8	43/9	50/10	60/12	80/14	90/15
42/6	44/7	40/8	48/9	55/10	65/12	86/14	90/15
	52/7	46/8	53/9	60/10	70/12	100/14	100/15
	62/7	52/8	58/9	70/10	75/12	120/14	130/15
		57/8	70/9	80/10	82/12	120/14	130/15
		63/8	81/9	90/10	90/12	125/14	200/15
				100/10	100/12	150/12	

176/	176/	176/	176/	176/	176/	176/
62/16	86/18	90/20	100/25	110/30	125/35	135/40
155/16	136/18	100/20	163/25	165/30	185/35	220/40
215/16	205/18	145/20	220/25	250/30	280/35	330/40

## Ringel rund, aus rund Draht, Automatt. Tombak u. Messing

Nr. 4694/	4694/	4694/	4694/	4694/	4694/	4694/	4694/
30/4	33/4	30/8	30/5	46/8	50/10	60/10	63/9
Nr. 3029/	3029/	3029/	3029/	3029/	3029/	3029/	3029/
30/8	35/8	38/8	33/9	40/10	45/10	50/10	35/10

angeschliffen

