

**Settings and SEW - ON settings
chains - pendants - Earpost**

Frames for Gluing

Simili stampings

suitable for Swarovski stones

material: TOMBAC 85 % Copper

catalogue 2017


All Products are shown in actual, real size

HIGHLIGHTS for Swarovski Stones



SWAROVSKI
Art. 4547

SWAROVSKI
Art. 4161



SWAROVSKI
Art. 4439



Josef Bergs

All designs manufactured by our clients with Josef Bergs Products



Cup - Chains

KS /

suitable for

SWAROVSKI stones

minimum 10 meters

Chains **KS** / for SWAROVSKI Stones

ROUND SETTINGS SS 25- SS 60

--- wire in the middle of the setting – suitable for bracelet / 1 


--- wire out of the middle of the setting – suitable for necklace / 3 

ALL OTHER SHAPES (OVAL, NAVETTE, RECTANGULAR etc.)

Vertical

--- wire in the middle of the setting for bracelet / 1

--- wire out of the middle of the setting for necklace / 3




Horizontal

--- wire in the middle of the setting for bracelet / 2

--- wire out of the middle of the setting for necklace / 5



SLIT SIZE:



Slit = 0,8 × 1,3 mm

BEZEL-CHAINS

Round for Swarovski 1012+1028



for SS 39 – KS 331/1=for bracelet



for SS 39 – KS 331/3=for necklace/collier

OTHER STYLES:

for SS 18/19 – KS 301/1 approx. 140 settings per meter

for SS 24/25 – KS 303/1+3 approx. 136 settings per meter

for SS 29/30 – KS 300/1+3 approx. 117 settings per meter

for SS 31-**not for Swaro 1012**-KS 1004/1+3 approx. 115 spm

for SS 34 – KS 330/1+3 approx. 117 settings per meter

for SS 39 – KS 331/1+3 approx. 102 settings per meter

for SS 45 – KS 332/1+3 approx. 84 settings per meter

for SS 47 and SS 48 –KS 339/1+3 approx. 75 settings per meter
length of prongs ca. 2,7 mm



for SS 47/48 - KS 1017/1+3 approx. 75 settings per meter

length of prongs ca. 3,2 mm

for SS 47-**not for Swaro 1012**- KS 1006/1+3, 75 spm-**high wall**



for SS 50 – KS 333/1+3 approx. 74 settings per meter

for SS 59 – KS 794/1+3 approx. 66 settings per meter-**high wall**
for SWAROVSKI 1012/1028 + SWAROVSKI 1200



for SS **59** KS 334/1+3 approx. 66 settings per meter **low wall**
not for SWAROVSKI 1012/1028 - 1200



KESSEL - KETTEN
BEZEL - CHAIN

please note that our **STANDARD - CHAINS** are all available with different wire-distance between each setting, as follows:



52 settings per meter



Bergs Ref. KS 301/1 140 settings per meter

SS 18/19

also available 52 settings per meter
60
73
90
140



69 settings per meter



Bergs Ref. KS 303/1+3 136 settings per meter

SS 24/25

also available 47 settings per meter
69
90
100

KESSEL - KETTEN
BEZEL - CHAIN



44 settings per meter



117 settings per meter

Bergs Ref. KS 300/1+3

SS 29/30

also available 44 settings per meter
60
78
90
117



44 settings per meter



117 settings per meter

Bergs Ref. KS 330/1+3

SS 34

also available 44 settings per meter
60
66
78
90



42 settings per meter



68 settings per meter



102 settings per meter

Bergs Ref. KS 331/1+3

SS 39

also available 42 settings per meter
68
80
102

Cupchains-number of settings per meter

for example KS 300 - SS 29/30 for Swaro 1012/1028



44 settings
per meter



48 spm



60 spm



69 spm



78 spm



90 spm



117 spm
standard!

KESSEL - KETTEN
BEZEL - CHAIN



SS 45 Bergs Ref. KS 332/1+3 84 settings per meter
also available 70
56



SS 48 Bergs Ref. KS 339/1+3 75 settings per meter
also available 35



SS 50 Bergs Ref. KS 333/1+3 74 settings per meter
also available 40
23



SS 60 Bergs Ref. KS 334/1+3 66 settings per meter
also available 38

Please note that we always recommend to use
for stone-size 1 size below our mentioned SS size,
for example: for our chain SS 30 please use stone-size SS 29

Chains for SWAROVSKI 1122



KS 1000/84/1 for bracelet, 84 settings per meter
10 mm / SS 45



KS 1001/74/1 for bracelet, 74 settings per meter
12 mm / SS 50



KS 793/66/1 for bracelet, 66 settings per meter
14 mm / SS 58



KS 1002/62/3 for necklace, 62 settings per meter
16 mm / SS 65



KK 9765/3 for necklace
12 mm / SS 50 Swaro 1122
SS 39 Swaro 1028

BEZEL - CHAINS

OVAL for Swarovski 4100 - 4140

8 x 6 mm KS 322/1 + 3 ca. 136 settings per meter
10 x 8 mm KS 323/1 + 3 ca. 102 settings per meter
12 x 10 mm KS 324/1 + 3 ca. 84 settings per meter
14 x 10 mm KS 325/1 + 3 ca. 82 settings per meter
18 x 13 mm KS 327/1 + 3 ca. 72 settings per meter
25x18 mm KS 1016/1+3 ca. 50 settings per meter
30 x 22 mm KS 1011/1+3 ca. 48 settings per meter

/ 1 = for bracelet / 3 = for necklace



8 x 6 mm KS 322/2 ca. 104 settings per meter
10 x 8 mm KS 323/2 ca. 88 settings per meter
12 x 10 mm KS 324/2 ca. 74 settings per meter
14 x 10 mm KS 325/2 ca. 68 settings per meter
18 x 13 mm KS 327/2 ca. 51 settings per meter
30 x 22 mm KS 1011/2 ca. 32 settings per meter

/ 2 = horizontal - wire in the middle

/ 5 = horizontal - wire out of middle for necklace



BEZEL - CHAINS

OCTOGON for Swarovski 4600- 4611

8 x 6 mm	KS 314/1 + 3	ca. 124 settings per meter
10 x 8 mm	KS 313/1 + 3	ca. 105 settings per meter
12 x 10 mm	KS 312/1 + 3	ca. 82 settings per meter
14 x 10 mm	KS 317/1 + 3	ca. 82 settings per meter
18 x 13 mm	KS 398/1 + 3	ca. 71 settings per meter
20 x 15 mm	KS 399/1 + 3	ca. 60 settings per meter
25 x 18 mm	KS 988/1 + 3	ca. 51 settings per meter

/ 1 = for bracelet / 3 = for necklace



14 x 10 mm	KS 317/2	ca. 60 settings per meter
18 x 13 mm	KS 398/2	ca. 49 settings per meter
20 x 15 mm	KS 399/2	ca. 44 settings per meter
25 x 18 mm	KS 988/2	ca. 38 settings per meter

/ 2 = horizontal - wire in the middle for bracelet
/ 5 = horizontal - wire out of middle for necklace



BEZEL - CHAINS

PEAR - shape for Swarovski 4300 - 4320

8 x 4,8 mm	KS 310/3	ca. 150 settings per meter
10 x 6 mm	KS 309/1 + 3	ca. 126 settings per meter
13 x 7,8 mm	KS 308/1 + 3	ca. 98 settings per meter
14 x 10 mm	KS 375/1 + 3	ca. 80 settings per meter
18 x 13 mm	KS 311/3	ca. 71 settings per meter

please note: 18x13 for bracelet/1 NOT available

/ 1 = for bracelet / 3 = for necklace



8 x 4,8 mm	KS 310/2	ca. 124 settings per meter
10 x 6 mm	KS 309/2	ca. 92 settings per meter
13 x 7,8 mm	KS 308/2	ca. 77 settings per meter
14 x 10 mm	KS 375/2	ca. 66 settings per meter
18 x 13 mm	KS 311/2	ca. 53 settings per meter

/ 2 = horizontal - wire in the middle



BEZEL - CHAINS

SQUARE for Swarovski 4400 - 4447

4 x 4 mm	KS 346/1	ca. 148 settings per meter
6 x 6 mm	KS 347/1 + 3	ca. 120 settings per meter
8 x 8 mm	KS 348/1 + 3	ca. 94 settings per meter
10x10 mm	KS 349/1 + 3	ca. 79 settings per meter
12x12 mm	KS 350/1 + 3	ca. 68 settings per meter

/ 1 = for bracelet / 3 = for necklace



HEART for Swarovski 4800 - 4831

5,5 x 5 mm	KS 9347/1	ca. 140 settings per meter
6,6 x 6 mm	KS 9348/1	ca. 130 settings per meter
8,8 x 8 mm	KS 389/1 + 3	ca. 99 settings per meter
11 x 10 mm	KS 9349/1+3	ca. 82 settings per meter
15,4x14 mm	KS 9350/1+3	ca. 65 settings per meter

/ 1 = for bracelet / 3 = for necklace



BEZEL - CHAINS

NAVETTE for Swarovski 4200 - 4231

10 x 5 mm	KS 304/1 + 3	ca. 148 settings per meter
12 x 6 mm	KS 370/1 + 3	ca. 136 settings per meter
15 x 7 mm	KS 307/1 + 3	ca. 110 settings per meter
18 x 9 mm	KS 758/1 + 3	settings per meter
32 x 17 mm	KS 1003/1 + 3	settings per meter

/ 1 = for bracelet

/ 3 = for necklace



10 x 5 mm	KS 304/2	ca. 93 settings per meter
12 x 6 mm	KS 370/2	settings per meter
15 x 7 mm	KS 307/2	ca. 63 settings per meter
18 x 9 mm	KS 758/2	settings per meter
32 x 17 mm	KS 1003/2	settings per meter

/ 2 = horizontal - wire in the middle



BEZEL - CHAINS

ROUND for Swarovski 1122

10 mm / SS 45	KS 1000/1 + 3	84 settings per meter
11 mm / SS 47	KS 792/1 + 3	82 settings per meter
12 mm / SS 50	KS 1001/1 + 3	74 settings per meter
14 mm / SS 58	KS 793/1 + 3	66 settings per meter
16 mm / SS 65	KS 1002/1 + 3	62 settings per meter
18 mm / SS 75	KS 1014/1 + 3	50 settings per meter

/ 1 = for bracelet / 3 = for necklace



for Swarovski 4461 - 4470

8 mm	KS 990/1 + 3	102 settings per meter
10 mm	KS 986/1 + 3	84 settings per meter
12 mm	KS 987/1 + 3	72 settings per meter
14 mm	KS 993/1 + 3	60 settings per meter
16 mm	KS 989/1 + 3	

/ 1 = for bracelet / 3 = for necklace



KESSEL - KETTEN
BEZEL - CHAIN



KS 303/1/69 SS 25 CA. 69 KESSEL PRO METER



KK 9418 SS 25 CA. 47 KESSEL PRO METER



KK 9476 SS 25 CA. 47 KESSEL PRO METER



KK 9477 SS 25 CA. 47 KESSEL PRO METER



KS 300/1/44 SS 30 CA. 44 KESSEL PRO METER



KK 9441 SS 30 CA. 33 KESSEL PRO METER



KK 9442 SS 30 CA. 33 KESSEL PRO METER



KK 9475 SS 30 CA. 33 KESSEL PRO METER

CUP CHAIN STANDARD meter chain



KS 300/1/69 settings SS 30



KS 300/1/117 settings SS 30



KS 303/3/136 settings SS 25



KS 330/3/117 settings SS 35



KS 332/1/84 settings SS 45



KS 605/1/102 settings SS 40



KS 389/3/99 settings 8,8 x 8 mm



KS 313/3/105 settings 10 x 8 mm



KS 307/3/110 settings 15 x 7 mm



KS 308/3/98 settings 13 x 7,8 mm

CUP CHAIN STANDARD meter chain



KK 9576 6 mm + SS 20



KK 9568 10 x 8 mm + SS 25



KS 899/1/71 settings 12 mm



KS 375/2/64 settings 14 x 10 mm



KK 9329 10 x 8 mm + SS 30



KK 9334 15 x 7 mm + SS 40



KK 9497 10 mm + SS 40



KS 311/3/71 settings 18 x 13 mm



KS 327/3/72 settings 18 x 13 mm

KESSEL - KETTEN
BEZEL - CHAINS



KS 344/2 10 X 5 CA. 84 KESSEL PRO METER



KS 344/3 10 X 5 CA. 136 KESSEL PRO METER



K 9330 10 X 8 + SS 40 CA. 88 KESSEL PRO METER



K 9328 12 X 10 + SS 40 CA. 84 KESSEL PRO METER



KS 327/2 18 X 13 CA. 53 KESSEL PRO METER



KS 327/3 18 X 13 CA. 72 KESSEL PRO METER

KS 328/2 20 X 15 CA. 45 KESSEL PRO METER
KS 328/3 20 X 15 CA. 61 KESSEL PRO METER

KESSEL - KETTEN
BEZEL - CHAINS



K 103 10 X 5 + SS 20 CA. 126 KESSEL PRO METER



K 9334 15 X 7 + SS 40 CA. 77 KESSEL PRO METER



KS 602/1 SS 35 CA. 118 KESSEL PRO METER



KS 602/3 SS 35 CA. 118 KESSEL PRO METER



KS 605/3 SS 40 CA. 102 KESSEL PRO METER



KS 608/1 SS 48 CA. 80 KESSEL PRO METER

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones

SWAROVSKI 4501 10 x 5 mm BERGS K 10 / 23 L + B



SEW-ON AK 10 / 23 L open
back

SWAROVSKI 4515 4 x 2 mm BERGS K 10 / 1 B




KS 994/3/120 SWARO 4501 10 x 5 mm



KS 994/2/78 SWARO 4501 10 x 5 mm

Settings - SEW-ON Settings - Chains –Necklace for SWAROVSKI 4745 Star

K 24/1 10mm B = closed back  for soldering

L = open back 

AK 24/1 10mm L= open back 4 holes for SEW-ON



M 15388/24/1

earpost TITANIUM

KS 876/ 1/84

84 settings per meter



KK 9780/1

per meter: 45 x K 24/1 and 45 x SS30



KK 9780/3

per meter: 45 x K 24/1 and 45 x SS30



FASHION NEWS

Chains for SWAROVSKI 4744 10 mm



KS 1007/1 for bracelet, 83 settings per meter



KS 1007/3 for necklace, 77 settings per meter



KK 9774/1 for bracelet, 48 settings 10 mm + 48 settings SS 29/30



KK 9774/3 for necklace, 45 settings 10 mm + 45 settings SS 29/30

other shapes and sizes in combination with 10 mm setting are possible such as: oval – navette – octagon – pear and other SS sizes

FASHION NEWS

Settings – Chains – Necklaces

SWAROVSKI Rosette 3700 12 mm



BERGS K 90/37 closed back = / B

KB 25265 with ring



KK 9677/1/68 settings per meter




KK 9677/3/68 settings per meter

also as spacer chain with 53 settings possible



KK 9696/1 12 mm + SS 40



KK 9696/3 12 mm + SS 40

also as spacer chain possible

KESSEL - KETTEN
BEZEL - CHAINS



K 326 SS 20 CA. 92 KESSEL PRO METER



K 940 SS 20 CA. 39 KESSEL PRO METER



K 465 SS 40 CA. 41 KESSEL PRO METER



K 812 SS 25 + 40 CA. 89 KESSEL PRO METER



K 9151 SS 25 CA. 68 KESSEL PRO METER

FANTASY – CHAINS for Swarovski 1012/1028



KK 9642/1

SS 30/30/40/48/48/40/30/30



KK 9725/1

SS 30/40/48/48/40/30



KK 9740/1

SS 40/30/30/40/48/48/40/30/30/40



KK 9743/1

SS 30/30/30/30/24/19/19



KK 9786/1

SS 39/34/34/29/29/34/34/39



KK 9742/1

SS 30/30/24/24/19/19/19/19/24/24/30/30



KK 9744/1

SS 30/30/24/24/24/19/19/19/19/24/24/24/30/30

Fantasy Chains




KK 9739/1 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028
for bracelet



KK 9739/3 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028
for necklace



KK 9330 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028



KK 9777/3 10x12mm for Swaro 4410



KS 991/3/82 82 settings per meter, 14x10mm for Swaro 4510+4527
for necklace

Fantasy Chains



KK 9797/1 36x SS39 for Swaro 1012/1028
36x SS47/11 mm for Swaro 1122



KK 9797/3 36x SS39 for Swaro 1012/1028
36x SS47/11 mm for Swaro 1122



KK 9796/1 38x 14x10 mm for Swaro 4570/4610
38x oval 14x10 mm for Swaro 4120/4128/4140



KK 9796/3 38x 14x10 mm for Swaro 4570/4610
38x oval 14x10 mm for Swaro 4120/4128/4140



KK 9795/1 36x 14x10 mm + 36x 18x13 mm for Swaro 4570/4610




KK 9795/3 36x 14x10 mm + 36x 18x13 mm for Swaro 4570/4610

Cup Chains



KS 1006/1/65 settings per meter, SS 47 not for Swaro 1012/1028,
high wall ca. 5,3mm



KS 1006/3/65 settings per meter, SS 47 not for Swaro 1012/1028,
high wall ca. 5,3mm



KS 1009/1/43 settings per meter, 20mm for Swaro 1122



KS 1009/3/43 settings per meter, 20mm for Swaro 1122



KK 9509/1/33 27mm for Swaro 1201, 33 settings per meter

FASHION NEWS

Fantasy Chains + Necklaces



KS 986/1/84 10 mm Swarovski 4470
84 settings per meter



KS 986/1/76 10 mm Swarovski 4470
76 settings per meter



KS 985/1/49 10 mm Swarovski 4470
49 settings per meter



KS 985/3/68 14 mm Swarovski 4676
68 settings per meter



KS 985/3/35 14 mm Swarovski 4676
35 settings per meter

FASHION NEWS

Fantasy Chains + Necklaces Swarovski 4470



KS 986 / 1 / 84 10 mm 84 settings per meter



KS 986 / 1 / 49 10 mm 49 settings per meter



KS 987 / 3 / 72 12 mm 72 settings per meter



KS 987 / 1 / 38 12 mm 38 settings per meter



KS 993 / 1 / 60 14 mm 60 settings per meter

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KS 323/1/102 oval 10 x 8 mm



KS 323/1/70 oval 10 x 8 mm



KS 323/1/42 oval 10 x 8 mm



KS 994/3/120 SWARO 4501 10 x 5 mm



KS 994/2/78 SWARO 4501 10 x 5 mm

Josef Bergs

Fantasy-Chain

KK /

suitable for

SWAROVSKI stones

minimum 10 meters

(25 meters for very

elaborate chains)

FASHION NEWS

Settings – SEW-ON Settings – Cup-Chains
for SWAROVSKI 4161



15 x 5 mm BERGS K 9 / 31 L + B open + closed back

SEW – ON AK 9 / 31 L – 2 holes each side open back



KK 9754 / 3 + SS 19

KB 25340 + SS 19



KK 9757 + SS 19



KK 9759 + SS 30



KB 25344
+ SS 19

FASHION NEWS

Settings – SEW-ON Settings – Cup-Chains
for SWAROVSKI 4161



21 x 7 mm BERGS K 9 / 32 L + B open + closed back

SEW – ON AK 9 / 32 L – 2 holes each side open back



KK 9755 / 3 + SS 30

KB 25342 + SS 30



KK 9756 / 3 + SS 30



KK 9758 / 3 + SS 30

FASHION NEWS

Settings – SEW-ON Settings – Cup-Chains
for SWAROVSKI 4547



21 x 7 mm



BERGS K 10/20 L = open back or B = closed back
for soldering



BERGS AK 10/20 L = open back 2 x 2 holes for SEW-ON



BERGS KK 9681/2 21 x 7 + SS 30



BERGS KK 9681/5 21 x 7 + SS 30



BERGS KK 9682 / 3 / 45 / 5 mm 21 x 7 mm + SS 30



BERGS KK 9685 21 x 7 + Navette 15 x 7

FASHION NEWS

Settings – Chains – Necklaces



SWAROVSKI Art. 4547 24 x 8 mm



BERGS K 10/21 L = open back or B = closed back
for soldering



BERGS AK 10/21 L = open back 2 x 2 holes for SEW-ON



BERGS KK 9688/2 24 x 8 + SS 40



BERGS KK 9688/5 24 x 8 + SS 40



BERGS KK 9690

24 x 8 + Octagon 10 x 8

KESSEL - KETTEN
BEZEL - CHAINS



K 9341 7 X 3 + SS 15 CA. 210 KESSEL PRO METER



K 1203 SS 30 CA. 48 KESSEL PRO METER



K 474 SS 40 CA. 39 KESSEL PRO METER



K 9326 SS 20 + 25 CA. 107 KESSEL PRO METER



K 9327 SS 25 CA. 84 KESSEL PRO METER



K 943 SS 25 CA. 38 KESSEL PRO METER

KESSEL - KETTEN
BEZEL - CHAINS



KK 1028 SS 15 + 8X4 CA. 158 KESSEL PRO METER



KK 9061 SS 30 CA. 46 KESSEL PRO METER



KK 704/A SS 30 CA. 66 KESSEL PRO METER



KK 9326 SS 20 CA. 92 KESSEL PRO METER



KK 9336 SS 25 CA. 92 KESSEL PRO METER

KESSEL - KETTEN
BEZEL - CHAINS



KK 9356 SS 30 + 18X13 CA. 60 KESSEL PRO METER



KK 9358 SS 30 CA. 98 KESSEL PRO METER



KK 701 SS 40 CA. 79 KESSEL PRO METER



KK 9357 18X13 CA. 72 KESSEL PRO METER

KESSEL - KETTEN
BEZEL - CHAINS



KK 691 SS 25 CA. 70 KESSEL PRO METER



KK 693 SS 30 CA. 70 KESSEL PRO METER



KK 9267 SS 35 CA. 65 KESSEL PRO METER



KK 677 SS 40 CA. 63 KESSEL PRO METER



KK 9364 SS 25 CA. 58 KESSEL PRO METER



KK 9365 SS 30 CA. 55 KESSEL PRO METER



KK 9366 SS 35 CA. 52 KESSEL PRO METER



KK 9367 SS 40 CA. 50 KESSEL PRO METER

KESSEL - KETTEN
BEZEL - CHAIN



KK 9182 10 mm CA. 49 KESSEL PER METER



KK 9674 SS40/10x5mm CA. 245 KESSEL PER METER



KK 1328 SS20/SS40 CA. 416 KESSEL PER METER
10x5/15x7mm



KK 994 SS 40 CA. 124 KESSEL PER METER



KK 9407 SS 20 / SS 30 CA. 112 KESSEL PER METER



KK 9408 SS 30 CA. 100 KESSEL PER METER

FASHION NEWS

Fantasy Chains + Necklaces



KK 9280/301a SS 20



KK 9663 / 3 SS 15 / 25 / 30



KK 9662 SS 30 walls invisible



KK 9666/3 SS 30 walls invisible



KK 9661 SS 30 walls visible

FASHION NEWS

Fantasy Chains + Necklaces



KK 683



KK 1249



KK 577



KK 589



KK 586

FASHION NEWS

Fantasy Chains + Necklaces



KK 1309



KK 400



KK 434

FASHION NEWS

Fantasy Chains + Necklaces



KK 9659



KK 9658



KK 9657

FASHION NEWS

Fantasy Chains + Necklaces



KK 358
/120 settings/m



KK 358
/80 settings/m

KK 787



KK 759



KK 702



KK 786

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KK 9334 15 x 7 + SS 39/40



KK 9656 / 1 15 x 7 + SS 39/40



KK 9656 / 3 15 x 7 + SS 39/40



KK 9655 15 x 7 + SS 39/40

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KK 9510 / 3 18,7 x 17 + SS 60 for SWARO 1012



KK 9726 32 x 17 + SS 47



KK 9577 27 x 18,5 + SS 75



KK 9574 / 3 27 x 18,5 + SS 75

Fantasy Chains



KK 9781/3 15x7 for Swaro 4200 + SS 18/19 for Swaro 1012/1028



KK 9775/3 SS 29/30 for Swaro 1012/1028




KK 9783/2 SS 24/25 for Swaro 1012/1028 + 10x5 for Swaro 4501



KK 9292/3/108 settings/meter, SS29+SS39 for Swaro 1012/1028



KK 9028/3 8x6 for Swaro 4100 + stamping



KS 793/3/66 14mm/SS58 for Swaro 1122

FASHION NEWS

Settings – Chains – Necklaces



KK 9697/4 21 x 7 + SS 30



KK 9698/2 30 x 10 + SS 40



KK 9698/5 30 x 10 + SS 40



KK 9699/3 30 x 10 + SS 40

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KK 9718 /1 Pearl 10 mm + SS 39/40



KK 9718 /3 Pearl 10 mm + SS 39/40



KK 9720 /3 Pearl 10 mm + SS 29/30



KK 9721 /3 Halfball domed + SS 29/30



KB 25306 Halfball domed + SS 29/30



KK 9722 /3 Flower + SS 29/30

FASHION NEWS

Fantasy Chains + Necklaces



KK 843/1 SS 30/19 for bracelet
KK 844/3 SS 30/19 for necklace



KK 845/1 SS 39/19 for bracelet
KK 846/3 SS 39/19 for necklace



KK 832/1 SS 30/PP 19 for bracelet
KK 833/3 SS 30/PP 19 for necklace



KK 9648 SS 30



KK 9635 SS 30



KK 9636 SS 30

FASHION NEWS

Settings – Chains – Necklaces
for Cabouchon SS 48 / 11 mm
length of claws 4,2 mm



KS 992 / 1 / 73 73 settings pere meter



KS 992 / 1 / 35 35 settings per meter



KK 9707 / 1 41 settings per meter



KK 9708 / 1 SS 48 / 11 mm + SS 40



KK 9701 SS 48 / 11 mm

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KK 9731 / 1 SS 29/30 + PP 13 + PP 7



KK 9732 / 1 SS 39/40 + PP 13 + PP 7



KK 9733 / 3 SS 29/30 + PP 15



KK 9734 / 1 SS 39/40 + PP 15

FASHION NEWS

Settings – SEW_ON Settings – Cup-Chains
for SWAROVSKI 4470



KK 9750 / 3 10 mm + SS 30



KK 9750 / 1 10 mm + SS 30



KK 9729 / 3 12 mm + SS 39



KK 9729 / 1 12 mm + SS 39


Pendants with 2 movable rings closed back only



KBK 3/9/3



KBK 16/12/3



KBK 9/22/2



KBK 9/22/3



KBK 13/12/1



KBK 13/12/3




KBK 5/26/2



KBK 23/10/3




KBK 7/14/2



KBK 23/26 20x16 mm



KBK 2/40/2 35 mm



KBK 2/40/3 35 mm

COLLIER

MITTELTEIL

ARMBAND

BEHANG

COLLIER

MIDDLEPART

BRACELET

PENDANT



KA 1070/K 16/17



KB 25150/K 16/17



KM 35310/K 16/17

KC 4790/K 16/17

SS 25/30/35/40

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KC 5108

SWARO 4470 12 mm + SS 39/40

KA 1104

SWARO 4470 12 mm + SS 39/40

FASHION NEWS

Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones



KB 25301 with ring

KC 5092

KK 9710/1 40 flowers + 40 settings SS 29/30