

**Information
about**

Josef Bergs /

SWAROVSKI

references

**SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI**

**FOR SOLDERING
for SEW-ON
/ 1 for Bracelet**

**K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS**

**K / L open back
/ 2 horizontal
SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

1012/1028

SETTINGS - 4 CLAWS



PP 17	K 1/1	B	
PP 23 / SS 11	K 1/2	B	
PP 24/25 /26 /27/SS12	K 1/4	B+L	AK 1/4 / L 4 holes - 1 hole each side
PP 29 / SS 14/15	K 1/6	B+L	AK 1/6 / L 4 holes - 1 hole each side
PP 31/ 32 / SS 16/17	K 1/7	B+L	AK 1/7 / L 4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L 4 holes - 1 hole each side
SS 21	K 1/21	B	
SS 22	K 1/22	B+L	AK 1/22 / L 4 holes - 1 hole each side
SS 24/25	K 1/11	B+L	AK 1/11 / L 4 holes - 1 hole each side
SS 29/30 / 6 mm	K 1/13	B+L	AK 1/13 / L 4 holes - 1 hole each side
SS 29			AK 1/51 / L 4 holes - 2 holes each side
SS 31/32	K 1/53	B+L	AK 1/53 / L 4 holes - 1 hole each side
SS 34 / 7 mm	K 1/14	B+L	AK 1/14 / L 4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L 4 holes - 2 holes each side
SS 45 / 10 mm	K 1/16	B+L	AK 1/16 / L 4 holes - 2 holes each side
SS 47 and SS 48	K 1/17	B+L	AK 1/17 / L 4 holes - 2 holes each side

length of claws ca. 2,7mm

high wall 4,7 mm

SS47/48	K 1/70	B	length of claws ca. 3,2mm high wall 4,75 mm
---------	--------	---	--

SS 50	K 1/18	B+L	AK 1/18 / L 4 holes - 2 holes each side
SS 47	K 1/ 55	B+L	AK 1/55/ L 4 holes - 2 holes each side

length of claws ca. 2,8mm

high wall 5,3 mm

SS 59	K 1/20	B+L	AK 1/20 / L 4 holes - 2 holes each side
-------	--------	-----	---

1012/1028

SEW-ON settings for rubber straps and other



SS 39		B+L	AK 1/15/2 mm 4 holes - 2 holes each side
SS 50		B+L	AK 1/18/2 mm 4 holes - 2 holes each side
SS 59		B+L	AK 1/20/2 mm 4 holes - 2 holes each side

1012/1028

SETTINGS - 6 CLAWS




SS 29/30 / 6 mm	K 25/1	B+L	
SS 34 / 7 mm	K 25/2	B+L	AK 25/2 / L 4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L 4 holes - 2 holes each side

1012/1028

SETTINGS

FRENCH



SS 12	K 40/1	B+L	
SS 13 max. SS 15	K 40/2	B+L	
SS 18 max. SS 20	K 40/3	B+L	
SS 23 max. SS 25	K 40/4	B+L	
SS 28 max. SS 30	K 40/5	B+L	
SS 33 max. SS 35	K 40/6	B+L	
SS 38 max. SS 40	K 40/8	B+L	
SS 43 max. SS 45	K 40/9	B+L	AK 40/9 / L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace

K / L open back
/ 2 horizontal

ARTICLE NO.
1012/1028

SIZE
SETTINGS
SS 46 max. SS 48
SS 57 max. SS 60
ca. 16 mm
ca. 18 mm

K /
FRENCH
K 40/10
K 40/12
K 40/13
K 40/14

SEW-ON
AK /
B+L AK 40/10 L 4 holes - 2 holes each side
B+L AK 40/12 / L 4 holes - 2 holes each side
B+L
B+L

1012/1028



SETTINGS - 4 CLAWS

SS 20 K 70/1
SS 30 K 70/2
SS 29/30 / 6 mm K 70/107
SS 29/30 / 6 mm K 70/108
SS 39 K 70/111
SS 39 K 70/112

with ring
B with 1 ring
B with 1 ring
B+L with 1 ring
B+L with 2 rings
B+L with 1 ring
B+L with 2 rings

1012/1028



SETTINGS WITH FLOWER STAMPINGS

SS 14/15 BL 01120/302
SS 18/19 BL 0465/302
BL 01270/301
BL 01121/301
BL 0464/301
BL 01890/301
BL 01197/301
SS 24/25 BL 0489/303
BL 01196/303
BL 01122/303
BL 01891/303
BL 01232/303
BL 01267/303
SS 29/30 BL 0489/300
BL 01196/300
BL 01891/300
BL 01232/300
BL 01267/300

settings linked through the middle for sew-on

FLOWER IS BACK

1012/1028



STAMPINGS - FRAMES FOR GLUING

SS 29 PA 07937
SS 29 PA 07938
SS 29 PA 07939
SS 39 PA 07490/SS39
SS 39 PA 07858/SS39
SS 39 PA 07859/SS39
SS 47 PA 07490/SS47
SS 60 PA 07490/SS60
SS 60 PA 8008
SS 60 PA 08009

without ring *automatic multiple tool*
with 1 ring
with 2 rings
without ring *automatic multiple tool*
with 1 ring
with 2 rings
without ring
without ring
with 1 ring
with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace

K / L open back
/ 2 horizontal

ARTICLE NO.
1012/1028

SIZE

K /

AK /

STAMPINGS FOR GLUING



SS18/19
SS18/19
SS24/25
SS24/25
SS29

P 07031
P 07032
P 07033
P 07034
P 07035

without ring
with 1 ring
without ring
with 1 ring
without ring

1012/1028



STAMPINGS FOR GLUING

SS29
SS47
SS47

P 07036
P 07464
P 07465

with 1 ring
without ring
with 1 ring

1012/1028

CUP-CHAINS - 4 CLAWS

minimum



SS 14/15	KS 302/1/190	<u>10 m</u>	Standard	approx. 190 settings p. m.
SS 18/19	KS 301/1/150	<u>10 m</u>	Standard	approx. 150 settings p. m.
SS 24/25	KS 303/136 /1+/3	<u>10 m</u>	Standard	approx. 136 settings p. m.
SS 29/30 / 6mm	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30 / 6mm	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30 / 6mm	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30 / 6mm	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30 / 6mm	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30 / 6mm	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.
SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45 / 10mm	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 47 and SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.

length of claws ca. 2,7mm

SS 47/48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
----------	------------------	-------------	----------	---------------------------

length of claws ca. 3,2mm

SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 59	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.

1012/1028

CUP-CHAINS - 6 CLAWS

minimum



SS29/30 / 6 mm	KS 386/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
----------------	------------------	-------------	----------	----------------------------

1012/1028

CUP-CHAINS - FRENCH

minimum



SS 28 max. SS 30	KS 606/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
------------------	------------------	-------------	----------	----------------------------

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI SETTINGS SEW-ON

ARTICLE NO.

SIZE

K /

AK /

1012/1028

SETTINGS WITH 1 MOVABLE RIVETED LOOP



SS 29/30 / 6mm	KBK 1/13/1	B
SS 39	KBK 1/15/1	<u>B</u>
SS 47 and SS 48	KBK 1/17/1	<u>B</u>

1012/1028



SETTINGS WITH 2 MOVABLE RIVETED LOOPS

SS 29/30 / 6mm	KBK 1/13/2	B
SS 39	KBK 1/15/2	B
SS 47 and SS 48	KBK 1/17/2	B

1012/1028



SETTINGS WITH SPECIAL STAMPED LOOP

/1 with one movable riveted loop

SS 47 and SS 48	KBL 1/17/1	B
-----------------	------------	---

1012/1028



SETTINGS WITH SPECIAL STAMPED LOOP

/2 with two movable riveted loop

SS 47 and SS 48	KBL 1/17/2	B
-----------------	------------	---

1012/1028



EAR-POST TITANIUM fusion weld

+ setting with scroll loose

SS 29/30 / 6mm	M 15388/1/13
SS 39	M 15388/1/15
SS 47 and SS 48	M 15388/1/17

1012/1028



EAR-POST TITANIUM fusion weld

+ setting with movable ring riveted

+ scroll loose

SS 29/30 / 6mm	M 15400/1/13
SS 39	M 15400/1/15

1012/1028



SETTINGS with 2 prongs on bottom

SS39	KSPXS 1/15	length of prongs 5 mm
SS 50	KSPS 1/18	length of prongs 7 mm
	KSPL =	bigger settings: length of prongs: 10 mm

1012/1028



BUTTON

SS 29/30 / 6mm	KNK 1/13
SS 47 and SS 48	KNK 1/17

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.


SIZE

K /

AK /

1012/1028

SETTINGS with rectangular slit 0,8x1,3mm in the wall



SS 29 / 6mm	K 300/1 + /3
SS 39	K 331/1 + /3
SS 47 and SS 48	K 339/1 + /3

1012/1028

BAROCK SEW-ON SETTINGS - 4 CLAWS

material: BRASS



SS 12	AK 261/SS12
SS 15	AK 261/SS12
SS 20	AK 261/SS20
SS 24	AK 261/SS24
SS 30	AK 261/SS30
SS 35	AK 261/SS35
SS 40	AK 261/SS40
SS 45	AK 261/SS45
SS 48	AK 261/SS48

1088

XIRIUS Chaton

SETTINGS - 4 CLAWS



PP 17	K 1/1	B	
PP 23	K 1/2	B	
PP 24 / 25 / 26 / 27	K 1/4	B+L	AK 1/4 / L 4 holes - 1 hole each side
PP 29	K 1/6	B+L	AK 1/6 / L 4 holes - 1 hole each side
PP 32	K 1/7	B+L	AK 1/7 / L 4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L 4 holes - 1 hole each side
SS 21	K 1/21	B	
SS 22	K 1/22	B+L	AK 1/22 / L 4 holes - 1 hole each side
SS 24	K 1/11	B+L	AK 1/11 / L 4 holes - 1 hole each side
SS 29/30	K 1/13	B+L	AK 1/13 / L 4 holes - 1 hole each side
SS 29			AK 1/51 / L 4 holes - 2 holes each side
SS 31/32	K 1/53	B+L	AK 1/53 / L 4 holes - 1 hole each side
SS 34	K 1/14	B+L	AK 1/14 / L 4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L 4 holes - 2 holes each side
SS 45	K 1/16	B+L	AK 1/16 / L 4 holes - 2 holes each side
SS 48	K 1/17	B+L	AK 1/17 / L 4 holes - 2 holes each side

length of claws ca. 2,7mm

SS 48	K 1/70	B	ONLY CLOSED BACK
-------	--------	---	-------------------------

length of claws ca. 3,2mm

SS 50	K 1/18	B+L	AK 1/18 / L 4 holes - 2 holes each side
-------	--------	-----	--

NEW

1088



SS 55	K 1/71	B+L	AK 1/71/L 4 holes - 2 holes each side
-------	--------	-----	--

SEW-ON settings for rubber straps and other

SS 39		B+L	AK 1/15/2 mm 4 holes - 2 holes each side
SS 50		B+L	AK 1/18/2 mm 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace

K / L open back
/ 2 horizontal

ARTICLE NO.

SIZE

K /

AK /

1088

SETTINGS - 6 CLAWS



SS 29	K 25/1	B+L	
SS 34	K 25/2	B+L	AK 25/2 / L 4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L 4 holes - 2 holes each side

1088

SETTINGS

FRENCH



PP27 max. PP29	K 40/2	B+L	
SS 18/19	K 40/3	B+L	
SS 24	K 40/4	B+L	
SS 29	K 40/5	B+L	
SS 34	K 40/6	B+L	
SS 39	K 40/8	B+L	
SS 45	K 40/9	B+L	AK 40/9 / L 4 holes - 2 holes each side
SS 48	K 40/10	B+L	AK 40/10 / L 4 holes - 2 holes each side

1088

SETTINGS - 4 CLAWS



SS 29	K 70/107	B+L	<u>with ring</u>
SS 29	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

1088

SETTINGS WITH FLOWER STAMPINGS

settings linked through the middle for sew-on



PP 29	BL 01120/302	
	BL 0465/302	
SS 18/19	BL 01270/301	
	BL 01121/301	
	BL 0464/301	
	BL 01890/301	
	BL 01197/301	
SS 24	BL 0489/303	
	BL 01196/303	
	BL 01122/303	FLOWER IS BACK
	BL 01891/303	
	BL 01232/303	
	BL 01267/303	
SS 29	BL 0489/300	
	BL 01196/300	
	BL 01891/300	
	BL 01232/300	
	BL 01267/300	

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

1088



SIZE K / AK /
STAMPINGS - FRAMES FOR GLUING

SS 29	PA 07937	without ring	<u>*automatic multiple tool*</u>
SS 29	PA 07938	with 1 ring	
SS 29	PA 07939	with 2 rings	
SS 34	PA 08232	without ring	
SS 34	PA 08233	with 1 ring	
SS 34	PA 08234	with 2 rings	
SS 39	PA 07490/SS39	without ring	<u>*automatic multiple tool*</u>
SS 39	PA 07858/SS39	with 1 ring	
SS 39	PA 07859/SS39	with 2 rings	
SS 45	P 08145	without ring	
SS 47	PA 07490/SS47	without ring	
SS 55	PA 08132	without ring	
SS 55	PA 08133	with 1 ring	

1088



STAMPINGS FOR GLUING

SS 19	P 07031	without ring
SS 19	P 07032	with 1 ring
SS 24	P 07033	without ring
SS 24	P 07034	with 1 ring

1088

CUP-CHAINS - 4 CLAWS

minimum



SS 18/19	KS 301/1/150	<u>10 m</u>	Standard	approx. 150 settings p. m.
SS 24	KS 303/136 /1+/3	<u>10 m</u>	Standard	approx. 136 settings p. m.

1088

CUP-CHAINS - 4 CLAWS

minimum



SS 29/30	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.
SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
	length of claws ca. 2,7mm			
SS 48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
	length of claws ca. 3,2mm			
SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS55	KS 1023/70/1+3	<u>10 m</u>	Standard	approx. 70 settings p. m.

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1088 **CUP-CHAINS - 6 CLAWS** minimum




SS 29 KS 386/115 /1+/3 10 m Standard approx. 115 settings p. m.

1088 **CUP-CHAINS - FRENCH** minimum




SS 29 KS 606/115 /1+/3 10 m Standard approx. 115 settings p. m.

1088 **SETTINGS WITH 1 MOVABLE RIVETED LOOP**



SS 29/30	KBK 1/13/1	<u>B</u>
SS 39	KBK 1/15/1	<u>B</u>
SS 48	KBK 1/17/1	<u>B</u>

1088 **SETTINGS WITH 2 MOVABLE RIVETED LOOPS**



SS 29/30	KBK 1/13/2	<u>B</u>
SS 39	KBK 1/15/2	<u>B</u>
SS 48	KBK 1/17/2	

1088 **SETTINGS WITH SPECIAL STAMPED LOOP**

/1 with one movable riveted loop

SS 48	KBL 1/17/1	<u>B</u>
-------	------------	----------

1088 **SETTINGS WITH SPECIAL STAMPED LOOP**

/2 with two movable riveted loop

SS 48	KBL 1/17/2	<u>B</u>
-------	------------	----------

1088 **EAR-POST TITANIUM fusion weld**

+ setting with scroll loose




SS 29/30	M 15388/1/13
SS 39	M 15388/1/15
SS 48	M 15388/1/17

1088 **EAR-POST TITANIUM fusion weld**

+ setting with movable ring riveted

+ scroll loose




SS 29/30	M 15400/1/13
SS 39	M 15400/1/15

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for **SEW-ON**
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

SIZE

K /

AK /

1088



BUTTON

SS 29/30

KNK 1/13

SS 48

KNK 1/17

1088



Slit = 0,8 x 1,3 mm

SETTINGS with rectangular slit 0,8x1,3mm in the wall

SS 29

K 300/1 + /3

SS 39

K 331/1 + /3

SS 48

K 339/1 + /3

1088



BAROCK SEW-ON SETTINGS - 4 CLAWS

material: BRASS

SS 12

AK 261/SS12

SS 15

AK 261/SS12

SS 20

AK 261/SS20

SS 24

AK 261/SS24

SS 30

AK 261/SS30

SS 35

AK 261/SS35

SS 40

AK 261/SS40


SS 45

AK 261/SS45

SS 48

AK 261/SS48

1122



SETTINGS - 4 CLAWS

SS 37 + 8 mm

K 2/6

SS 39 ** **NEW** **

K 2/24

SS 45 + 10 mm

K 2/7

SS 47 + 11 mm

K 2/1

SS 50 + 12 mm

K 2/8

SS 58 + 14 mm

K 2/2

SS 65 + 16 mm

K 2/9

SS 75 + 18mm

K 2/10

SEW-ON

B+L AK 2/6 / L

4 holes - 2 holes each side

B+L AK 2/24 / L

4 holes - 2 holes each side

B+L AK 2/7 / L

4 holes - 2 holes each side

B+L AK 2/1 / L

4 holes - 2 holes each side

B+L AK 2/8 / L

4 holes - 2 holes each side

B+L AK 2/2 / L

4 holes - 2 holes each side

B+L AK 2/9 / L

4 holes - 2 holes each side

B+L AK 2/10 / L

4 holes - 2 holes each side

1122



SETTINGS - 4 CLAWS

20 mm

K 2/13

** high of wall 6,6mm **

or

20 mm

K 2/23

** high of wall 4,6mm **

25 mm

K 2/11

SEW-ON

B+L AK 2/13 / L

4 holes - 2 holes each side

4 holes - 2 holes each side

B+L AK 2/23 / L

4 holes - 2 holes each side

B+L AK 2/11 / L

4 holes - 2 holes each side

1122



SETTINGS

8 mm

K 80/30

B

10 mm

K 80/31

B

11 mm

K 80/39

B

12 mm

K 80/32

B

14 mm

K 80/33

B

16 mm

K 80/67

B

18 mm

K 80/68

B

MILLGRAIN

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

1122



STAMPINGS - FRAMES FOR GLUING

SS 39		PA 07620/SS39	without ring	
SS 39		PA 08004	with 1 ring	
SS 39		PA 08005	with 2 rings	
SS 47		PA 07620/SS47	without ring	
SS 47		PA 07675	with 1 ring	*only"plain
SS 47		PA 07676	with 2 rings	*only"plain
SS 60		PA 07620/SS60	without ring	
SS 60		PA 08006	with 1 ring	
SS 60		PA 08007	with 2 rings	
18 mm		P 07998	without ring	
18 mm		P 07999	with 1 ring	
18 mm		P 08000	with 2 rings	

1122

STAMPINGS - FRAMES FOR GLUING/ MILGRAIN SURFACE

SS 38/39	8mm	K 80/30	without ring
SS 45	10mm	K 80/31	without ring
SS 48	11mm	K 80/39	without ring
SS 50	12mm	K 80/32	without ring
SS 60	14mm	K 80/33	without ring
SS 65	16mm	K 80/67	without ring
SS 75	18mm	K 80/68	without ring

1122

CUP-CHAINS - 4 CLAWS

minimum

SS 45 + 10 mm		KS 1000/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 47 + 11 mm		KS 792/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.
SS 50 + 12 mm		KS 1001/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 58 + 14 mm		KS 793/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
SS 65 + 16 mm		KS 1002/62 /1+/3	<u>10 m</u>	Standard	approx. 62 settings p. m.
SS 75 + 18 mm		KS 1014/50 /1+/3	<u>10 m</u>	Standard	approx. 50 settings p. m.
20mm		KS 1009/43 /1+/3	<u>25 m</u>	Standard	approx. 43 settings p. m.

1188 NEW

CHATON

SETTINGS - 4 CLAWS



SS 17		K 1/9	B+L AK 1/9 / L	4 holes - 1 hole each side
SS 24		K 1/11	B+L AK 1/11 / L	4 holes - 1 hole each side
SS 29		K 1/13	B+L AK 1/13 / L	4 holes - 1 hole each side
SS 29			AK 1/51 / L	4 holes - 2 holes each side
SS 39		K 1/15	B+L AK 1/15 / L	4 holes - 2 holes each side

1188 NEW

SETTINGS - 6 CLAWS



SS 29		K 25/1	B+L	
SS 39		K 25/3	B+L AK 25/3 / L	4 holes - 2 holes each side

1188 NEW

SETTINGS

FRENCH



SS 17		K 40/3	B+L	
SS 24		K 40/4	B+L	
SS 29		K 40/5	B+L AK 40/5 / L	4 holes - 1 hole each side
SS 39		K 40/8	B+L	

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

1188 NEW



SETTINGS - 4 CLAWS

SS 29	K 70/107	B+L with 1 ring
SS 29	K 70/108	B+L with 2 rings
SS 39	K 70/111	B+L with 1 ring
SS 39	K 70/112	B+L with 2 rings

1188 NEW



STAMPINGS - FRAMES FOR GLUING

SS 39	P 07490/SS39	without ring
SS 39	P 07858/SS39	with 1 ring
SS 39	P 07859/SS39	with 2 rings

1188 NEW

CUP-CHAINS - 4 CLAWS minimum



SS 17	KS 301/1/140	min. 25 meter	approx. 140 settings p. m.
SS 24	KS 303/136 /1+/3	<u>10 m</u>	Standard approx. 136 settings p. m.

1188 NEW

CUP-CHAINS - 6 CLAWS minimum



SS 29	KS 386/115 /1+/3	<u>10 m</u>	Standard approx. 115 settings p. m.
-------	------------------	-------------	-------------------------------------

1188 NEW

CUP-CHAINS - FRENCH minimum



SS 29	KS 606/115 /1+/3	<u>10 m</u>	Standard approx. 115 settings p. m.
-------	------------------	-------------	-------------------------------------

1188 NEW



SETTINGS WITH 1 MOVABLE RIVETED LOOP

SS 29	KBK 1/13/1	B
SS 39	KBK 1/15/1	<u>B</u>

1188 NEW



SETTINGS WITH 2 MOVABLE RIVETED LOOPS

SS 29	KBK 1/13/2	B
SS 39	KBK 1/15/2	B

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON
ARTICLE NO. SIZE **K /** **AK /**

1188 NEW



EAR-POST TITANIUM fusion weld

+ setting with scroll loose

SS 29 M 15388/1/13
 SS 39 M 15388/1/15

1188 NEW



EAR-POST TITANIUM fusion weld

**+ setting with movable ring riveted
 + scroll loose**

SS 29 M 15400/1/13
 SS 39 M 15400/1/15

1200



SETTINGS - 4 CLAWS

SS 47 + 11 mm K 2/1
 SS 59 / 14 mm K 1/20
 SS 59 / 14 mm K 1/25

SEW-ON

B+L AK 2/1 L 4 holes - 2 holes each side
 B+L AK 1/20 / L 4 holes - 2 holes each side
high wall 6,4 mm
 B+L AK 1/25 / L 4 holes - 2 holes each side

1200

CUP-CHAINS - 4 CLAWS

SS 59 HIGH WALL KS 794/66 /1+/3

minimum

10 m Standard approx. 66 settings p. m.


1201

SETTINGS - 4 CLAWS

27 mm K 2/16
 35 mm K 2/40

SEW-ON

B+L AK 2/16 / L 4 holes - 2 holes each side
 B+L AK 2/40 / L 4 holes - 2 holes each side



1201

OPEN FRAMES - 4 CLAWS

27 mm K 2/5 L open back



1201

STAMPINGS - FRAMES FOR GLUING

27 mm P 07908 without ring
 27 mm P 07909 with 1 ring
 27 mm P 07910 with 2 rings
 35 mm P 07987 without ring
 35 mm P 07988 with 1 ring
 35 mm P 07989 with 2 rings




K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING **K / B** closed back **K / L** open back
for SEW-ON **AK / L** open back
/ 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

ARTICLE NO.
1300/1357



SIZE
SETTINGS - 4 CLAWS

SS 17 K 1/7
SS 29 K 1/13
SS 29
SS 39 K 1/15
SS 45 K 1/16

SEW-ON
AK /
SEW-ON

B+L AK 1/7 / L 4 holes - 1 hole each side
B+L AK 1/13 / L 4 holes - 1 hole each side
AK 1/51 / L 4 holes - 2 holes each side
B+L AK 1/15 / L 4 holes - 2 holes each side
B+L AK 1/16 / L 4 holes - 2 holes each side

1681 NEW



SETTINGS - 4 CLAWS

12mm K 2/8
16mm K 2/9

SEW-ON

B+L AK 2/8 / L 4 holes - 2 holes each side
B+L AK 2/9 / L 4 holes - 2 holes each side

1681 NEW

CUP-CHAINS - 4 CLAWS

12mm KS 333/74 /1+/3

minimum

10 m Standard approx. 74 settings p. m.

1695 NEW



SETTINGS - 4 CLAWS

SS 45 + 10 mm K 2/7
SS 58 + 14 mm K 2/2

SEW-ON

B+L AK 2/7 / L 4 holes - 2 holes each side
B+L AK 2/2 / L 4 holes - 2 holes each side

1695 NEW



SETTINGS

10 mm
14 mm

MILLGRAIN

K 80/31 B
K 80/33 B


1695 NEW



STAMPINGS - FRAMES FOR GLUING

14 mm P 07620 without ring
14 mm P 08006 with 1 ring
14 mm P 08007 with 2 rings

2006




SETTINGS - 4 CLAWS

10 mm K 2/7
12 mm K 2/8
14 mm K 2/2
16 mm K 2/9

SEW-ON

B+L AK 2/7 4 holes - 2 holes each side
B+L AK 2/8 4 holes - 2 holes each side
B+L AK 2/2 4 holes - 2 holes each side
B+L AK 2/9 4 holes - 2 holes each side

2000/2006



SETTINGS

10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain

MILLGRAIN

K 80/8 B
K 80/10 B
K 80/59 B

PLAIN

K 80/58

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

List of **SWAROVSKI**-Number and corresponding **JOSEF BERGS** references

01.12.2017

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.
2000/2006

SIZE

SETTINGS

K /
MILLGRAIN

AK /
PLAIN




14 mm millgrain
14 mm millgrain
14 mm plain
16 mm millgrain
16 mm plain

K 80/13 B
AK 80/13 / B B
K 80/15 B

K 80/60
K 80/61

4 holes in bottom

2020



SETTINGS

MILLGRAIN

PLAIN

8 mm millgrain
8 mm plain

K 80/6 B
B

K 80/48




10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain
16 mm millgrain
16 mm plain

K 80/8 B
B
K 80/10 B
B
K 80/15 B

K 80/58
K 80/59
K 80/61

2028

Xilion Rose



SETTINGS for SEW-ON

material: BRASS MS 63

SS 13
SS 16
SS 18
SS 20
SS 24
SS 30
SS 34
SS 40
SS 43
SS 48

AK 1/42
AK 1/26
AK 1/27
AK 1/28
AK 1/29
AK 1/30
AK 1/31
AK 1/39
AK 1/33
AK 1/40

with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside
with cross on backside

2028

Xilion Rose



SETTINGS for TEXTILE / LEATHER

"Tiffany Settings" grained

SS 16 K 1/60 / L
SS 20 K 1/56 / L
SS 25 K 1/62 / L
SS 30 K 1/57 / L
SS 34 K 1/63 / L
SS 40 K 1/58 / L

material: BRASS MS 63

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING K / B closed back K / L open back
SETTINGS for SEW-ON AK / L open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON

ARTICLE NO.

SIZE

2030



SETTINGS

20 mm
30 mm

MILLGRAIN

K 80/17 B
K 80/49 B

PLAIN

2035

SETTINGS

20 mm
30 mm


MILLGRAIN

K 80/17 B
K 80/49 B

PLAIN

Please ask for samples
before ordering !!!

2072



SETTINGS

8 mm millgrain
8 mm plain
10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain

MILLGRAIN

K 80/6 B
B
K 80/8 B

PLAIN

K 80/48

K 80/58

K 80/59



2090/4



SETTINGS

2 mm millgrain
3 mm millgrain
4 mm millgrain
5 mm millgrain
5 mm plain
6 mm millgrain

MILLGRAIN

K 80/73 B
K 80/1 B
K 80/2 B
K 80/3 B
K 80/4 B

PLAIN

K 80/56



2090/4

SETTINGS

6 mm plain
7 mm millgrain
8 mm millgrain
8 mm plain
10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain
14 mm millgrain
14 mm plain

MILLGRAIN

B
K 80/5 B
K 80/6 B
B
K 80/8 B
B
K 80/10 B
B
K 80/13 B

PLAIN

K 80/47

K 80/48

K 80/58

K 80/59

K 80/60




K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

2110/2 / 2190/ SETTINGS



6x4 mm millgrain
6x4 mm plain
8x6 mm millgrain
8x6 mm plain
10x8 mm millgrain
10x8 mm plain
14x10 mm millgrain


MILLGRAIN

K 83/36 B
K 83/2 B
K 83/21 B
K 83/3 B
K 83/5 B

PLAIN


K 83/30
K 83/21
K 83/22

2110/2 / 2190/4 / 2796/4



8 mm millgrain
10 mm millgrain
12 mm millgrain

K 85/3 B
K 85/4 B
K 85/5 B



2415



SETTINGS

4 mm millgrain

MILLGRAIN

K 85/1 B

2483



SETTINGS - 4 CLAWS

25 mm K 12/25

SEW-ON

B+L AK 12/25 / L 4 holes / 1 hole each side

ATTENTION: stone can only be set after SEW-ON!

2483

SETTINGS

10mm millgrain

MILLGRAIN

K 85/4 B

PLAIN

2493



SETTINGS - 4 CLAWS

8 mm ** K 12/3
10 mm ** K 12/4


SEW-ON

B+L AK 12/3 4 holes / 2 holes each side
B+L AK 12/4 4 holes / 2 holes each side

** **Please ask for samples before ordering!**

20 mm K 12/21 B AK 12/21 8 holes / 2 holes each side
30 mm K 12/22 B AK 12/22 8 holes / 2 holes each side

2493



SETTINGS

8 mm millgrain K 85/3 B
10 mm millgrain K 85/4 B
12 mm millgrain K 85/5 B
20 mm plain K 85/14 B
30 mm millgrain K 85/9 B

please ask for sample
please ask for sample
please ask for sample

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs. - exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI


FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

2520



SIZE
SETTINGS

8x6 mm millgrain
8x6mm millgrain
10x8 mm millgrain
10x8mm millgrain
14x10 mm millgrain
14x10mm millgrain
20x14mm plain

K /

K 84/13
AK 84/13
K 84/14
AK 84/14
K 84/1
AK 84/1
K 84/16

AK /

B
B with tunnel on the backside for SEWING
B
B with tunnel on the backside for SEWING
B
B with tunnel on the backside for SEWING
B

2585



SETTINGS - 4 CLAWS

8x6mm
10x8mm
14x10mm

K 9/23
K 9/24
K 9/25

B+L AK 9/23 / L 4 holes - 2 holes each side
B+L AK 9/24 / L 4 holes - 2 holes each side
B+L AK 9/25 / L 4 holes - 2 holes each side

2709



SETTINGS - 4 CLAWS

13x8mm

K 15/9
NEW open back

B closed back
L AK 15/9 / L 4 holes - 2 holes each side

2711



SETTINGS

6 mm millgrain

MILLGRAIN

K 86/7

B

2796/4



SETTINGS


14x7 mm millgrain

MILLGRAIN

K 83/44

B

2856



STAMPINGS - FRAMES FOR GLUING

18x14 mm

P08261
P08262

without ring
with 1 ring

2893/4



SETTINGS


10 mm millgrain

MILLGRAIN

K 86/17

B

3700
Rosette



SETTINGS for SOLDERING

12 mm

K 90/37

SEW-ON

B AK 90/37 / B 4 holes - 2 holes each side


K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>3700</u>	<u>CUP-CHAINS</u>		<u>minimum</u>
<u>Rosette</u>	12mm	KK 9677/1/68	<u>10 m</u> Standard approx. 68 settings p. m.

4100/4110/2/4128/4129/1/4130/2/4140



SETTINGS - 4 CLAWS

6x4mm	K 7/1
7x5mm	K 7/2
8x6mm	K 7/3
10x8mm	K 7/4
12x8mm	K 7/5
12x10mm	K 7/6
14x10mm	K 7/7

SEW-ON

B+L	AK 7/1 / L	2 holes - 1 hole each side
B+L	AK 7/2 / L	2 holes - 1 hole each side
B+L	AK 7/3 / L	4 holes - 2 holes each side
B+L	AK 7/4 / L	4 holes - 2 holes each side
B+L	AK 7/5 / L	4 holes - 2 holes each side
B+L	AK 7/6 / L	4 holes - 2 holes each side
B+L	AK 7/7 / L	4 holes - 2 holes each side



4100/4110/2/4128/4129/1/4130/2/4140

SETTINGS FRENCH

10x8mm	K 43/2
12x10mm	K 43/3
14x10mm	K 43/4

B+L
B+L
B+L

4100

STAMPINGS FOR GLUING

8x6 mm	P 07433
8x6 mm	P 07434
10x8 mm	P 07435
10x8 mm	P 07436
14x10 mm	P 07383
14x10 mm	P 07384
18x13 mm	P 07385
18x13 mm	P 07386

without ring
with 1 ring

8x6 + 10x8 mm



14x10 + 18x13 mm

with 1 ring
without ring
with 1 ring
without ring
with 1 ring

4100/4110/2/4128/4129/1/4130/2/4140

CUP-CHAINS - 4 CLAWS

10x8mm	KS 323/102 /1+/3
12x10mm	KS 324/84 /1+/3
14x10mm	KS 325/82 /1+/3

minimum

<u>10 m</u>	Standard	approx. 102 settings p. m.
<u>10 m</u>	Standard	approx. 84 settings p. m.
<u>10 m</u>	Standard	approx. 82 settings p. m.


4114

SETTINGS - 4 CLAWS

14x10mm	K 7/7
18x13mm	K 7/9

SEW-ON

<u>B+L</u>	AK 7/7 / L	4 holes - 2 holes each side
<u>B+L</u>	AK 7/9 / L	4 holes - 2 holes each side



K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4114



SETTINGS

14x10 mm

18x13 mm

FRENCH

K 43/4

K 43/6

B+L

B+L AK 43/6 / L

4 holes - 2 holes each side

4114

CUP-CHAINS - 4 CLAWS

14x10mm

18x13mm

KS 325/82 /1+/3

KS 327/72 /1+/3

minimum


10 m Standard

10 m Standard

approx. 82 settings p. m.

approx. 72 settings p. m.

4116



SETTINGS - 4 CLAWS

14x10mm

K 7/30




SEW-ON

B+L AK 7/30 / L

4 holes - 2 holes each side

4120



SETTINGS - 4 CLAWS

6x4mm

8x6mm

14x10mm

16x11mm

18x13mm

20x15mm

25x18mm

K 7/1

K 7/3

K 7/7

K 7/8

K 7/9

K 7/10

K 7/11

SEW-ON

B+L AK 7/1 / L

B+L AK 7/3 / L

B+L AK 7/7 / L

B+L AK 7/8 / L

B+L AK 7/9 / L

B+L AK 7/10 / L

B+L AK 7/11 / L

2 holes - 1 hole each side

4 holes - 2 holes each side

4 holes - 2 holes each side

4 holes - 2 holes each side

4 holes - 2 holes each side

4 holes - 2 holes each side

4 holes - 2 holes each side

4120



SETTINGS

14x10mm

18x13 mm

25x18 mm

FRENCH

K 43/4

K 43/6

K 43/8

SEW-ON

B+L

B+L AK 43/6 / L

B+L

4 holes - 2 holes each side

4120



STAMPINGS - FRAMES FOR GLUING

14x10 mm

14x10 mm

14x10 mm

14x10 mm

18x13 mm

18x13 mm

18x13 mm

18x13 mm

18x13 mm

18x13 mm

25x18 mm

25x18 mm

25x18 mm

P 07995

P 07996

P 07996/ST

P 07997

P 07881

P 07882

P 07882/ST

P 07883/ST

P 07883

P 07905

P 07906

P 07907

without ring

with 1 ring

with 1 ring

with 2 rings

without ring

with 1 ring

with 1 ring

with 2 rings

with 2 rings

without ring

with 1 ring

with 2 rings

STAINLESS STEEL

STAINLESS STEEL

STAINLESS STEEL

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4122 **STAMPINGS - FRAMES FOR GLUING**




NEW 8x6 mm	P 08254	without ring
8x6 mm	P 08255	with 1 ring
8x6 mm	P 08256	with 2 rings



NEW 14x10,5 mm	P 08251	without ring
14x10,5 mm	P 08252	with 1 ring
14x10,5 mm	P 08253	with 2 rings

NEW 18x13 mm	P 08248	without ring
18x13 mm	P 08249	with 1 ring
18x13 mm	P 08250	with 2 rings


4123



SETTINGS - 4 CLAWS

14x7 mm	K 8/3	SEW-ON	
16x8 mm	K 8/4	B+L AK 8/3 L	4 holes - 2 holes each side
18x9 mm	K 8/5	B+L AK 8/4 L	4 holes - 2 holes each side

4127



SETTINGS - 4 CLAWS

30x22 mm	K 7/14	SEW-ON	
39x28 mm	K 7/40	B+L AK 7/14 /L	4 holes - 2 holes each side
		B+L AK 7/40 /L	4 holes - 2 holes each side



4127

STAMPINGS - FRAMES FOR GLUING



30x22 mm	P 07975	without ring	
30x22 mm	P 07976	with 1 ring	
30x22 mm	P 07976/ST	with 1 ring	STAINLESS STEEL
30x22 mm	P 07977	with 2 rings	
39x28 mm	P 08016	without ring	
39x28 mm	P 08017	with 1 ring	
39x28 mm	P 08018	with 2 rings	

4128



SETTINGS - 4 CLAWS

6x4mm	K 7/1	SEW-ON	
8x6mm	K 7/3	B+L AK 7/1 / L	2 holes - 1 hole each side
14x10mm	K 7/7	B+L AK 7/3 / L	4 holes - 2 holes each side
		B+L AK 7/7 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON


ARTICLE NO.

SIZE

K /

AK /

4137



STAMPINGS - FRAMES FOR GLUING

22x16 mm	P 07978/G	without ring
22x16 mm	P 07979/G	with 1 ring
22x16 mm	P 07980/G	with 2 rings

4139



SETTINGS - 4 CLAWS

14 mm/L open back	K 2/19	L	<u>SEW-ON</u> AK 2/19 / L	4 holes - 2 holes each side
-------------------	--------	---	------------------------------	-----------------------------



20 mm/L open back	K 2/20	L	AK 2/20 / L	4 holes - 2 holes each side
-------------------	--------	---	-------------	-----------------------------


4139



STAMPINGS - FRAMES FOR GLUING

20 mm	P 07942/G	without ring
20 mm	P 07943/G	with 1 ring
20 mm	P 07944/G	with 2 rings

4161



SETTINGS - 4 CLAWS

15x5 mm	K 9/31	B+L	<u>SEW-ON</u> AK 9/31 / L	4 holes - 2 holes each side
21x7 mm	K 9/32	B+L	AK 9/32 / L	4 holes - 2 holes each side
27x9 mm	K 9/33	B+L	AK 9/33 L	4 holes - 2 holes each side

4161



STAMPINGS - FRAMES FOR GLUING

15x5 mm	P 08001	without ring
15x5 mm	P 08002	with 1 ring
15x5 mm	P 08003	with 2 rings
21x7 mm	P 07893	without ring
21x7 mm	P 07894	with 1 ring
21x7 mm	P 07895	with 2 rings

4161



STAMPINGS - FRAMES FOR GLUING

27x9 mm	P 07896	without ring
27x9 mm	P 07897	with 1 ring
27x9 mm	P 07898	with 2 rings

4161

CUP-CHAINS - 4 CLAWS

21x7mm	KS 998/2/43	<u>minimum</u> 10 m	Standard	approx. 43 settings p. m.
--------	-------------	------------------------	----------	---------------------------

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**
ARTICLE NO. **SIZE** **K /** **AK /**

4196




STAMPINGS - FRAMES FOR GLUING

23x20mm	P 08037	without ring
23x20mm	P 08038	with 1 ring
23x20mm	P 08039	with 2 rings
30x26mm	P 08040	without ring
30x26mm	P 08041	with 1 ring
30x26mm	P 08042	with 2 rings

4200

4200/2



SETTINGS - 4 CLAWS

5x2,5mm	K 5/1
6x3mm	K 5/2
8x4mm	K 5/5
10x5mm	K 5/7
11x3mm	K 5/9
12x6mm	K 5/10
15x4mm	K 5/12
15x7mm	K 5/15
18x9mm	K 5/17
35x9,5mm	K 5/30
48x13mm	K 5/31

SEW-ON

B	AK 5/1 / B	2 holes - 1 hole each side
B+L	AK 5/2 / L	2 holes - 1 hole each side
B+L	AK 5/5 / L	4 holes - 2 holes each side
B+L	AK 5/7 / L	4 holes - 2 holes each side
B	AK 5/9 / B	4 holes - 2 holes each side
B+L	AK 5/10 / L	4 holes - 2 holes each side
B	AK 5/12 / B	4 holes - 2 holes each side
B+L	AK 5/15 / L	4 holes - 2 holes each side
B+L	AK 5/17 / L	4 holes - 2 holes each side
B+L	AK 5/30 / L	4 holes - 2 holes each side
B+L	AK 5/31 / L	4 holes - 2 holes each side

4200

4200/2



SETTINGS

8x4mm	K 42/1
10x5 mm	K 42/2
15x7 mm	K 42/4

FRENCH

B+L
B+L
B+L

4200

4200/2



SETTINGS - 4 CLAWS

10x5mm	K 70/27
11x3mm	K 70/28
15x7mm	K 70/104

with ring

B+L
B
B+L

4200

4200/2



STAMPINGS - FRAMES FOR GLUING

8x4mm	PA 07697	with 1 ring	automatic production
3 x 8x4mm +	P 07696	with 4 rings	
1x SS24 for Swaro 1012/1028			


K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.


SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4200 **STAMPINGS - FRAMES FOR GLUING**

<u>4200/2</u>		10x5mm	P 07850	without ring
		10x5mm	P 07851	with 1 ring
		10x5mm	P 07852	with 2 rings

4200 **STAMPINGS - FRAMES FOR GLUING**

<u>4200/2</u>		15x7mm	P 07843	without ring	
		15x7mm	P 07844	with 1 ring	
		15x7mm	P 07844/ST	with 1 ring	STAINLESS STEEL
		15x7mm	P 07845/ST	with 2 rings	STAINLESS STEEL
		15x7mm	P 07845	with 2 rings	

<u>4200</u>		35x9,5mm	P 08031	without ring
		35x9,5mm	P 08032	with 1 ring
		35x9,5mm	P 08033	with 2 rings
		48x13mm	P 08034	without ring
		48x13mm	P 08035	with 1 ring
		48x13mm	P 08036	with 2 rings

<u>4200</u>		10x 5mm	P 07404	without ring
		10x 5mm	P 07405	with 1 ring

<u>4200</u>	<u>CUP-CHAINS - 4 CLAWS</u>	<u>minimum</u>	
	10x5mm	KS 304/148 /1+/3	<u>10 m</u> Standard approx. 148 settings p. m.
	15x7mm	KS 307/110 /1+/3	<u>10 m</u> Standard approx. 110 settings p. m.

<u>4202/2</u>	<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
	15x7mm	K 5/15	B+L AK 5/15 / L 4 holes - 2 holes each side

<u>4224</u>	<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
	10x8mm	K 7/4	B+L AK 7/4 / L 4 holes - 2 holes each side
	14x11mm	K 5/33	B+L AK 5/33 / L 4 holes - 2 holes each side
	23x18mm	K 5/32	B+L AK 5/32 / L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI SETTINGS **SEW-ON**

ARTICLE NO. **SIZE** **K /** **AK /**

4224




STAMPINGS - FRAMES FOR GLUING

14x11 mm	P 08088	without ring
14x11 mm	P 08089	with 1 ring
14x11 mm	P 08090	with 2 rings
23x18mm	P 08091	without ring
23x18mm	P 08092	with 1 ring
23x18mm	P 08093	with 2 rings


4227

32x17 mm K 5/26 B+L AK 5/26 / L 4 holes - 2 holes each side



4227

STAMPINGS - FRAMES FOR GLUING



32x17 mm	P 07899	without ring
32x17 mm	P 07900	with 1 ring
32x17 mm	P 07901	with 2 rings




4228/4231

SETTINGS - 4 CLAWS

SEW-ON

6x3mm	K 5/2	B+L AK 5/2 / L	2 holes - 1 hole each side
8x4mm	K 5/5	B+L AK 5/5 / L	4 holes - 2 holes each side
10x5mm	K 5/7	B+L AK 5/7 / L	4 holes - 2 holes each side
15x7mm	K 5/15	B+L AK 5/15 / L	4 holes - 2 holes each side
18x9mm	K 5/17	B+L AK 5/17 / L	4 holes - 2 holes each side
10x5mm	K 5/34	B+L AK 5/34 / L	4 holes - 2 holes each side



4228/4231

SETTINGS - 4 CLAWS

with ring

15x7mm	K 70/104	B+L
--------	----------	-----



4228/4231

STAMPINGS - FRAMES FOR GLUING



3 x 8x4 mm + 1x SS24 for Swaro 1012/1028	P 07696	with 4 rings
---	---------	--------------



8x4 mm	PA 07697	with 1 ring	automatic production
--------	----------	-------------	----------------------

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON

ARTICLE NO. SIZE K / AK /

4228/4231



STAMPINGS - FRAMES FOR GLUING

10x5mm	P 07850	without ring
10x5mm	P 07851	with 1 ring
10x5mm	P 07852	with 2 rings
15x7mm	P 07843	without ring
15x7mm	P 07844	with 1 ring
15x7mm	P 07844/ ST	with 1 ring
15x7mm	P 07845/ ST	with 2 rings
15x7mm	P 07845	with 2 rings
18x9 mm	P 07948	without ring
18x9 mm	P 07949	with 1 ring
18x9 mm	P 07950	with 2 rings

STAINLESS STEEL
STAINLESS STEEL

4228/4231

CUP-CHAINS - 4 CLAWS

minimum

10x5mm	KS 304/148 /1+/3	<u>10 m</u>	Standard	approx. 148 settings p. m.
15x7mm	KS 307/110 /1+/3	<u>10 m</u>	Standard	approx. 105 settings p. m.

4230 **New**



SETTINGS - 4 CLAWS

SEW-ON

14x9mm	K 23/45	B+L AK 23/45 / L	4 holes - 2 holes each side
19x12mm	K 23/46	B+L AK 23/46 / L	4 holes - 2 holes each side


4230 **New**



STAMPINGS - FRAMES FOR GLUING

14x9mm	P 08114	without ring
14x9mm	P 08115	with 1 ring
14x9mm	P 08116	with 2 rings
19x12mm	P 08117	without ring
19x12mm	P 08118	with 1 ring
19x12mm	P 08119	with 2 rings
23x15mm	P 08120	without ring
23x15mm	P 08121	with 1 ring
23x15mm	P 08122	with 2 rings

4300



SETTINGS - 4 CLAWS





SEW-ON

6x3,6 mm	K 3/1	B+L AK 3/1 / L	2 holes - 1 hole each side
8x4,8 mm	K 3/2	B+L AK 3/2 / L	4 holes - 2 holes each side
10x6 mm	K 3/3	B+L AK 3/3 / L	4 holes - 2 holes each side
13x7,8 mm	K 3/4	B+L AK 3/4 / L	4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4300</u>	SETTINGS 13x7,8 mm	FRENCH K 41/2	B+L
			
<u>4300</u>	SETTINGS FOR GLUING 10x6mm	K 3/12	with ring B
			
<u>4300</u>	STAMPINGS FOR GLUING 10x6 mm 10x6 mm	P 07408 P 07409	without ring with 1 ring
			
<u>4300</u>	SETTINGS - 4 CLAWS 8x4,8mm 10x6mm 13x7,8mm	K 70/6 K 70/7 K 70/9	with ring B+L B+L B+L
			
<u>4300</u>	CUP-CHAINS - 4 CLAWS 10x6mm 13x7,8mm	KS 309/126 /1+/3 KS 308/98 /1+/3	minimum <u>10 m</u> Standard approx. 126 settings p. m. <u>10 m</u> Standard approx. 98 settings p. m.

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace

K / L open back
/ 2 horizontal


ARTICLE NO.

SIZE

K /

AK /

4316



SETTINGS - 4 CLAWS

14x10mm

K 4/2

SEW-ON

B+L AK 4/2 / L

4 holes - 2 holes each side

4316



SETTINGS - 4 CLAWS

14x10mm

K 70/109

with ring


B+L with 1 ring

14x10 mm

K 70/110

B+L with 2 rings

4320



SETTINGS - 4 CLAWS

6x4 mm

K 4/13

SEW-ON

B+L AK 4/13 / L

2 holes - 1 hole each side

8x6 mm

K 4/11

B+L AK 4/11 / L

4 holes - 2 holes each side

10x7 mm

K 4/1

B+L AK 4/1 / L

4 holes - 2 holes each side

13x8,5 mm

K 4/10

B+L AK 4/10 / L

4 holes - 2 holes each side



14x10 mm

K 4/2

B+L AK 4/2 / L

4 holes - 2 holes each side

**** back side " SLIGHTLY CURVED "**

or

14x10 mm

K 4/20

B+L AK 4/20 / L

4 holes - 2 holes each side

**** back side " PLAN-FLAT "**

15x11 mm

K 4/3

B+L AK 4/3 / L

4 holes - 2 holes each side

18x13 mm

K 4/4

B+L AK 4/4 / L

4 holes - 2 holes each side

**** back side " SLIGHTLY CURVED "**

or

18x13 mm

K 4/21

B+L AK 4/21 / L

4 holes - 2 holes each side

**** back side " PLAN-FLAT "**

4320

SETTINGS - 4 CLAWS

20x15 mm

K 4/8

SEW-ON

B+L AK 4/8 / L

4 holes - 2 holes each side

25x18 mm

K 4/12

B+L AK 4/12 / L

4 holes - 2 holes each side

***** 25x18mm - no stone from Swarovski available**

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..


AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.


- exceeding 20mm diam. 1.500 pcs.


SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI SETTINGS SEW-ON
ARTICLE NO. SIZE **K /** **AK /**

4320 SETTINGS FRENCH

 15x11 mm K 41/3 B+L

4320 SETTINGS - 4 CLAWS with ring

 14x10mm K 70/109 B+L with 1 ring
 14x10 mm K 70/110 B+L with 2 rings
 18x13 mm K 70/11 B+L with 1 ring


4320 STAMPINGS - FRAMES FOR GLUING

 8x6 mm P 07955 without ring
 8x6 mm P 07956 with 1 ring
 8x6 mm P 07956/ST with 1 ring **STAINLESS STEEL**
 8x6 mm P 07957 with 2 rings


4320 STAMPINGS - FRAMES FOR GLUING

 14x10mm P 07719 without ring
 14x10mm P 07720 with 1 ring
 14x10mm P 07721 with 2 rings
 14x10mm P 07720/ST with 1 ring **STAINLESS STEEL**
 14x10mm P 07721/ST with 2 rings **STAINLESS STEEL**
 18x13mm P 07831 without ring
 18x13mm P 07832 with 1 ring
 18x13mm P 07833 with 2 rings

4320 CUP-CHAINS - 4 CLAWS minimum
 18x13mm KS 311/71 /1+/3 10 m Standard approx. 71 settings p. m.

4327 SETTINGS - 4 CLAWS SEW-ON

 30x20mm K 3/9 B+L AK 3/9 / L 4 holes - 2 holes each side
 40x27 mm K 3/40 B+L AK 3/40 /L 4 holes - 2 holes each side

4327 STAMPINGS - FRAMES FOR GLUING

 30x20 mm P 07902 without ring
 30x20 mm P 07903 with 1 ring
 30x20 mm P 07904 with 2 rings
 40x27 mm P 07970 without ring
 40x27 mm P 07971 with 1 ring



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..


AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4327

STAMPINGS - FRAMES WITH 4 CLAWS

40x27 mm	P 07967	without ring
40x27 mm	P 07968	with 1 ring



4328


SETTINGS - 4 CLAWS

6x3.6 mm	K 3/1
8x4,8 mm	K 3/2 *
10x6 mm	K 3/3
13x7,8 mm	K 3/4

SEW-ON

B+L	AK 3/1 / L	2 holes - 1 hole each side
B+L	AK 3/2 / L	4 holes - 2 holes each side
B+L	AK 3/3 / L	4 holes - 2 holes each side
B+L	AK 3/4 / L	4 holes - 2 holes each side

* please ask for sample before ordering



4328

SETTINGS

13x7,8 mm

FRENCH

K 41/2

B+L



4328

SETTINGS FOR GLUING

10x6mm

K 3/12

with ring

B



4328

STAMPINGS FOR GLUING

10x6 mm

P 07408

without ring

10x6 mm

P 07409

with 1 ring



4328

SETTINGS - 4 CLAWS

8x4,8mm	K 70/6 *
10x6mm	K 70/7
13x7,8mm	K 70/9

with ring

B+L * please ask for sample before ordering

B+L

B+L



4328

CUP-CHAINS - 4 CLAWS

10x6mm	KS 309/126 /1+/3	<u>10 m</u>	Standard	approx. 126 settings p. m.
13x7,8mm	KS 308/98 /1+/3	<u>10 m</u>	Standard	approx. 98 settings p. m.


K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..


AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

	<u>4331</u>	<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
	NEW	11 mm	K3/15	B AK 3/15/B 4 holes - 2 holes each side
	NEW	15 mm	K3/16	B AK 3/16/B 4 holes - 2 holes each side
	NEW	20 mm	K3/17	B+L AK 3/16/L 4 holes - 2 holes each side

	<u>4331</u>	<u>STAMPINGS FOR GLUING</u>		
	15mm	P 08229	without ring	
	15mm	P 08230	with 1 ring	
	15mm	P 08231	with 2 rings	
	20mm	P 08226	without ring	
	20mm	P 08227	with 1 ring	
	20mm	P 08225	with 2 rings	
	30mm	P 08223	without ring	
	30mm	P 08224	with 1 ring	
	30mm	P 08224/ ST	with 1 ring	STAINLESS STEEL
30mm	P 08225	with 2 rings		

	<u>4370</u>	<u>SETTINGS - 4 CLAWS</u>	<u>SEW-ON</u>	
	11x10 mm	K 23/29	B+L AK 23/29 / L	4 holes - 2 holes each side
	15,5x14 mm	K 23/30	B+L AK 23/30 / L	4 holes - 2 holes each side
	20x18 mm	K 23/31	B+L AK 23/31 / L	4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4400	SETTINGS - 4 CLAWS		SEW-ON
	5 mm	K 12/6	B+L AK 12/6 / L 2 holes - 1 hole each side
	6 mm	K 12/2	B+L AK 12/2 / L 4 holes - 2 holes each side
	8 mm	K 12/3	B+L AK 12/3 / L 4 holes - 2 holes each side
4400	STAMPINGS FOR GLUING		
	6 mm	P 07602	without ring
	6 mm	P 07603	with 1 ring
	8 mm	P 07393	without ring
	8 mm	P 07394	with 1 ring
	10 mm	P 07395	without ring
	10 mm	P 07396	with 1 ring
4401	SETTINGS - 4 CLAWS		SEW-ON
	4 mm	K 12/1	B+L AK 12/1 / L 4 holes - 1 hole each side
	3 mm	K 12/13	B+L AK 12/13 / L 4 holes - 1 hole each side
4404	SETTINGS - 4 CLAWS		SEW-ON
	6 mm	K 12/2	B+L AK 12/2 / L 4 holes - 2 holes each side
	8 mm	K 12/3	B+L AK 12/3 L 4 holes - 2 holes each side
4410	SETTINGS - 4 CLAWS		SEW-ON
	10 mm	K 12/4	B+L AK 12/4 / L 4 holes - 2 holes each side
	12 mm	K 12/5	B+L AK 12/5 L 4 holes - 2 holes each side
4415	SETTINGS - 4 CLAWS		SEW-ON
	3 mm	K 12/13	B+L AK 12/13 / L 4 holes - 1 hole each side
	4 mm	K 12/1	B+L AK 12/1 / L 4 holes - 1 hole each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING **K / B** closed back **K / L** open back
for SEW-ON **AK / L** open back
/ 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

ARTICLE NO.

SIZE

K /

AK /

4418 NEW

SETTINGS - 4 CLAWS

SEW-ON



6 mm	K 12/2	B+L AK 12/2 / L	4 holes - 2 holes each side
8 mm	K 12/3	B+L AK 12/3 L	4 holes - 2 holes each side

4418 NEW

STAMPINGS - FRAMES FOR GLUING



8 mm	P 08235	without ring
8 mm	P 08236	with 1 ring
8 mm	P 08237	with 2 rings

4428 Xilion

SETTINGS - 4 CLAWS

SEW-ON



3 mm	K 12/13	B+L AK 12/13 / L	4 holes - 1 hole each side
4 mm	K 12/1	B+L AK 12/1 / L	4 holes - 1 hole each side
5 mm	K 12/6	B+L AK 12/6 / L	2 holes - 1 hole each side
6 mm	K 12/2	B+L AK 12/2 / L	4 holes - 2 holes each side
8 mm	K 12/3	B+L AK 12/3 / L	4 holes - 2 holes each side

4428 NEW

STAMPINGS - FRAMES FOR GLUING



8 mm	P 08235	without ring
8 mm	P 08236	with 1 ring
8 mm	P 08237	with 2 rings


Attention:

***Stone can only be set after SEW-ON !!**

4439

SETTINGS - 4 CLAWS


SEW-ON



14 mm open back	K 12/14	L AK 12/14* / L	4 holes - 2 holes each side
20 mm open back	K 12/15	L AK 12/15* / L	4 holes - 2 holes each side
30 mm open back	K 12/16	L AK 12/16* / L	4 holes - 2 holes each side

4439

STAMPINGS - FRAMES FOR GLUING



20 mm open back	P 07923/G	L without ring
20 mm open back	P 07924/G	L with 1 ring
20 mm open back	P 07925/G	L with 2 rings

4439

PENDANT - STAMPING



for 20 mm stone	PA 07692/G	plain	open center, with ring
for 20 mm stone	PA 07693/D	grained	with ring

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.


SIZE

K /

AK /

4440/2

4441/2




SETTINGS - 4 CLAWS

4 mm	K 12/1
5 mm	K 12/6
6 mm	K 12/2
8 mm	K 12/3
10 mm	K 12/4
12 mm	K 12/5

SEW-ON

B+L	AK 12/1 / L	4 holes - 1 hole each side
B+L	AK 12/6 / L	2 holes - 1 hole each side
B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/3 / L	4 holes - 2 holes each side
B+L	AK 12/4 / L	4 holes - 2 holes each side
B+L	AK 12/5 L	4 holes - 2 holes each side

4447



SETTINGS - 4 CLAWS

4 mm	K 12/1
5 mm	K 12/6
6 mm	K 12/2
8 mm	K 12/3
10 mm	K 12/4
12 mm	K 12/5

SEW-ON

B+L	AK 12/1 / L	4 holes - 1 hole each side
B+L	AK 12/6 / L	2 holes - 1 hole each side
B+L	AK 12/2 / L	4 holes - 2 holes each side
B+L	AK 12/3 / L	4 holes - 2 holes each side
B+L	AK 12/4 / L	4 holes - 2 holes each side
B+L	AK 12/5 L	4 holes - 2 holes each side


4447



STAMPINGS - FRAMES FOR GLUING

8 mm	P 07782	without ring
8 mm	P 07783	with 1 ring
8 mm	P 07784	with 2 rings
12 mm	P 07914	without ring
12 mm	P 07915	with 1 ring
12 mm	P 07916	with 2 rings

4461



SETTINGS - 4 CLAWS

8 mm	K 13/31
12 mm	K 13/24
16 mm	K 13/25

SEW-ON

B+L	AK 13/31 / L	4 holes - 2 holes each side
B+L	AK 13/24 / L	4 holes - 2 holes each side
B+L	AK 13/25 / L	4 holes - 2 holes each side

4461



STAMPINGS - FRAMES FOR GLUING

8mm	P 08065	without ring
8mm	P 08066	with 1 ring
8mm	P 08067	with 2 rings
12 mm	P 08010	without ring
12 mm	P 08011	with 1 ring
12 mm	P 08012	with 2 rings
16 mm	P 08013	without ring
16 mm	P 08014	with 1 ring
16 mm	P 08015	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING **K / B** closed back **K / L** open back
for SEW-ON **AK / L** open back
/ 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal


ARTICLE NO.

SIZE

K /

AK /

4470



SETTINGS - 4 CLAWS

SEW-ON

8 mm	K 13/31	B+L AK 13/31 / L	4 holes - 2 holes each side
10 mm	K 13/26	B+L AK 13/26 / L	4 holes - 2 holes each side
12 mm	K 13/24	B+L AK 13/24 / L	4 holes - 2 holes each side
14 mm	K 13/13	B+L AK 13/13 / L	4 holes - 2 holes each side
16 mm	K 13/25	B+L AK 13/25 / L	4 holes - 2 holes each side
18 mm	K 13/14	B+L AK 13/14 / L	4 holes - 2 holes each side

4470



STAMPINGS - FRAMES FOR GLUING

10 mm	P 07764	without ring
10 mm	P 07765	with 1 ring
10 mm	P 07766	with 2 rings
12 mm	P 07767	without ring
12 mm	P 07768	with 1 ring
12 mm	P 07769	with 2 rings

4470

CUP-CHAINS - 4 CLAWS

minimum

8 mm	KS 990/102 /1+/3	<u>10 m</u> Standard	approx.102 settings p. m.
12 mm	KS 987/72 /1+/3	<u>10 m</u> Standard	approx. 72 settings p. m.

4481 NEW



SETTINGS - 4 CLAWS

SEW-ON

12 mm	K 12/5	B+L AK 12/5 L	4 holes - 2 holes each side
-------	--------	---------------	-----------------------------

4481 NEW

STAMPINGS - FRAMES FOR GLUING

12mm	P 08206	without ring
12mm	P 08207	with 1 ring
12mm	P 08208	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

4500

SETTINGS - 4 CLAWS

SEW-ON



6x2 mm

K 10/4

B

10x3 mm

K 10/6


B

AK 10/6 / B

4 holes - 2 holes each side

4501

BAGUETTE 7x3mm



there are different stone sizes on the market

we offer:

K 10/5 B closed back

AK 10/5 B closed back - 2 holes each side

for Baguette size

max. length of stone 6,8mm

max. width of stone 2,8mm

or

K 10/40 B closed back

AK 10/40 B closed back - 2 holes each side

for Baguette size


max. length of stone 7,15mm

max. width of stone 3,15mm

4501

SETTINGS - 4 CLAWS

SEW-ON



4x2mm

K 10/1

B

AK 10/1 / B

4 holes-2 holes each side

5x2 mm

K 10/2

B

5x2,5mm

K 10/3

B

AK 10/3 / B

4 holes -2 holes each side

6x2 mm

K 10/4

B

10x5 mm

K 10/23

B+L


AK 10/23 / L

4 holes - 2 holes each side

4501/4502

SETTINGS - 4 CLAWS

SEW-ON



10x5mm

**

AK 10/30 / L

4 holes - 2 holes each side



** high wall

** stones can be set - BEFORE SEW-ON !

4502

SETTINGS - 4 CLAWS

SEW-ON



10x5 mm

K 10/23

B+L

AK 10/23 / L

4 holes - 2 holes each side



4503 NEW

SETTINGS - 4 CLAWS

SEW-ON



4x2 mm

K 10/1

B

AK 10/1 / B

4 holes - 2 holes each side

4505

SETTINGS - 4 CLAWS

SEW-ON

14x8mm

K 9/38

B+L

AK 9/38 / L

4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.


SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4510		SETTINGS - 4 CLAWS	SEW-ON
	6x4mm	K 10/24	B+L AK 10/24 / L 4 holes - 2 holes each side
	10x8 mm	K 10/7	B+L AK 10/7 / L 4 holes - 2 holes each side
	14x10 mm	K 10/15	B+L AK 10/15 / L 4 holes - 2 holes each side
4515/4521		SETTINGS - 4 CLAWS	SEW-ON
	4x2 mm	K 10/1	B AK 10/1 / B 4 holes - 2 holes each side
4524		SETTINGS - 4 CLAWS	SEW-ON
	23 x 11mm	K 10/31	B+L AK 10/31 / L 4 holes - 2 holes each side
4524		STAMPINGS - FRAMES FOR GLUING	
	16 x 8mm	P 08094	without ring
	16 x 8mm	P 08095	with 1 ring
	16 x 8mm	P 08096	with 2 rings
	23 x 11mm	P 08097	without ring
	23 x 11mm	P 08098	with 1 ring
	23 x 11mm	P 08099	with 2 rings
4527		SETTINGS - 4 CLAWS	SEW-ON
	8x6 mm	K 10/18	B+L AK 10/18 / L 4 holes - 2 holes each side
	10x8 mm	K 10/7	B+L AK 10/7 / L 4 holes - 2 holes each side
	14x10 mm	K 10/15	B+L AK 10/15 / L 4 holes - 2 holes each side
	18x13 mm	K 10/16	B+L AK 10/16 / L 4 holes - 2 holes each side
4527		STAMPINGS - FRAMES FOR GLUING	
	14x10 mm	P 07722	without ring
	14x10 mm	P 07723	with 1 ring
	14x10 mm	P 07724	with 2 rings
4527		STAMPINGS FOR GLUING	
	8x6 mm	P 07608	without ring
	8x6 mm	P 07609	with 1 ring
4527		CUP-CHAINS - 4 CLAWS	minimum
	14x10mm	KS 991/82 /1+/3	<u>10 m</u> Standard approx. 82 settings p. m.

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4547



SETTINGS - 4 CLAWS

15x5 mm	K 10/19 L + B
21x7 mm	K 10/20 L + B
24x8 mm	K 10/21 L + B
30x10 mm	K 10/22 L + B

SEW-ON

AK 10/19 L	4 holes - 2 holes each side
AK 10/20 L	4 holes - 2 holes each side
AK 10/21 L	4 holes - 2 holes each side
AK 10/22 L	4 holes - 2 holes each side

4547



STAMPINGS - FRAMES FOR GLUING

15x5 mm	P 07770	without ring
15x5 mm	P 07771	with 1 ring
15x5 mm	P 07772	with 2 rings
21x7 mm	P 07773	without ring
21x7 mm	P 07774	with 1 ring
21x7 mm	P 07775	with 2 rings
24x8 mm	P 07834	without ring
24x8 mm	P 07835	with 1 ring
24x8 mm	P 07835/ST	with 1 ring
24x8 mm	P 07836	with 2 rings
30x10 mm	P 07847	without ring
30x10 mm	P 07848	with 1 ring
30x10 mm	P 07849	with 2 rings

STAINLESS STEEL

4565



SETTINGS - 4 CLAWS

14x10 mm	K 9/25
18x13 mm	K 9/28

SEW-ON

B+L AK 9/25 / L	4 holes - 2 holes each side
B+L AK 9/28 / L	4 holes - 2 holes each side

4568



SETTINGS - 4 CLAWS

8x6 mm	K 9/23
14x10 mm	K 9/25
18x13mm	K 9/28
27x18mm	K 9/39

SEW-ON

B+L	
B+L AK 9/25 / L	4 holes - 2 holes each side
B+L AK 9/28 / L	4 holes - 2 holes each side
B+L AK 9/39 / L	4 holes - 2 holes each side

4568



STAMPINGS - FRAMES FOR GLUING

18x13mm	P 08184	without ring
18x13mm	P 08185	with 1 ring
18x13mm	P 08186	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4570

SETTINGS - 4 CLAWS

SEW-ON



8x6 mm	K 9/23	B+L AK 9/23 / L	4 holes - 2 holes each side
10x8 mm	K 9/24	B+L	
14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side

4570

SETTINGS

FRENCH



8x6 mm	K 44/1	B+L	
10x8 mm	K 44/3	B+L	
14x10 mm	K 44/5	B+L AK 44/5 / L	4 holes - 2 holes each side
25x18 mm	K 44/9	B+L	

4581


SETTINGS - 4 CLAWS

SEW-ON




24x16 mm	K 9/37	B+L AK 9/37 / L	4 holes - 2 holes each side
----------	--------	-----------------	-----------------------------

4582



4584



4583

4583 - please ask for samples before ordering!

4581/4582/4583/4584

STAMPINGS - FRAMES FOR GLUING




24x16 mm	P 07926	without ring
24x16 mm	P 07927	with 1 ring
24x16 mm	P 07928	with 2 rings

4600

SETTINGS - 4 CLAWS

SEW-ON



6x4 mm	K 9/1	B+L AK 9/1 / L	2 holes - 1 hole each side
8x4 mm	K 9/3	B+L AK 9/3 / L	4 holes - 2 holes each side
8x6 mm	K 9/4	B+L AK 9/4 / L	4 holes - 2 holes each side

4600

SETTINGS - 4 CLAWS

SEW-ON



10x8 mm	K 9/6	B+L AK 9/6 / L	4 holes - 2 holes each side
12x10 mm	K 9/9	B+L AK 9/9 / L	4 holes - 2 holes each side
16x11 mm	K 9/12	B+L AK 9/12 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI **SETTINGS** **SEW-ON**
ARTICLE NO. **SIZE** **K /** **AK /**

4600		SETTINGS	FRENCH		
		8x6 mm	K 44/1	B+L	
		10x8 mm	K 44/3	B+L	
		12x10 mm	K 44/4	B+L	
4600		SETTINGS - 4 CLAWS		with ring	
		12x10 mm	K 70/26	B+L	
4600		STAMPINGS FOR GLUING			
		10x8 mm	P 07473		without ring
		10x8 mm	P 07474		with 1 ring
		18x13 mm	P 07468		without ring
		18x13 mm	P 07469		with 1 ring
4610/4611		SETTINGS - 4 CLAWS		SEW-ON	
		14x10 mm	K 9/11	B+L AK 9/11 / L	4 holes - 2 holes each side
		18x13 mm	K 9/13	B+L AK 9/13 / L	4 holes - 2 holes each side
		20x15 mm	K 9/16	B+L AK 9/16 / L	4 holes - 2 holes each side
		25x18 mm	K 9/20	B+L AK 9/20 / L	4 holes - 2 holes each side
4610/4611		SETTINGS	FRENCH		
		14x10 mm	K 44/5	B+L AK 44/5 / L	4 holes - 2 holes each side
		18x13 mm	K 44/7	B+L AK 44/7 / L	4 holes - 2 holes each side
		25x18 mm	K 44/9	B+L	
4610		STAMPINGS - FRAMES FOR GLUING			
		14x10 mm	P 07884		without ring
		14x10 mm	P 07885		with 1 ring
		14x10 mm	P 07886		with 2 rings
		18x13 mm	P 07887		without ring
		18x13 mm	P 07888		with 1 ring
		18x13 mm	P 07889		with 2 rings
4610		CUP-CHAINS - 4 CLAWS		minimum	
		14x10mm	KS 317/82 /1+/3	10 m Standard	approx. 82 settings p. m.
4616		SETTINGS - 4 CLAWS		SEW-ON	
		14x10 mm	K 9/30	B+L AK 9/30 / L	4 holes - 2 holes each side
					

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

4627

SETTINGS - 4 CLAWS

SEW-ON

27x18,5mm

K 9/22

B+L AK 9/22 / L

4 holes - 2 holes each side

37x25,5 mm

K 9/40

B+L AK 9/40 / L

4 holes - 2 holes each side



4627

STAMPINGS - FRAMES FOR GLUING



27x18,5 mm

P 07920

without ring

27x18,5 mm

P 07921

with 1 ring

27x18,5 mm

P 07921/ST

with 1 ring

STAINLESS STEEL

27x18,5 mm

P 07922

with 2 rings

4650

OPEN FRAMES - 4 CLAWS



8 mm

K 13/10

L open back

14 mm

K 13/2

L open back

18 mm


K 13/3

L open back

4665

SETTINGS - 4 CLAWS

SEW-ON



14 mm

K 13/9

B+L AK 13/9 / L

4 holes - 2 holes each side

18 mm

K 13/11

B+L AK 13/11 / L


4 holes - 2 holes each side



4671

SETTINGS - 4 CLAWS

SEW-ON



8 mm

K 13/16

B+L AK 13/16 / L

4 holes - 2 holes each side

10 mm

K 13/15

B+L AK 13/15 / L


4 holes - 2 holes each side



4675

SETTINGS - 4 CLAWS

SEW-ON



23 mm

K 13/12

B+L AK 13/12 / L

4 holes - 2 holes each side



4675

STAMPINGS - FRAMES FOR GLUING



23 mm

P 07917

without ring

23 mm

P 07918

with 1 ring

23 mm

P 07919

with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /


4675



OPEN FRAMES - 4 CLAWS

23 mm K 13/4 L open back

4676



SETTINGS - 4 CLAWS

14 mm K 13/30 B+L **SEW-ON** AK 13/30 / L 4 holes - 2 holes each side



4678

STAMPINGS - FRAMES FOR GLUING

<u>NEW</u>	8 mm	P 08167	without ring
		P 08168	with 1 ring
		P 08169	with 2 rings
<u>NEW</u>	14 mm	P 08161	without ring
		P 08162	with 1 ring
		P 08163	with 2 rings
<u>NEW</u>	23 mm	P 08164	without ring
		P 08165	with 1 ring
		P 08166	with 2 rings



4700



SETTINGS - 4 CLAWS

6 x 3,5mm K 14/1 B+L **SEW-ON**

4706 **NEW**

SETTINGS - 4 CLAWS

	12mm	K 23/43	B+L	<u>SEW-ON</u>	AK 23/43 / L	6 holes
	17mm	K 23/42	B+L	<u>SEW-ON</u>	AK 23/42 / L	6 holes
	24mm	K 23/44	B+L	<u>SEW-ON</u>	AK 23/44 / L	6 holes



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON

ARTICLE NO. SIZE K / AK /

4706 **STAMPINGS - FRAMES FOR GLUING**



7mm P 08182 without ring
 7mm P 08183 with 1 ring




12 mm P 08155 without ring
 12mm P 08156 with 1 ring
 12mm P 08157 with 2 rings
 17 mm P 08158 without ring
 17 mm P 08159 with 1 ring
 17 mm P 08160 with 2 rings

NEW 24mm P 08245 without ring
 24mm P 08246 with 1 ring
 24mm P 08247 with 2 rings


4710 **SETTINGS - 4 CLAWS** **SEW-ON**
 8,2x5,5 mm K 15/2 B+L AK 15/2 / L 2 holes - 1 hole each side



4712 **SETTINGS - 4 CLAWS** **SEW-ON**
 10x5 mm / left K 17/5 B+L AK 17/5 / L 4 holes - 2 holes each side
 10x5 mm / right K 17/6 B+L AK 17/6 / L 4 holes - 2 holes each side
 14x7 mm / left K 17/7 B+L AK 17/7 / L 4 holes - 2 holes each side
 14x7 mm / right K 17/8 B+L AK 17/8 / L 4 holes - 2 holes each side



4714 **SETTINGS - 4 CLAWS** **SEW-ON**
 14x7 mm K 23/17 B+L AK 23/17 / L 4 holes - 2 holes each side
 10x5 mm K 23/20 B+L AK 23/20 / L 4 holes - 2 holes each side



4716 **SETTINGS - 4 CLAWS** **SEW-ON**
 10x8,5 mm K 22/7 B+L AK 22/7 L 4 holes - 2 holes each side



4717 **STAMPINGS FOR GLUING**
 15,5mm P 08043 without ring
 15,5mm P 08044 with 1 ring
 15,5mm P 08045 with 2 rings



K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**
ARTICLE NO. **SIZE** **K /** **AK /**

4717



STAMPINGS FOR GLUING

21,5mm P 08046
 21,5mm P 08047
 21,5mm P 08048

without ring
 with 1 ring
 with 2 rings

4722



SETTINGS - 4 CLAWS

4 mm K 239
 6 mm K 23/8
 8 mm K 23/3
 10 mm K 23/4

SEW-ON

B+L AK 23/9 L 2 holes - 1 hole each side
 B+L AK 23/8 L 2 holes - 1 hole each side
 B+L AK 23/3 L 4 holes - 2 holes each side
 B+L AK 23/4 L 4 holes - 2 holes each side

4722



STAMPINGS FOR GLUING

4 mm P 07224
 6 mm P 07225
 8 mm P 07226

without ring
 without ring
 without ring

4723



SETTINGS - 4 CLAWS

17 mm K 23/13

SEW-ON

B+L AK 23/13 / L 4 holes - 2 holes each side

4727




SETTINGS - 4 CLAWS

23 mm K 23/10

SEW-ON

B+L AK 23/10 / L 4 holes - 2 holes each side

4728



SETTINGS - 4 CLAWS

8x6 mm K 22/3
 10x7,5 mm K 22/4
 14x10,5 mm K 22/5
 16x12 mm K 22/6

SEW-ON

B+L AK 22/3 / L 4 holes - 2 holes each side
 B+L AK 22/4 / L 4 holes - 2 holes each side
 B+L AK 22/5 / L 4 holes - 2 holes each side
 B+L AK 22/6 / L 4 holes - 2 holes each side

4729



SETTINGS - 4 CLAWS

8 mm K 23/15

SEW-ON

B+L AK 23/15 L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON


ARTICLE NO.

SIZE

K /

AK /

4730




SETTINGS - 6 CLAWS

6 mm K 25/4
8 mm K 25/5
10 mm K 25/6
12 mm K 25/7

SEW-ON

B+L
B+L AK 25/5 / L 4 holes - 2 holes each side
B+L AK 25/6 / L 4 holes - 2 holes each side
B+L AK 25/7 / L 4 holes - 2 holes each side

4739




SETTINGS - 4 CLAWS

14x11 mm K 23/25
20x16 mm K 23/26

SEW-ON

B+L AK 23/25 / L 4 holes - 2 holes each side
B+L AK 23/26 / L 4 holes - 2 holes each side

4739




CUP-CHAINS - 4 CLAWS

14x11mm KS 1008/78 /3

minimum

10 m Standard approx. 78 settings p. m.

4742/4743




SETTINGS - 4 CLAWS

12,2x9 mm / left K 17/11
12,2x9 mm / right K 17/1b
15,2x11 mm / left K 17/2a
15,2x11 mm / right K 17/2b
18,6x13,5mm / left K 17/3a
18.6x13.5mm /right K 17/3b

SEW-ON

B+L AK 17/1a / L 4 holes - 2 holes each side
B+L AK 17/1b / L 4 holes - 2 holes each side
B+L AK 17/2a / L 4 holes - 2 holes each side
B+L AK 17/2b / L 4 holes - 2 holes each side
B+L AK 17/3a / L 4 holes - 2 holes each side
B+L AK 17/3b / L 4 holes - 2 holes each side

4744



SETTINGS - 4 CLAWS

6 mm K 24/8
10 mm K 24/9

SEW-ON

B+L AK 24/8 / L 4 holes - 1 hole each side
B+L AK 24/9 / L 4 holes - 1 hole each side

4744



STAMPINGS - FRAMES FOR GLUING

10 mm P 07990
10 mm P 07991

without ring
with 1 ring

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..







AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4744</u>	<u>CUP-CHAINS - 4 CLAWS</u>		<u>minimum</u>
	10 mm	KS 1007/83 /1	10 m Standard approx. 77 settings p. m.
	10 mm	KS 1007/77 /3	10 m Standard approx. 83 settings p. m.
<u>4745</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	10 mm	K 24/1	B+L AK 24/1 / L 4 holes - 1 hole each side
	or		
	SS 33/34 round for Swaro 1012/1028		
<u>4745</u>	<u>CUP-CHAINS - 4 CLAWS</u>		<u>minimum</u>
	10 mm	KS 876/84 /3	10 m Standard approx. 84 settings p. m.
	Attention: wire out of the middle, for necklace only		
<u>4748</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	10mm	K 24/10	B+L AK 24/10 / L 4 holes - 1 hole each side
<u>4748</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	10mm	P 08073	without ring
	10mm	P 08074	with 1 ring
<u>4756 FLAT</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	19x11,5 mm	K 23/28	B+L AK 23/28 /L 8 holes - 4 holes each side
	27x16mm	K 23/32	B AK 23/32 / B 8 holes - 4 holes each side
	39x23,5mm	K 23/33	B AK 23/33 / B 4 holes - 2 holes each side
			
<u>4756</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	19x11,5mm	P 07911	without ring
	19x11,5mm	P 07912	with 1 ring
	19x11,5mm	P 07913	with 2 rings
<u>4756</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	27x16 mm	P 07878	without ring
	27x16 mm	P 07879	with 1 ring
	27x16 mm	P 07880	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4757	SETTINGS - 4 CLAWS		SEW-ON
	14x8,5 mm	K 23/27	B+L AK 23/27 / L 4 holes - 2 holes each side
	19x11,5 mm	K 23/28	B+L AK 23/28 / L 4 holes - 2 holes each side
4757	STAMPINGS - FRAMES FOR GLUING		
	19x11,5 mm	P 07874	without ring
	19x11,5 mm	P 07875	with 1 ring
	19x11,5mm	P 07876	with 2 rings
4759	SETTINGS - 4 CLAWS		SEW-ON
	28x24 mm	K 23/34	B AK 23/34 / B 8 holes - 4 holes each side
4759	STAMPINGS - FRAMES FOR GLUING		
	28x24 mm	P 07992	without ring
	28x24 mm	P 07993	with 1 ring
	28x24 mm	P 07994	with 2 rings
4760	SETTINGS - 4 CLAWS		SEW-ON
	14x8mm	K 23/39	B+L AK 23/39 / L 4 holes - 2 holes each side
	18x10,5mm	K 23/40	B+L AK 23/40 / L 4 holes - 2 holes each side
4787	SETTINGS - 4 CLAWS		SEW-ON
	19x13 mm	K 23/35	B AK 23/35 / B 8 holes
4790	SETTINGS - 4 CLAWS		SEW-ON
	18x7,5mm	K 23/37	B+L AK 23/37 / L 4 holes - 2 holes each side
	23x10mm	K 23/38	B+L AK 23/38 / L 4 holes - 2 holes each side
	32x13,5 mm	K 23/36	B+L AK 23/36 / L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

4790



STAMPINGS - FRAMES FOR GLUING

18x7,5mm	P 08028	without ring
18x7,5mm	P 08029	with 1 ring
18x7,5mm	P 08030	with 2 rings

4790



STAMPINGS - FRAMES FOR GLUING

23x10mm	P 08025	without ring
23x10mm	P 08026	with 1 ring
23x10mm	P 08027	with 2 rings

4790



STAMPINGS - FRAMES FOR GLUING

32x13,5 mm	P 08019	without ring
32x13,5 mm	P 08020	with 1 ring
32x13,5 mm	P 08021	with 2 rings

4795




SETTINGS - 4 CLAWS

14mm	K23/48
19mm	K23/49
28mm	K23/50

SEW-ON

B+L AK 23/48/ L	4 holes - 2 holes each side
B+L AK 23/49/ L	4 holes - 2 holes each side
B+L AK 23/50/ L	4 holes - 2 holes each side

4800



SETTINGS - 4 CLAWS

5,5x5 mm	K 16/13
6,6x6 mm	K 16/14
8,8x8 mm	K 16/1
10x9 mm	K 16/2
11x10 mm	K 16/16
15,4x14 mm	K 16/17
18,5x17 mm	K 16/18

SEW-ON

B+L AK 16/13 / L	2 holes - 1 hole each side
B+L AK 16/14 / L	4 holes - 2 holes each side
B+L AK 16/1 / L	4 holes - 2 holes each side
B+L AK 16/2 / L	4 holes - 2 holes each side
B+L AK 16/16 / L	4 holes - 2 holes each side
B+L AK 16/17 / L	4 holes - 2 holes each side
B+L AK 16/18 / L	4 holes - 2 holes each side

4800



SETTINGS - 4 CLAWS

10x9 mm	K 70/15
---------	---------

with ring

B+L

4800



STAMPINGS - FRAMES FOR GLUING

8,8x8 mm	P 07746	without ring
8,8x8 mm	P 07747	with 1 ring
8,8x8 mm	P 07748	with 2 rings
11x10 mm	P 07743	without ring
11x10 mm	P 07744	with 1 ring
11x10 mm	P 07745	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI **SETTINGS** **SEW-ON**

ARTICLE NO.

SIZE

K /

AK /

4800



STAMPINGS - FRAMES FOR GLUING

15,4x14mm	P 07890	without ring
15,4x14mm	P 07891	with 1 ring
15,4x14mm	P 07892	with 2 rings


4800



STAMPINGS FOR GLUING

8,8x8 mm	P 07389	without ring
8,8x8 mm	P 07390	with 1 ring
11x10 mm	P 07391	without ring
11x10 mm	P 07392	with 1 ring

4803/4805



SETTINGS - 4 CLAWS

9x6 mm / right	K 18/1
9x6 mm / left	K 18/2
12x8 mm / right	K 18/3
12x8 mm / left	K 18/4
15x10 mm / right	K 18/5
15x10 mm / left	K 18/6

SEW-ON

B+L	AK 18/1 / L	4 holes - 2 holes each side
B+L	AK 18/2 / L	4 holes - 2 holes each side
B+L	AK 18/3 / L	4 holes - 2 holes each side
B+L	AK 18/4 / L	4 holes - 2 holes each side
B+L	AK 18/5 / L	4 holes - 2 holes each side
B+L	AK 18/6 / L	4 holes - 2 holes each side

4817



SETTINGS - 4 CLAWS

15,4x14 mm	K 16/17
------------	---------

SEW-ON

B+L	AK 16/17 / L	4 holes - 2 holes each side
-----	--------------	-----------------------------


4818



STAMPINGS FOR GLUING

10,3x10 mm	P 07439	without ring
10,3x10 mm	P 07440	with ring

4819



SETTINGS - 4 CLAWS

15x11 mm	K 23/24
----------	---------

SEW-ON

B+L		
-----	--	--

4822



SETTINGS - 4 CLAWS

14x11 mm	K 16/19
----------	---------

SEW-ON

B+L	AK 16/19 / L	4 holes - 2 holes each side
-----	--------------	-----------------------------



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4827


SETTINGS - 4 CLAWS

SEW-ON

28 mm

K 16/12


B+L AK 16/12 / L 4 holes - 2 holes each side



4831

SETTINGS - 4 CLAWS

SEW-ON



5,5x5 mm
6,6x6 mm
8,8x8 mm
11x10 mm

K 16/13
K 16/14
K 16/1
K 16/16

B+L AK 16/13 / L 2 holes - 1 hole each side
B+L AK 16/14 / L 4 holes - 2 holes each side
B+L AK 16/1 / L 4 holes - 2 holes each side
B+L AK 16/16 / L 4 holes - 2 holes each side



4840

SETTINGS

MILLGRAIN




4 mm
6 mm
8 mm
10 mm
12 mm
14 mm

K 85/1 B
K 85/2 B
K 85/3 B
K 85/4 B
K 85/5 B
K 85/6 B

4841

SETTINGS

MILLGRAIN



4 mm
6 mm
8 mm
10 mm

K 86/19 B
K 86/7 B
K 86/8 B
K 86/9 B



SETTINGS

MILLGRAIN

4842 / 4mm

6 mm

K 86/7 B


please ask for samples before ordering

4842 / 6mm

8 mm

K 86/8 B

please ask for samples before ordering



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS
SETTINGS
CUP-CHAINS
SWAROVSKI

FOR SOLDERING
for SEW-ON
/ 1 for Bracelet

K / B closed back
AK / L open back
/ 3 for Necklace
SETTINGS

K / L open back
/ 2 horizontal
SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4854



SETTINGS - 4 CLAWS

8 mm
10 mm

K 12/3
K 12/4

SEW-ON

B+L AK 12/3 / L
B+L AK 12/4 / L

4 holes - 2 holes each side
4 holes - 2 holes each side

4854



SETTINGS

6 mm
8 mm
10 mm


MILLGRAIN

K 85/2
K 85/3
K 85/4

PLAIN

B
B
B

4866



STONE SIZE

6 mm
8 mm
14 mm


SETTING SIZE

5 mm
6 mm
12 mm

MILLGRAIN

B K 80/3
B K 80/4
B K 80/10

4869



STONE SIZE

4 mm
6 mm
8 mm
10 mm
12 mm
14 mm

SETTING SIZE

3 mm
5 mm
6 mm
8 mm
10 mm
12 mm

MILLGRAIN

B K 80/1
B K 80/3
B K 80/4
B K 80/6
B K 80/8
B K 80/10

4884



SETTINGS - 4 CLAWS

5,5x5 mm
6,6x6 mm
8,8x8 mm
11x10 mm
15,4x14 mm

K 16/13
K 16/14
K 16/1
K 16/16
K 16/17

SEW-ON

B+L AK 16/13 / L
B+L AK 16/14 / L
B+L AK 16/1 / L
B+L AK 16/16 / L
B+L AK 16/17 / L

2 holes - 1 hole each side
4 holes - 2 holes each side
4 holes - 2 holes each side
4 holes - 2 holes each side
4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**
SWAROVSKI SETTINGS SEW-ON
ARTICLE NO. **SIZE** **K /** **AK /**

4884



STAMPINGS - FRAMES FOR GLUING

8,8x8 mm	P 07746	without ring
8,8x8 mm	P 07747	with 1 ring
8,8x8 mm	P 07748	with 2 rings
11x10 mm	P 07743	without ring
11x10 mm	P 07744	with 1 ring
11x10 mm	P 07745	with 2 rings

4884



STAMPINGS - FRAMES FOR GLUING

15,4x14mm	P 07890	without ring
15,4x14mm	P 07891	with 1 ring
15,4x14mm	P 07892	with 2 rings

4884



STAMPINGS FOR GLUING

8,8x8 mm	P 07389	without ring
8,8x8 mm	P 07390	with 1 ring
11x10 mm	P 07391	without ring
11x10 mm	P 07392	with 1 ring

4889

LETTERS FOR GLUING

Stamping A - Z

8 mm	P 07200	without ring
8 mm	P 07201	with 1 ring



4916



SETTINGS - 4 CLAWS

14 mm	K 16/30
-------	---------

SEW-ON

B+L AK 16/30 / L 4 holes - 2 holes each side

4926



STAMPINGS - FRAMES FOR GLUING

14x10 mm	P08242	without ring
	P08243	with 1 ring
	P08244	with 2 rings
19x14 mm	P08239	without ring
	P08240	with 1 ring
	P08241	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..
AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

List of **SWAROVSKI**-Number and corresponding **JOSEF BERGS** references

01.12.2017

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON

ARTICLE NO.

5817



SIZE
SETTINGS

6 mm
8 mm
10 mm
12 mm
14mm
16 mm

K /
MILLGRAIN

K 80/71 B
K 80/24 B
K 80/25 B
K 80/26 B
K 80/34 B
K 80/35 B

AK /
PLAIN

K 80/40

please
try
samples
before
ordering

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.