

**Settings and SEW - ON settings
chains - pendants - Earpost**

Frames for Gluing

Simili stampings

suitable for Swarovski stones

material: TOMBAC 85 % Copper

catalogue 2017

All Products are shown in actual, real size

Josef Bergs

HIGHLIGHTS



Settings with 2 prongs on bottom



KSPS

length of prongs 7 mm
minimum inner diameter:
10 mm round
10x7 mm oval etc.



KSPL

length of prongs 10 mm
minimum inner diameter:
13 mm round
13x9 mm oval etc.

new prongs for settings

minimum size for round shape : 14 mm

minimum size for oval - pear - octogon 18 x 13 mm

length of 2 prongs each 10 mm

minimum order 500 pieces per shape



KSPL 100 / 11 oval 18 x 13 mm



KSPL 100 / 23 pear 18 x 13 mm



SETTINGS for SWAROVSKI Stones

with 2 prongs on bottom
length of prongs ca. 5 mm

BERGS KSP K / 4-claws or millgrain

to be riveted to leather or textile

| | | length of prongs |
|------------------------------------|-----------|------------------|
| minimum size 15 x 7 mm for navette | KSP 5/15 | 5 mm |
| size 21 x 7 mm rectangular | KSP 10/20 | 5 mm |
| size 24 x 8 mm rectangular | KSP 10/21 | 5 mm |

minimum INNER DIAMETER for ROUND settings 12 mm

surcharge EURO 5.00 per 100 pieces on regular K / setting price

also available in galvanized colours

such as ANTIQUE BRASS - ANTIQUE SILVER - ANTIQUE COPPER - etc.
please ask for minimum

SETTINGS for SWAROVSKI Stones
with 2 prongs on bottom - closed back

Tombac / raw

length of
prongs /
lunghezza
delle alette

Swaro No.

size

minimum



| | | | | | |
|-----------------------|------------|------|-------------------|-----------|----------|
| 1122/2006 | KSPS 2/8 | 7 mm | 4 claws | 12 mm | 500 pcs. |
| 2493/4854 | KSPS 85/4 | 7 mm | millgrain surface | 10 mm | 500 pcs. |
| 4100+4130+4140 | KSPS 7/7 | 7 mm | 4 claws | 14x10 mm | 500 pcs. |
| 4316+4320 | KSPS 4/2 | 7 mm | 4 claws | 14x10 mm | 500 pcs. |
| 4410+4447+4854 | KSPS 12/4 | 7 mm | 4 claws | 10x10 mm | 500 pcs. |
| 4410+4447 | KSPS 12/5 | 7 mm | 4 claws | 12x12 mm | 500 pcs. |
| 4461/4470 | KSPS 13/24 | 7 mm | 4 claws | 12 mm | 500 pcs. |
| 4470 | KSPS 13/14 | 7 mm | 4 claws | 18 mm | 500 pcs. |
| 4547 | KSPS 10/22 | 7 mm | 4 claws | 30x10mm | 500 pcs. |
| 4610 | KSPS 44/5 | 7 mm | French Setting | 14x10 mm | 500 pcs. |
| 4739 | KSPS 23/25 | 7 mm | 4 claws | 14x11 mm | 500 pcs. |
| 4756+4757 | KSPS 23/28 | 7 mm | 4 claws | 19x11,5mm | 500 pcs. |



| | | | | | |
|----------------------|------------|-------|-------------------|--------------|----------|
| 1122+2006 | KSPL 2/9 | 10 mm | 4 claws | SS65 / 16 mm | 500 pcs. |
| 1122+2006 | KSPL 2/2 | 10 mm | 4 claws | SS58 / 20 mm | 500 pcs. |
| 1122 | KSPL 2/10 | 10 mm | 4 claws | SS75 / 18mm | 500 pcs. |
| 1122 | KSPL 2/11 | 10 mm | 4 claws | 25mm | 500 pcs. |
| 1201 | KSPL 2/16 | 10 mm | 4 claws | 27mm | 500 pcs. |
| 2520 | KSPL 84/1 | 10 mm | millgrain surface | 14x10 mm | 500 pcs. |
| 2110/2+2190/4 | KSPL 83/7 | 10 mm | millgrain surface | 18x13 mm | 500 pcs. |
| 4114+4120 | KSPL 43/6 | 10 mm | French | 18x13 mm | 500 pcs. |
| 4120 | KSPL 7/11 | 10 mm | 4 claws | 25x18 mm | 500 pcs. |
| 4127 | KSPL 7/14 | 10 mm | 4 claws | 30x22 mm | 500 pcs. |
| 4127 | KSPL 7/40 | 10 mm | 4 claws | 39x28 mm | 500 pcs. |
| 4161 | KSPL 9/33 | 10 mm | 4 claws | 27x9 mm | 500 pcs. |
| 4227 | KSPL 5/26 | 10 mm | 4 claws | 32x17 mm | 500 pcs. |
| 4320 | KSPL 4/4 | 10 mm | 4 claws | 18x13 mm | 500 pcs. |
| 4327 | KSPL 3/9 | 10 mm | 4 claws | 30x20 mm | 500 pcs. |
| 4327 | KSPL 3/40 | 10 mm | 4 claws | 40x27 mm | 500 pcs. |
| 4461+4470 | KSPL 13/25 | 10 mm | 4 claws | 16 mm | 500 pcs. |
| 4470 | KSPL 13/14 | 10 mm | 4 claws | 18 mm | 500 pcs. |
| 4510+4527 | KSPL 10/15 | 10 mm | 4 claws | 14x10 mm | 500 pcs. |
| 4570+4610 | KSPL 9/11 | 10 mm | 4 claws | 14x10 mm | 500 pcs. |

SETTINGS for SWAROVSKI Stones
with 2 prongs on bottom - closed back

Tombac / raw

length of
prongs /
lunghezza
delle alette

| Swaro No. | | | | size | minimum |
|-----------------------|-------------|-------|-------------------|--------------|----------|
| 4570+4610 | KSPL 9/13 | 10 mm | 4 claws | 18x13 mm | 500 pcs. |
| 4570+4611 | KSPL 44/9 | 10 mm | French Setting | 25x18 mm | 500 pcs. |
| 4581+4582+4584 | KSPL 9/37 | 10 mm | 4 claws | 24x16 mm | 500 pcs. |
| 4610 | KSPL 44/7 | 10 mm | French Setting | 18x13 mm | 500 pcs. |
| 4610 | KSPL 9/20 | 10 mm | 4 claws | 25x18mm | 500 pcs. |
| 4627 | KSPL 9/40 | 10 mm | 4 claws | 37x25,5 mm | 500 pcs. |
| 4675 | KSPL 13/12 | 10 mm | 4 claws | 23 mm | 500 pcs. |
| 4727 | KSPL 23/10 | 10 mm | 4 claws | 23 mm | 500 pcs. |
| 4739 | KSPL 23/26 | 10 mm | 4 claws | 20x16 mm | 500 pcs. |
| 4756 | KSPL 23/32 | 10 mm | 4 claws | 27x16 mm | 500 pcs. |
| 4756 | KSPL 23/33 | 10 mm | 4 claws | 39x23,5 mm | 500 pcs. |
| 4800 | KSPL 16/18 | 10 mm | 4 claws | 18,5x17 mm | 500 pcs. |
| 4827 | KSPL 16/12 | 10 mm | 4 claws | 28 mm | 500 pcs. |
| | KSPL 2/17 | 10 mm | 4 claws | 23 mm | 500 pcs. |
| | KSPL 4/12 | 10 mm | 4 claws | 25x18 mm | 500 pcs. |
| | KSPL 7/13 | 10 mm | 4 claws | 40x30mm oval | 500 pcs. |
| | KSPL 13/20 | 10 mm | 4 claws | 23 mm | 500 pcs. |
| low wall | KSPL 16/11 | 10 mm | 4 claws | 18,7x17 mm | 500 pcs. |
| | KSPL 82/4 | 10 mm | millgrain surface | 18x13 mm | 500 pcs. |
| | KSPL 100/10 | 10 mm | Crown Setting | 25x18mm oval | 500 pcs. |
| | KSPL 100/11 | 10 mm | Crown Setting | 18x13mm oval | 500 pcs. |
| | KSPL 100/23 | 10 mm | Crown Setting | 18x13mm pear | 500 pcs. |



| | KSP | only prongs from the middle possible | | | |
|--|-----------|--------------------------------------|---------|---------|----------|
| 4161 | KSP 9/32 | 5 mm | 4 claws | 21x7 mm | 500 pcs. |
| 4547 | KSP 10/20 | 5 mm | 4 claws | 21x7 mm | 500 pcs. |
| 4547 | KSP 10/21 | 5 mm | 4 claws | 24x8 mm | 500 pcs. |
| 4200+4200/2 +4202/2+4228+4231 | KSP 5/15 | 5 mm | 4 claws | 15x7 mm | 500 pcs. |

****** not possible ******

prongs from the middle

| | | | | |
|------------------|-----------|-----|---------|-----------|
| 1122/1200 | KSP 2/1 | 5mm | 4 claws | SS47/11mm |
| 4547 | KSP 10/19 | 5mm | 4 claws | 15x5mm |
| | KSP 23/5 | 5mm | 4 claws | 14mm |

Settings for textile, leather etc. "Tiffany settings"

for Swarovski 2028 Xilion Rose



grained

minimum 5000 pieces

material: brass MS 63

silver colour shiny nickelfree

gold colour shiny nickelfree

SS 16 K 1/60 L



SS 20 K 1/56 L



SS 25 K 1/62 L



SS 30 K 1/57 L



SS 34 K 1/63 L



SS 40 K 1/58 L

