

**Settings and SEW - ON settings
chains - pendants - Earpost**

Frames for Gluing

Simili stampings

suitable for Swarovski stones

material: TOMBAC 85 % Copper

catalogue 2017

All Products are shown in actual, real size

SETTINGS FOR SOLDERING

K / B closed back

L open back

SETTINGS FOR SEW-ON

AK / L 4-holes open back only

**up to size 20 mm diameter minimum 1000 pieces
exceeding 20 mm diameter minimum 500 pieces**

AK / B closed back 4-holes

**up to size 20 mm diameter minimum 5000 pieces
exceeding 20 mm diameter minimum 2500 pieces**

**GALVANIZED
SEW-ON SETTINGS
on special offer**

SEW-ON Settings for SWAROVSKI stones AK / -

Settings for SEW-ON 4 holes = 2 holes each side
hole diameter 1,2 mm - 1,5 mm



all prices according to our price-list AK / -

SEW-ON settings for rubber straps and other

Settings for SEW-ON 4-holes = 2 holes each side
hole diameter 2,0 mm



Minimum diameter of setting: SS39 and 10 mm

**SEW - ON settings with 2 holes each side
hole diameter 2,0 mm
open back "L" or closed back "B"
suitable for rubber straps and other**

AK 1/15 /2mm SS 39	Swaro 1028/1088
AK 1/16 /2mm SS 45/10 mm	Swaro 1028/1088
AK 1/17 /2mm SS 47/48	Swaro 1028/1088
AK 1/18 /2mm SS 50	Swaro 1028/1088
AK 1/19 /2mm SS 59 not for Swaro 1028	

AK 7/7 /2mm 14 x 10 mm	Swaro 4100/4128
AK 7/9 /2mm 18 x 13 mm	Swaro 4114/4120

AK 9/11 /2mm 14 x 10 mm	Swaro 4570/4610
AK 9/13 /2mm 18 x 13 mm	Swaro 4600/4610
AK 9/18 /2mm 18 x 13 mm	not for Swaro 4610 low wall
AK 9/20 /2mm 25 x 18 mm	Swaro 4610

AK 13/24 /2mm 12 mm	Swaro 4461/4470
---------------------	-----------------

AK 43/6 /2mm 18 x 13 mm	Swaro 4114/4120 FRENCH SETTING
AK 44/7 /2mm 18 x 13 mm	Swaro 4610 FRENCH SETTING



minimum 500 pieces

per article and size and "L" open back or "B" closed back

SEW-ON settings for rubber straps and other

AK 1/15/2 mm



hole diameter 2,0 mm
4 holes = 2 holes each
side

AK 1/18/2 mm



open back /L or
closed back /B

AK 1/19/2 mm



each minimum 1000 pieces

AK 7/7/2 mm



minimum diameter of
setting: SS39 and 10 mm

AK 9/11/2 mm



AK 13/24/2 mm



AK 43/6/2 mm



AK 44/7/2 mm




Setting for SEW - ON

for Swarovski 4320

AK 4 / 2 L open back 4-holes 14 x 10 mm

AK 4 / 4 L open back 4-holes 18 x 13 mm



every hole should be sewn on hole by hole
to guarantee best everlasting durability
of the sewed - on setting

Needle number 26 and/or No. 5-10

Aiguille numero 26 et/ ou No. 5-10

Aghi numero 26 e/opure No. 5-10

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 1/1 B
PP 17



K 1/9
SS 18/19



K 1/15
SS 39



K 1/2 B
PP 23 / SS 11



AK 1/9 L
4-HOLES
SS 18/19



AK 1/15 L
4-HOLES
SS 39



**SS 20 = K 1/21
/ B =
closed back only**



K 1/4
PP 27 / SS 13



K 1/11
SS 25



K 1/16
SS 45



AK 1/4 L
4-HOLES
PP 27 / SS 13



AK 1/11 L
4-HOLES
SS 25



AK 1/16 L
4-HOLES
SS 45+ 10 MM



K 1/6
PP 29 / SS 14/15



K 1/13
SS 29/30



K 1/17
SS 47 + SS 48



AK 1/6 L
4-HOLES
PP 29 / SS 14/15



AK 1/13 L
4-HOLES
SS 29 / 30+ 6 MM



AK 1/17 L
4-HOLES
SS 47 + SS 48



AK 1/51 L
SS 29 / 30
4-Holes



K 1/7
PP 33 / SS 17



K 1/14
SS 34



K 1/18
SS 50



AK 1/7 L
4-HOLES
PP 33 / SS 17



AK 1/14 L
4-HOLES
SS 34 + 7 MM



AK 1/18 L
4-HOLES
SS 50



Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back
(minimum quantities apply)

K 1/19
SS 59
low wall (4,3mm)
not for SWARO 1012



K 1/25 + AK
SS 59
high wall 5,7mm



AK 1/19 L
4-HOLES
SS 59



K 2/1
SS 47 + 11 mm



K 2/6
SS 37 + 8 mm



K 1/20
SS 59
high wall (6,4mm)
for SWARO 1028



AK 2/1 L
4-HOLES
SS 47 + 11 mm



AK 2/6 L
4-HOLES
SS 37 + 8 mm



AK 1/20 L
4-Holes
for SWARO 1028



K 2/2
SS 58 + 14 mm



K 2/7
SS 45 + 10 mm



K 1/21 B
SS 21



AK 2/2 L
4-HOLES
SS 58 + 14 mm



K 1/22
SS 22



AK 1/22 L
4-Holes SS 22



AK 2/7 L
4-HOLES
SS 45 + 10 mm



AK 1/51 L
SS 29 / 30
4-Holes



K 2/3
17 mm



AK 1/13 L
4-HOLES
SS 29 / 30 + 6 MM



K 2/8
SS 50 + 12 mm



K 1/52 + AK
SS 48 with long prongs
for pearl/cabouchon



K 2/4 L
23mm



AK 2/8 L
4-HOLES
SS 50 + 12 mm



K 1/53 + AK
SS 31



K 2/5 L
27mm
Swaro 1201



K 1/55 L + AK
SS 47
high wall ca. 5,3mm



Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back
(minimum quantities apply)

K 2/9
SS 65 + 16 mm



AK 2/9 L
4-HOLES
SS 65 + 16 mm



K 2/16 + AK
27 mm



K 2/10
SS 75 + 18 mm



K 3/1 + AK
6x3,6 mm



K 3/2
8x4,8 mm



AK 3/2 L
4-HOLES
8X4,8



AK 2/10 L
4-HOLES
SS 75 + 18 mm



K 2/17 + AK
23 mm



K 3/3
10x6 mm



AK 3/3 L
4-HOLES
10X6



K 2/11 + AK
25 mm



K 3/4
13x7,8 mm



K 2/13 + AK
20 mm
hight of wall 6,6 mm



K 2/23 + AK
20 mm
hight of wall 4,6 mm



AK 3/4 L
4-HOLES
13X7,8



Setting and Sew-On Setting for Swarovski 1201 35mm



K 2/40 B+L for soldering
AK 2/40 L for sew-on

Frame for Swarovski 1201 35mm



P 07987
without ring



P 07988
with 1 ring



P 07989
with 2 rings



SEW – ON SETTINGS with cross on backside



for Swarovski 2028 Xilion Rose

minimum **5000** pieces
material: **brass MS 63**
silver colour shiny nickelfree
gold colour shiny nickelfree

SS 13 AK 1/42



SS 24 AK 1/29



SS 16 AK 1/26



SS 30 AK 1/30



SS 18 AK 1/27



SS 34 AK 1/31



SS 20 AK 1/28



SS 40 AK 1/39




SS 48 AK 1/40



BAROCK – SEW-ON Settings for Swarovski 1088

Material: Brass nickelfree



AK 261/SS12 raw
AK 261/SS12 gos
AK 261/SS12 si



AK 261/SS30 raw
AK 261/SS30 gos
AK 261/SS30 si



AK 261/SS15 raw
AK 261/SS15 gos
AK 261/SS15 si



AK 261/SS35 raw
AK 261/SS35 gos
AK 261/SS35 si



AK 261/SS20 raw
AK 261/SS20 gos
AK 261/SS20 si



AK 261/SS40 raw
AK 261/SS40 gos
AK 261/SS40 si



AK 261/SS24 raw
AK 261/SS24 gos
AK 261/SS24 si



AK 261/SS45 raw
AK 261/SS45 gos
AK 261/SS45 si



AK 261/SS48 raw
AK 261/SS48 gos
AK 261/SS48 si

colour declaration: raw nickelfree
gos : gold color shiny nickelfree
si : silver color shiny nickelfree

Minimum quantity per size 10000 pieces

NEW SWAROVSKI STONES 2009

4127 4327 4627



Swarovski 4127 39 x 28 mm

Bergs K 7 / 40 L = open back
B = closed back

AK 7 / 40 L = open back
4 - holes



Swarovski 4327 40 x 27 mm

Bergs K 3 / 40 L = open back
B = closed back

AK 3 / 40 L = open back
4 - holes



Swarovski 4627 37 x 25,5 mm

Bergs K 9 / 40 L = open back
B = closed back

AK 9 / 40 L = open back
4 - holes

K = for soldering
AK = for SEW - ON

Settings + SEW-ON settings + pendants

for SWAROVSKI 4139 COSMIC RING

attention: stone can only be set a f t e r SEW - ON !



20 mm

BERGS K 2 / 20 / L open back

SEW - ON AK 2 / 20 / L open back 4-holes

PENDANT rivited with movable ring



KBK 2 / 22 / 1
with 1 movable ring



KBK 2 / 22 / 2
with 2 movable rings

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

K 3/5 16x5,5 mm		K 4/1 + AK 10x7 mm		K 4/10 + AK 13x8,5 mm	
K 3/6 27x14 mm		K 4/2 + AK 14x10 mm		K 4/11 + AK 8x6 mm SWARO 4320	
K 3/6 27x14 mm		K 4/3 + AK 15x11 mm		K 4/12 + AK 25x18 mm	
K 3/7 34x17 mm		K 4/4 18x13 mm		K 4/13 + AK 6x4 mm	
K 3/9 + AK 30x20 mm		AK 4/4 L 4-HOLES 18x13		K 5/1 B + AK 5x2,5 mm	
K 3/9 + AK 30x20 mm		K 4/6 + AK 32x20 mm		K 5/2 + AK 6x3 mm	
K 3/40 B L 40x27mm		K 4/8 20 x 15 mm		K 5/5 8x4 mm	
K 3/40 B L 40x27mm		AK 4/8 4-Holes L		AK 5/5 L 4-HOLES 8x4	
K 3/40 B L 40x27mm		AK 4/8 4-Holes L		K 5/7 10x5 mm	
K 3/40 B L 40x27mm		AK 4/8 4-Holes L		AK 5/7 L 4-HOLES 10x5	

FASHION NEWS

Swaro 4327 40 x 27 mm



Settings



K 3/40 B = closed back
L = open back

SEW-ON Settings



AK 3/40 /L – open back
4 holes

FRAMES for Gluing



P 07970
without ring



P 07971
with 1 ring

FRAMES with 4 claws



P 07967
without ring



P 07968
with 1 ring

Swarovski 4320 size 14 x 10 mm and 18 x 13 mm



due to several customers' requests we have RE-ACTIVATED our tools for PEAR SHAPE SWAROVSKI 4320/4327 back to the shapes of the year 2011 and before

both sizes have now again the original shapes with back-side "SLIGHTLY CURVED" "LEGÈREMENT BOMBÉ" "LEGGERMENTE BOMBATO"

K / open back L and closed back B

AK / open back 4 - holes for SEW-ON

14 x 10 mm

18 x 13 mm



K 4 / 2 L
AK 4 / 2 L



K 4 / 4 L open back
AK 4 / 4 L for SEW-ON



K 4 / 2 B closed back



K 4 / 4 B closed back



K 4 / 2 B closed back



K 4 / 4 B closed back

Swarovski 4320 Pear Shape size 14 x 10 mm and 18 x 13 mm back side " SLIGHTLY CURVED "



due to several customers' requests we have RE-ACTIVATED our tools for PEAR SHAPE SWAROVSKI 4320/4327 back to the shapes of the year 2011 and before

both sizes have now again the original shapes with back-side "SLIGHTLY CURVED" "LEGÈREMENT BOMBÉ" "LEGGERMENTE BOMBATO"

K / open back L and closed back B

AK / open back 4 - holes for SEW-ON

14 x 10 mm

18 x 13 mm



K 4 / 2 B closed back



K 4 / 4 B closed back



K 4 / 2 B closed back



K 4 / 4 B closed back



K 4 / 2 L
AK 4 / 2 L



K 4 / 4 L open back
AK 4 / 4 L for SEW-ON



AK 4 / 2 L Setting for SEW - ON
AK 4 / 4 L Setting for SEW - ON

Pear shape with PLAIN-FLAT backside
size 14 x 10 mm and 18 x 13 mm



size 14 x 10 mm

K 4 / 20 open back L and closed back B

AK 4 / 20 L open back 4-holes for SEW-ON

size 18 x 13 mm

K 4 / 21 open back L and closed back B

AK 4 / 21 L open back 4-holes for SEW-ON

PLAIN-FLAT backside - not for Swarovski 4320

attention:

Pear shape for Swarovski 4320
backside " SLIGHTLY CURVED "

ref.No. Bergs K + AK 4 / 2 size 14 x 10 mm and

ref.No. Bergs K + AK 4 / 4 size 18 x 13 mm

SETTINGS AND SEW-ON SETTINGS

for Swarovski Stones

minimum taking 250 pcs



K 3/9 B+L
AK 3/9 L 4holes
Swaro 4327 30x20



K 4/6 B+L
AK 4/6 L 4holes
32x20



K 16/12 B+L
AK 16/12 L 4holes
Swaro4827 28mm




K 2/16 B+L
AK 2/16 L 4holes
Swaro1201 27mm



K 5/26 B+L
AK 5/26 L 4holes
Swaro 4227 32x17



K 7/14 B+L
AK 7/14 L 4holes
attention: only for
Swaro 4127 30x22 mm



K 13/12 B+L
AK 13/12 L 4holes
Swaro 4675 23x23



K 9/22 L+B
AK 9/22 L 4holes
Swaro 4627
27x18,5



K 23/10 B+L
AK 23/10 L 4holes
Swaro4727 23mm

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back – minimum 10000 pieces

K 5/8 B
10,2x2,6 mm



K 5/15
15x7 mm



K 5/26
32x17 mm



K 5/9 B
11x3 mm



AK 5/15 L
4-HOLES
15 x 7 mm



AK 5/9 B
4-HOLES
11X3



K 5/16 B
18x5 mm



AK 5/26 L
4-HOLES
32x17 mm



K 5/10
12x6 mm



AK 5/16
4-HOLES
18X5



AK 5/10 L
4-HOLES
12X6



K 5/17 B + AK
18x9 mm



K 5/11 B
13x3,5 mm



K 5/18 + AK
27x13,5 mm



K 6/1
16x9 mm



K 5/12 B
15x4 mm



K 6/2
20x8 mm



AK 5/12 B
4-HOLES
15X4



K 5/24
13x8 mm



Settings + Sew-on Settings for SWAROVSKI 4200 Navette



Swaro 4200
35 x 9,5 mm



K 5/30 B+L
35 x 9,5 mm



AK 5/30 L 4-holes
35 x 9,5 mm

available NOW

K 5/31 B+L
48 x 13 mm



AK 5/31 L 4-holes
48 x 13 mm

Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back
(minimum quantities apply)

K 7/1 + AK
6x4 mm



K 7/6
12x10 mm



K 7/10
20x15 mm



K 7/2
7x5 mm



AK 7/6 L
4-HOLES
12X10



K 7/11
25x18 mm



K 7/3
8x6 mm



AK 7/3 L
4-HOLES
8X6



K 7/7 + AK
14x10 mm



K 7/12
30x22 mm



K 7/4
10x8 mm



K 7/8 + AK
16x11 mm



K 7/13 + AK
40 x 30 mm



AK 7/4 L
4-HOLES
10X8



K 7/9
18x13 mm



K 7/14 + AK
attention: only for
SWARO 4127
30 x 22 mm



K 7/5 + AK
12x8 mm



AK 7/9 L
4-HOLES
18X13



K 7/30 + AK
14 x 10 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back – minimum 10000 pieces

K 7/31 + AK
40x20 mm



K 8/1 + AK
12x6 mm



K 9/1 + AK
6x4 mm



K 8/2 + AK
30x11 mm



K 9/2 + AK
7x5 mm



K 8/3 + AK
14x7 mm



K 9/3 + AK
8x4 mm



K 9/4
8x6 mm



K 7 / 40 L = open back
B = closed back

K 8/4 + AK
16x8 mm



AK 9/4 L
4-HOLES
8X6



AK 7 / 40 L = open back
4 - holes

K 9/5 + AK
10x5 mm



Swaro 4127 39 x 28 mm

K 8/5 + AK
18x9 mm



K 9/6
10x8 mm



AK 9/6 L
4-HOLES
10X8



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back – minimum 10000 pieces

K 9/7 + AK
12x6 mm



AK 9/13 +K
4-Holes
18 x 13 mm
for SWARO 4600



K 9/8 + AK
12x8 mm



K 9/16 + AK
20x15 mm



K+AK 9/34 40x30mm


K 9/9
12x10 mm



AK 9/9 L
4-HOLES
12X10



AK 9/18 L +K
4-HOLES
18X13
with low wall



K 9/10 B
3x5 mm



K 9/20 + AK
25x18 mm




K+AK 9/35 42x22mm

K 9/11 + AK
14x10 mm



K 9/22 + AK
27x18,5 mm



K 9/12 + AK
16x11 mm



K 9/27 + AK
16 x 8 mm



K 9/40 B (closed back)
L (open back)
AK 9/40 L for sew-on
Swaro 4627 37x25,5mm

Settings for Soldering K /

Settings for SEW-ON AK /

B = closed back

L = open back

L = open back

B = closed back

(minimum quantities apply)

K 9/23 + AK
8x6 mm



K 10/1 B + AK
4x2 mm



K 9/24 B+L + AK
10x8 mm



K 10/2 B
5x2 mm



K 9/25 B+L + AK
14x10 mm



K 10/3 B + AK
5x2,5 mm



K 9/27 B+L + AK
16x8 mm



K 10/4 B + AK
6x2 mm



K 9/28 B+L + AK
18x13 mm



K 10/5 B + AK
7x3 mm
and K 10/40 B + AK
7x3 mm



K 9/30 B+L + AK
14x10 mm
low wall!



K 10/6 B + AK
10x3 mm



K 9/31 B+L + AK
15x5 mm



K 10/7 B+L + AK
10x8 mm



K 9/32 B+L + AK
21x7 mm



K 10/8 B+L + AK
12x6 mm



K 9/33 B+L + AK
27x9 mm



K 10/9 B+L + AK
16x4 mm



K 10/10 B+L + AK
16x8 mm



K 10/11 B + AK
20x5 mm



FASHION NEWS

Settings – SEW-ON Settings – Cup-Chains for SWAROVSKI 4161

attention: stone can only be set a f t e r SEW-ON



15 x 5 mm BERGS K 9 / 31 L + B open + closed back

SEW – ON AK 9 / 31 L 4 holes open back



21 x 7 mm BERGS K 9 / 32 L + B open + closed back

SEW – ON AK 9 / 32 L 4 holes open back



27 x 9 mm BERGS K 9 / 33 L + B open + closed back

SEW – ON AK 9 / 33 L 4 holes open back



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 10/12 B+L + AK
30x22 mm



K 10/15 B+L + AK
14x10 mm



K 10/16 B+L + AK
18x13 mm



K 10/18 B+L + AK
8x6 mm



K 10/19 B+L + AK
15x5 mm



K 10/20 B+L + AK
21x7 mm



K 10/21 B+L + AK
24x8 mm



K 10/22 B+L + AK
30x10 mm



K 10/23 B+L + AK
10x5 mm



FASHION NEWS

Settings – SEW-ON Settings - Chains – Necklaces

SWAROVSKI Art. 4547 15 x 5 mm

BERGS K 10/19 L = open back or B = closed back for soldering

BERGS AK 10/19 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 21 x 7 mm

BERGS K 10/20 L = open back or B = closed back for soldering


BERGS AK 10/20 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 24 x 8 mm

BERGS K 10/21 L = open back or B = closed back for soldering

BERGS AK 10/21 L = open back 2 x 2 holes for SEW-ON



SWAROVSKI Art. 4547 30 x 10 mm

BERGS K 10/22 L = open back or B = closed back for soldering

BERGS AK 10/22 L = open back 2 x 2 holes for SEW-ON



all settings also available as chain – spacer chain - etc.

settings also available with 1 rectangular hole each side 0,8 x 1,3 mm closed back

with each 1 hole on short side = / 2

with each 1 hole on vertical side for necklace = / 3



SETTINGS and SEW-ON SETTINGS

for SWAROVSKI stones

minimum taking 250 pcs

K 2/13 B+L
AK 2/13 /L 4 holes
Swaro 1122 20 mm



K 4/12 B+L
AK 4/12 /L 4 holes
25x18 mm



K 7/11 B+L
AK 7/11 /L 4 holes
Swaro 4120 25x18 mm



K 2/17 B+L
AK 2/17 /L 4 holes
23 mm



K 9/20 B+L
AK 9/20 /L 4 holes
Swaro 4627 25x18 mm



K 10/22 B+L
AK 10/22 /L 4 holes
Swaro 4547
30x10 mm



K 13/20 B+L
AK 13/20 /L 4 holes
23 mm



K 10/25 B+L
AK 10/25 /L 4 holes
30x12 mm



K 23/32 B
AK 23/32 /B 8 holes
Swaro FLAT 4756
27x16 mm



K 100/18 /B only
Crown setting
34x26 mm



Baguette 7 x 3 mm

we are aware since short time that there are different sizes of Baguette STONES on the market

to avoid any difficulties with our SEW-ON settings we ask our esteemed customer to check what size of STONE they use

original size




Bergs ref.: AK 10/5 B closed back

original size




Bergs ref.: AK 10/40 B closed back

max. length of stone 6,8 mm
max. width of stone 2,8 mm



scale 5 : 1

max. length of stone 7,15 mm
max. width of stone 3,15 mm



scale 5 : 1

Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 10 / 23 + AK
10 x 5 mm



K 12/4 B+L + AK
10x10 mm



K 12/6 B+L + AK
5x5 mm



K 12/5 B+L + AK
12x12 mm



K 12/13 B+L +AK
3mm
Swaro 4401



K 11/1 B+L
16x12 mm



K 12/14 L + AK
14x14 mm



K 12/1 B+L + AK
4x4 mm



K 12/15 L + AK
20x20 mm



K 12/2 B+L + AK
6x6 mm



K 12/3 B+L + AK
8x8 mm



K 12/16 L + AK
30x30 mm



SETTINGS and SEW-ON SETTINGS

for SWAROVSKI stones

minimum taking 100 pcs

K 12/16 /L only
AK 12/16 /L 4 holes
Swaro 4439 30x30 mm



K 9/34 B+L
AK 9/34 /L 4 holes
40x30 mm



K 7/13 B+L
AK 7/13 /L 4 holes
40x30 mm



K 9/35 B+L
AK 9/35 /L 4 holes
42x22 mm



K 10/12 B+L
AK 10/12 /L 4 holes
32x22 mm




K 44/9 B+L
French setting
Swaro 4570+4611
25x18 mm



K 23/33 /B only
AK 23/33 /B 8 holes
(4 holes each side)
39x23,5 mm
Swaro FLAT 4756



K 44/10 B+L
French setting
25x20 mm



K 100/19 /B only
Crown setting
40x30 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 13/4 L
23mm
Swaro 4675



K 13/14 + AK
18x18 mm



K 13/20 + AK
23 mm

K 13/15 + AK
10 mm



K 13/9 + AK
14 mm



K 13/16 + AK
8x8 mm



K 13/24
12 mm




K 13/11 + AK
18 mm



K 13/17
7x7 mm



AK 13/24 L
4-HOLES
12



K 13/12 + AK
23 mm



K 13/18
42,5 mm



K 13/25
16 mm



K 13/13 + AK
14x14 mm



AK 13/25 L
4-HOLES
16



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back

K 13/26 + AK
10 mm



K 15/2 + AK
8,2x5,5 mm



K 16/1
8,8x8 mm



K 13/30 + AK
14 x 14 mm



AK 16/1 L
4-HOLES
8,8x8



K 13/31 + AK
8 mm



K 15/4
20x12 mm



K 16/2 + AK
10x9 mm



K 14/1
6x5 mm



K 15/7
32x17 mm



K 16/3 + AK
12x11 mm



K 14/2
8,5x6 mm



K 16/4 + AK
15x14 mm



K 14/3
12x8 mm



K 15/9 + AK
13x8 mm



K 16/11 + AK
18,7x17 mm
low wall!



K 16/12 + AK
28 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back


B = closed back – minimum 10000 pieces

K 16/13 + AK
5,5x5 mm



left right

K 17/1 + AK
12,2x9 mm



K 18/1 + AK
9x6 mm



K 16/14 + AK
6,6x6 mm



K 17/2 + AK
15,2x11 mm




K 18/2 + AK
9x6 mm



K 16/16 + AK
10x11 mm



K 17/3 + AK
18,6x13,5 mm




K 18/3 + AK
12x8 mm



K 16/17 + AK
15,4x14 mm



K 17/4 + AK
22x16 mm



K 18/4 + AK
12x8 mm



K 16/18 + AK
18,5x17 mm



K 18/5 + AK
15x10 mm



K 16/19
14x11 mm



K 17/5 + K 17/6
10x5 mm + AK



K 18/6 + AK
15x10 mm



AK 16/19 L
4-HOLES
14x11



K 17/7 + K 17/8
14x7 mm + AK



K 18/7 B
24x8 mm



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /

L = open back

B = closed back - minimum 10000 pieces

K 19/1
8x8 mm



K 22/1
10x5 mm



K 23/1
18 mm



K 19/2
10x10 mm



K 22/2
12x6 mm



K 23/2
20 mm



K 22/3 + AK
8x6 mm



K 23/3
8 mm



K 19/3
12x12 mm



K 22/4 + AK
10x7,5 mm



AK 23/3
2-HOLES
8 MM



K 20/1
10x7 mm



K 22/6 + AK
16x12 mm



K 23/4
10 mm



K 21/2 B
12x8 mm



AK 23/4 L
4-HOLES
10



Settings for Soldering K /

B = closed back

L = open back

Settings for SEW-ON AK /


L = open back

B = closed back - minimum 10000 pieces

K 23/5
14 mm



K 23/11
39X39 MM



K 23/19 B



AK 23/5 L
4-HOLES
14



K 23/12
12 MM



K 23/6
12 mm



K 23/13
17 MM



K 23/20
10X5 MM



AK 23/6 L
4-HOLES
12



AK 23/13
4-HOLES
17 MM



K 23/24
15X11 MM



K 23/8
6 mm



K 23/15
8 MM



K 23/29
11X10 MM



K 23/9
4 mm



K 23/30
15,5X14 MM



K 23/10
23 mm



K 23/18 B



K 23/31
20X18 MM



FASHION NEWS

Settings – SEW-ON Settings

for SWAROVSKI 4739 Cosmic

14 x 11 mm :

K 23/25 B (closed back)



L (open back)



AK 23/25 (open back and four holes for sew-on)



20 x 16 mm:

K 23/26 B (closed back)



L (open back)



AK 23/26 (open back and four holes for sew-on)

Settings + SEW-ON Settings for SWAROVSKI 4757



K 23/27 B+L – 4 CLAWS
14x8,5 mm


AK 23/27 / L – 4 holes
(2 holes each side)
14x8,5 mm



K 23/28 B+L – 4 CLAWS
19x11,5 mm

AK 23/28 / L – 4 holes
(2 holes each side)
19x11,5 mm

FRAMES FOR GLUING



P 07874 without ring
19x11,5 mm

P 07875 with 1 ring
19x11,5 mm

P 07876 with 2 rings
19x11,5 mm

Settings + Sew-on Settings for SWAROVSKI 4790 Wing Fancy



Swaro 4790
18x7,5 mm



K 23/37 B+L - 4 claws
18 x 7,5 mm



AK 23/37 L 4-holes
18 x 7,5 mm



Swaro 4790
23x10 mm



K 23/38 B+L - 4 claws
23 x 10 mm



AK 23/38 L 4-holes
23 x 10 mm



Swaro 4790
32x13,5mm



K 23/36 B+L - 4 Claws
32 x 13,5mm



AK 23/36 L 4-holes
32 x 13,5 mm

Settings with 6 prongs

for soldering K with closed back B and open back L
for sew-on AK with open back L and 4 holes
also available with loop for button (asola)



for Swaro
1012/1028

K 25/1
SS 29/30



K + AK 25/2
SS 34



K + AK 25/3
SS 39



for Swaro
4730

K 25/4
6mm



K + AK 25/5
8mm



K + AK 25/6
10mm



K + AK 25/7
12mm



KESSEL - SETTINGS

K 24 / 1 B + L + AK 24 / 1 B



for SWARO 4745 10 mm
or SS 33/34 SWARO 1012/1028
attention: not for SWARO 4825

K 25/1
SS 30



K 26/3 B
2x SS 20



K 25/2
SS 35



K 25/3
SS 40



K 26/5 B
1x SS 20
2x 5,3 mm



K 24/2 B
10 mm



K 25/4
6 mm



K 26/7 B
2x SS 12



K 24/3 B
SS 42/44
Swaro 1012



K 25/5
8 mm



K 26/8 B
3x SS 12



K 25/6
10 mm



K 26/9 B
6x SS 12



K 25/7
12 mm



FASHION NEWS

Settings – SEW-ON Settings – Chains for SWAROVSKI 4744

6 mm:

K 24 / 8 B closed back



L open back



for SEW – ON: AK 24 / 8 L open back 4 holes



M 15388 / 24 / 8 earpost Titanium + scroll loose



10 mm:

K 24 / 9 B closed back



L open back



for SEW – ON: AK 24 / 9 L open back 4 holes



M 15388 / 24 / 9 earpost Titanium + scroll loose



M 15400 / 24 / 9 / 1 earpost Titanium + scroll loose with 1 movable ring

KBK 24 / 9 / 1 pendant with 1 movable ring



KBK 24 / 9 / 2 pendant with 2 movable rings

all above mentioned SEW-ON settings, earposts and pendants are also available in GALVANIZED COLOURS such as: silver – gold – antique silver – antique red copper – antique brass – palladium with minimum quantities. Please ask for colour samples

FASHION NEWS

Settings - SEW-ON Settings - Frames for Gluing
for SWAROVSKI 4748 10 mm BUTTERFLY

SETTING with 4 CLAWS

K 24 / 10 B closed back



L open back



for SEW-ON

AK 24 / 10 L

open back 4-holes



M 15388 / 24 / 10
earpost Titanium
+ scroll loose



FRAME for GLUING

P 08073 without ring



P 08074 with 1 ring



M 15388 / P 08073
earpost Titanium
+ scroll loose



Settings + SEW - ON Settings

for Swarovski 4230



14 x 9 mm

K 23 / 45

AK 23 / 45

L 4-holes

B = closed back

L = open back

available: September 2014



19 x 12 mm

K 23 / 46

AK 23 / 46

L 4-holes

B = closed back

L = open back

available: October 2014

Settings + SEW - ON Settings

for Swarovski 4568



8 x 6 mm



K 9 / 23



AK 9 / 23 L 4-holes

B = closed back

L = open back



14 x 10 mm



K 9 / 25



AK 9 / 25 L 4-holes

B = closed back

L = open back



18 x 13 mm



K 9 / 28

AK 9 / 28 L 4-holes

B = closed back

L = open back

available: n o w



27 x 18 mm

K 9 / 39

AK 9 / 39 L 4-holes

B = closed back

L = open back

available: December 2014

Settings + SEW - ON Settings

for Swarovski 4706



12 mm



K 23 / 43

**B = closed back
L = open back**



AK 23 / 43 L 6 - holes



17 mm



K 23 / 42

**B = closed back
L = open back**



AK 23 / 42 L 6 - holes

available: n o w



24 mm

K 23 / 44

**B = closed back
L = open back**

AK 23 / 44 L 6 - holes

available: end of September 2014

Settings + SEW-ON Settings for SWAROVSKI 4224 + 4524

Swaro 4224
14 x 11 mm



K 5 / 33

B closed back
L open back



AK 5 / 33

L open back 4 - holes
for SEW-ON

Swaro 4224
23 x 18 mm



K 5 / 32

B closed back
L open back



AK 5 / 32

L open back 4 - holes
for SEW-ON

Swaro 4524
23 x 11 mm



K 10 / 31

B closed back
L open back



AK 10 / 31

L open back 4 - holes
for SEW-ON

New Swarovski Stones 2011

settings for soldering and sew-on for all sizes shown

Swaro 4884

K 16/13 5,5x5mm



K 16/14 6,6x6mm



K 16/1 8,8x8mm



K 16/16 11x10mm



K 16/17 15,4x14mm



Swaro 4505

K 9/38 14x8mm



Baguette 7 x 3 mm

we are aware since short time that there are different sizes of Baguette STONES on the market

to avoid any difficulties with our SEW-ON settings we ask our esteemed customer to check what size of STONE they use

original size




Bergs ref.: AK 10/5 B closed back

original size




Bergs ref.: AK 10/40 B closed back

max. length of stone 6,8 mm
max. width of stone 2,8 mm



scale 5 : 1

max. length of stone 7,15 mm
max. width of stone 3,15 mm



scale 5 : 1

Settings with 6 prongs

for soldering K with closed back B and open back L
for sew-on AK with open back L and 4 holes
also available with loop for button (asola)



for Swaro
1012/1028

K 25/1
SS 29/30



K + AK 25/2
SS 34



K + AK 25/3
SS 39



for Swaro
4730

K 25/4
6mm



K + AK 25/5
8mm



K + AK 25/6
10mm



K + AK 25/7
12mm



Settings for Seidel Stones

Seidel G 880
K+AK 7/11
25x18mm



Seidel G 1139
K+AK 7/6
12x10mm



Seidel G 882
K+AK 9/13
18x13mm



Seidel G 1158
K+AK 4/12
25x18mm



Seidel G 883
K+AK 7/9
18x13mm



Seidel G 1179
K+AK 9/20
25x18mm



Seidel G 887
K+AK 4/4
18x13mm



Seidel G 1195
K+AK 2/10
18mm



Seidel G 1156
K+AK 4/2
14x10mm



Seidel G 1192
K+AK 2/11
25mm



Settings for Seidel Stones

Seidel G 1199
K+AK 1/17
11mm



Seidel G 1797
K+AK 10/21
24x8mm




Seidel G 1373
K+AK 5/15
15x7mm



Seidel G 2156
K+AK 1/18
12mm




Seidel G 1796
K+AK 10/25
30x12mm



Seidel G 2156
K+AK 2/9
16mm



Seidel G 1134
K+AK 7/13
40x30mm



Seidel G 1178
K+AK 9/34
40x30mm



NEW SETTINGS For SEIDEL STONES

K / for soldering and AK / for SEW-ON



BERGS K 9/35 42x22
SEIDEL G 1905



BERGS K 7 / 31 40 x 20 mm
SEIDEL G 1298



BERGS K 7 / 13 40 x 30 mm
SEIDEL G 1134



BERGS K 9 / 34 40 x 30 mm
SEIDEL G 1178

Hand-Assembling Tool

We can offer Hand-Assembling Tools

ROUND

For 4-claw settings suitable for
Swarovski 1012 + 1028 + 1122 + 1200

other 4-claw settings for Swarovski stones
4100 + 4161 Oval – 4200 Navette –
4300 + 4320 Pear – 4400 + 4439 Square –
4470 Obtuse angle – 4547 Rectangular –
4600 Octagon – 4800 Heart – and other



PLEASE ORDER SPECIAL TOOL TO BE USED FOR CHAINS