

JosefBergs



Settings and SEW - ON settings

chains - pendants - Earpost

Frames for Gluing

Simili stampings

suitable for Swarovski stones

material: TOMBAC 85 % Copper

catalogue

2017

All Products are shown in actual, real size

Josef Bergs

All designs manufactured by our clients with Josef Bergs Products



Josef Bergs

Cup - Chains

KS /

suitable for

SWAROVSKI stones

minimum 10 meters

Chains KS / for SWAROVSKI Stones

ROUND SETTINGS SS 25- SS 60

--- wire in the middle of the setting – suitable for bracelet / 1



--- wire out of the middle of the setting – suitable for necklace / 3



ALL OTHER SHAPES (OVAL, NAVETTE, RECTANGULAR etc.)

Vertical


--- wire in the middle of the setting for bracelet

/ 1



--- wire out of the middle of the setting for necklace

/ 3



Horizontal


--- wire in the middle of the setting for bracelet

/ 2




--- wire out of the middle of the setting for necklace

/ 5



SLIT SIZE:



Slit = 0,8 x 1,3 mm

BEZEL-CHAINS

Round for Swarovski 1012+1028



for SS 39 – KS 331/1=for bracelet



for SS 39 – KS 331/3=for necklace/collier

OTHER STYLES:

for SS 18/19 – KS 301/1 approx. 140 settings per meter

for SS 24/25 – KS 303/1+3 approx. 136 settings per meter

for SS 29/30 – KS 300/1+3 approx. 117 settings per meter

for SS 31-not for Swaro 1012-KS 1004/1+3 approx.115 spm

for SS 34 – KS 330/1+3 approx. 117 settings per meter

for SS 39 – KS 331/1+3 approx. 102 settings per meter

for SS 45 – KS 332/1+3 approx. 84 settings per meter

for SS 47 and SS 48 –KS 339/1+3 approx. 75 settings per meter

length of prongs ca. 2,7 mm



for SS 47/48 - KS 1017/1+3 approx. 75 settings per meter

length of prongs ca. 3,2 mm

for SS 47-not for Swaro 1012- KS 1006/1+3, 75 spm-high wall



for SS 50 – KS 333/1+3 approx. 74 settings per meter

for SS 59 – KS 794/1+3 approx. 66 settings per meter-high wall

for SWAROVSKI 1012/1028 + SWAROVSKI 1200



for SS 59 KS 334/1+3 approx. 66 settings per meter low wall



not for SWAROVSKI 1012/1028 - 1200

KESSEL - KETTEN BEZEL - CHAIN

**please note that our STANDARD – CHAINS are all available with
different wire-distance between each setting, as follows:**



52 settings per meter



Bergs Ref. KS 301/1 140 settings per meter

SS 18/19

also available 52 settings per meter

**60
73
90
140**



69 settings per meter



Bergs Ref. KS 303/1+3 136 settings per meter

SS 24/25

also available 47 settings per meter

**69
90
100**

KESSEL - KETTEN BEZEL - CHAIN



44 settings per meter



117 settings per meter

Bergs Ref. KS 300/1+3

SS 29/30

also available **44 settings per meter**
 60
 78
 90
 117



44 settings per meter



117 settings per meter

Bergs Ref. KS 330/1+3

SS 34

also available **44 settings per meter**
 60
 66
 78
 90



42 settings per meter



68 settings per meter



102 settings per meter

Bergs Ref. KS 331/1+3

SS 39

also available **42 settings per meter**
 68
 80
 102

Cupchains-number of settings per meter

for example KS 300 - SS 29/30 for Swaro 1012/1028



**KESSEL - KETTEN
BEZEL - CHAIN**



SS 45 Bergs Ref. KS 332/1+3

84 settings per meter

also available

70

56



SS 48 Bergs Ref. KS 339/1+3

75 settings per meter

also available

35



SS 50 Bergs Ref. KS 333/1+3

74 settings per meter

40

also available

23



SS 60 Bergs Ref. KS 334/1+3

66 settings per meter

also available

38

Please note that we always recommend to use
for stone-size 1 size below our mentioned SS size,
for example: for our chain SS 30 please use stone-size SS 29

Chains for SWAROVSKI 1122



KS 1000/84/1 for bracelet, 84 settings per meter
10 mm / SS 45



KS 1001/74/1 for bracelet, 74 settings per meter
12 mm / SS 50



KS 793/66/1 for bracelet, 66 settings per meter
14 mm / SS 58



KS 1002/62/3 for necklace, 62 settings per meter
16 mm / SS 65



KK 9765/3 for necklace
12 mm / SS 50 Swaro 1122
SS 39 Swaro 1028

BEZEL - CHAINS

OVAL for Swarovski 4100 - 4140

**8 x 6 mm KS 322/1 + 3 ca. 136 settings per meter
10 x 8 mm KS 323/1 + 3 ca. 102 settings per meter
12 x 10 mm KS 324/1 + 3 ca. 84 settings per meter
14 x 10 mm KS 325/1 + 3 ca. 82 settings per meter
18 x 13 mm KS 327/1 + 3 ca. 72 settings per meter
25x18 mm KS 1016/1+3 ca. 50 settings per meter
30 x 22 mm KS 1011/1+3 ca. 48 settings per meter**

/ 1 = for bracelet / 3 = for necklace



**8 x 6 mm KS 322/2 ca. 104 settings per meter
10 x 8 mm KS 323/2 ca. 88 settings per meter
12 x 10 mm KS 324/2 ca. 74 settings per meter
14 x 10 mm KS 325/2 ca. 68 settings per meter
18 x 13 mm KS 327/2 ca. 51 settings per meter
30 x 22 mm KS 1011/2 ca. 32 settings per meter**

/ 2 = horizontal - wire in the middle

/ 5 = horizontal - wire out of middle for necklace



BEZEL - CHAINS

OCTOGON for Swarovski 4600- 4611

**8 x 6 mm KS 314/1 + 3 ca. 124 settings per meter
10 x 8 mm KS 313/1 + 3 ca. 105 settings per meter
12 x 10 mm KS 312/1 + 3 ca. 82 settings per meter
14 x 10 mm KS 317/1 + 3 ca. 82 settings per meter
18 x 13 mm KS 398/1 + 3 ca. 71 settings per meter
20 x 15 mm KS 399/1 + 3 ca. 60 settings per meter
25 x 18 mm KS 988/1 + 3 ca. 51 settings per meter**

/ 1 = for bracelet / 3 = for necklace



**14 x 10 mm KS 317/2 ca. 60 settings per meter
18 x 13 mm KS 398/2 ca. 49 settings per meter
20 x 15 mm KS 399/2 ca. 44 settings per meter
25 x 18 mm KS 988/2 ca. 38 settings per meter**

**/ 2 = horizontal - wire in the middle for bracelet
/ 5 = horizontal - wire out of middle for necklace**



BEZEL - CHAINS

PEAR - shape for Swarovski 4300 - 4320

8 x 4,8 mm KS 310/3 ca. 150 settings per meter
10 x 6 mm KS 309/1 + 3 ca. 126 settings per meter
13 x 7,8 mm KS 308/1 + 3 ca. 98 settings per meter
14 x 10 mm KS 375/1 + 3 ca. 80 settings per meter
18 x 13 mm KS 311/3 ca. 71 settings per meter
please note: 18x13 for bracelet/1 NOT available

/ 1 = for bracelet / 3 = for necklace



8 x 4,8 mm KS 310/2 ca. 124 settings per meter
10 x 6 mm KS 309/2 ca. 92 settings per meter
13 x 7,8 mm KS 308/2 ca. 77 settings per meter
14 x 10 mm KS 375/2 ca. 66 settings per meter
18 x 13 mm KS 311/2 ca. 53 settings per meter

/ 2 = horizontal - wire in the middle



BEZEL - CHAINS

SQUARE for Swarovski 4400 - 4447

4 x 4 mm KS 346/1 ca. 148 settings per meter
6 x 6 mm KS 347/1 + 3 ca. 120 settings per meter
8 x 8 mm KS 348/1 + 3 ca. 94 settings per meter
10x10 mm KS 349/1 + 3 ca. 79 settings per meter
12x12 mm KS 350/1 + 3 ca. 68 settings per meter

/ 1 = for bracelet / 3 = for necklace



HEART for Swarovski 4800 - 4831

5,5 x 5 mm KS 9347/1 ca. 140 settings per meter
6,6 x 6 mm KS 9348/1 ca. 130 settings per meter
8,8 x 8 mm KS 389/1 + 3 ca. 99 settings per meter
11 x 10 mm KS 9349/1+3 ca. 82 settings per meter
15,4x14 mm KS 9350/1+3 ca. 65 settings per meter

/ 1 = for bracelet / 3 = for necklace



BEZEL - CHAINS

NAVETTE for Swarovski 4200 - 4231

10 x 5 mm KS 304/1 + 3	ca. 148 settings per meter
12 x 6 mm KS 370/1 + 3	ca. 136 settings per meter
15 x 7 mm KS 307/1 + 3	ca. 110 settings per meter
18 x 9 mm KS 758/1 + 3	settings per meter
32 x 17 mm KS 1003/1 + 3	settings per meter

/ 1 = for bracelet / 3 = for necklace



10 x 5 mm KS 304/2	ca. 93 settings per meter
12 x 6 mm KS 370/2	settings per meter
15 x 7 mm KS 307/2	ca. 63 settings per meter
18 x 9 mm KS 758/2	settings per meter
32 x 17 mm KS 1003/2	settings per meter

/ 2 = horizontal - wire in the middle



BEZEL - CHAINS

ROUND for Swarovski 1122

10 mm / SS 45 KS 1000/1 + 3 84 settings per meter

11 mm / SS 47 KS 792/1 + 3 82 settings per meter

12 mm / SS 50 KS 1001/1 + 3 74 settings per meter

14 mm / SS 58 KS 793/1 + 3 66 settings per meter

16 mm / SS 65 KS 1002/1 + 3 62 settings per meter

18 mm / SS 75 KS 1014/1 + 3 50 settings per meter

/ 1 = for bracelet / 3 = for necklace



for Swarovski 4461 - 4470

8 mm KS 990/1 + 3 102 settings per meter

10 mm KS 986/1 + 3 84 settings per meter

12 mm KS 987/1 + 3 72 settings per meter

14 mm KS 993/1 + 3 60 settings per meter

16 mm KS 989/1 + 3

/ 1 = for bracelet / 3 = for necklace



CUP CHAIN STANDARD meter chain



KS 300/1/69 settings SS 30



KS 300/1/117 settings SS 30



KS 303/3/136 settings SS 25



KS 330/3/117 settings SS 35



KS 332/1/84 settings SS 45



KS 605/1/102 settings SS 40



KS 389/3/99 settings 8,8 x 8 mm



KS 313/3/105 settings 10 x 8 mm



KS 307/3/110 settings 15 x 7 mm



KS 308/3/98 settings 13 x 7,8 mm

CUP CHAIN STANDARD meter chain



KK 9576 6 mm + SS 20



KK 9568 10 x 8 mm + SS 25



KS 899/1/71 settings 12 mm



KS 375/2/64 settings 14 x 10 mm



KK 9329 10 x 8 mm + SS 30



KK 9334 15 x 7 mm + SS 40



KK 9497 10 mm + SS 40



KS 311/3/71 settings 18 x 13 mm



KS 327/3/72 settings 18 x 13 mm

KESSEL - KETTEN
BEZEL - CHAINS



KS 344/2 10 X 5 CA. 84 KESSEL PRO METER



KS 344/3 10 X 5 CA. 136 KESSEL PRO METER



K 9330 10 X 8 + SS 40 CA. 88 KESSEL PRO METER



K 9328 12 X 10 + SS 40 CA. 84 KESSEL PRO METER



KS 327/2 18 X 13 CA. 53 KESSEL PRO METER



KS 327/3 18 X 13 CA. 72 KESSEL PRO METER

KS 328/2 20 X 15 CA. 45 KESSEL PRO METER

KS 328/3 20 X 15 CA. 61 KESSEL PRO METER

**KESSEL - KETTEN
BEZEL - CHAINS**



K 103 10 X 5 + SS 20 CA. 126 KESSEL PRO METER



K 9334 15 X 7 + SS 40 CA. 77 KESSEL PRO METER



KS 602/1 SS 35 CA. 118 KESSEL PRO METER



KS 602/3 SS 35 CA. 118 KESSEL PRO METER



KS 605/3 SS 40 CA. 102 KESSEL PRO METER



KS 608/1 SS 48 CA. 80 KESSEL PRO METER

F A S H I O N N E W S

Settings – SEW-ON Settings – Stampings Cup-Chains for SWAROVSKI Stones

SWAROVSKI 4501 10 x 5 mm BERGS K 10 / 23 L + B



SEW-ON AK 10 / 23 L open back

SWAROVSKI 4515 4 x 2 mm BERGS K 10 / 1 B



KS 994/3/120 SWARO 4501 10 x 5 mm




KS 994/2/78 SWARO 4501 10 x 5 mm

Settings - SEW-ON Settings - Chains –Necklace for SWAROVSKI 4745 Star

K 24/1 10mm B = closed back  for soldering

L = open back 

AK 24/1 10mm L= open back 4 holes for SEW-ON 



KS 876/ 1/84

84 settings per meter



KK 9780/1

per meter: 45 x K 24/1 and 45 x SS30



KK 9780/3

per meter: 45 x K 24/1 and 45 x SS30



F A S H I O N N E W S

Chains for SWAROVSKI 4744 10 mm



KS 1007/1 for bracelet, 83 settings per meter



KS 1007/3 for necklace, 77 settings per meter



KK 9774/1 for bracelet, 48 settings 10 mm+48 settings SS 29/30



KK 9774/3 for necklace, 45 settings 10 mm+45 settings SS29/30

other shapes and sizes in combination with 10 mm setting are possible such as: oval – navette –octogon –pear and other SS sizes

Fantasy Chains



KK 9739/1 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028
for bracelet



KK 9739/3 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028
for necklace



KK 9330 10x8 Swaro 4570/4600/4611 + SS 39 Swaro 1012/1028



KK 9777/3 10x12mm for Swaro 4410



KS 991/3/82 82 settings per meter, 14x10mm for Swaro 4510+4527
for necklace

Cup Chains



KS 1006/1/65 settings per meter, SS 47 not for Swaro 1012/1028,
high wall ca. 5,3mm



KS 1006/3/65 settings per meter, SS 47 not for Swaro 1012/1028,
high wall ca. 5,3mm



KS 1009/1/43 settings per meter, 20mm for Swaro 1122



KS 1009/3/43 settings per meter, 20mm for Swaro 1122



KK 9509/1/33 27mm for Swaro 1201, 33 settings per meter

F A S H I O N N E W S

Fantasy Chains + Necklaces



**KS 986/1/84 10 mm Swarovski 4470
84 settings per meter**



**KS 986/1/76 10 mm Swarovski 4470
76 settings per meter**



**KS 985/1/49 10 mm Swarovski 4470
49 settings per meter**



**KS 985/3/68 14 mm Swarovski 4676
68 settings per meter**



**KS 985/3/35 14 mm Swarovski 4676
35 settings per meter**

F A S H I O N N E W S

Fantasy Chains + Necklaces Swarovski 4470



KS 986 / 1 / 84 10 mm 84 settings per meter



KS 986 / 1 / 49 10 mm 49 settings per meter



KS 987 / 3 / 72 12 mm 72 settings per meter



KS 987 / 1 / 38 12 mm 38 settings per meter



KS 993 / 1 / 60 14 mm 60 settings per meter

F A S H I O N N E W S

**Settings – SEW-ON Settings – Stampings
Cup-Chains for SWAROVSKI Stones**



KS 323/1/102 oval 10 x 8 mm



KS 323/1/70 oval 10 x 8 mm



KS 323/1/42 oval 10 x 8 mm



KS 994/3/120 SWARO 4501 10 x 5 mm



KS 994/2/78 SWARO 4501 10 x 5 mm